S 3

1984/1985
VITAL STATISTICS OF LOUISIANA


INTRACOASTAL CANAL
MISSISSIPPI RIVER
LAKE PONTCHARTRAIN
INDUSTRIAL CANAL
INTRACOASTAL CANAL
MISSISSIPPI RIVER
LAKE PONTCHARTRAIN
INDUSTRIAL CANAL

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES
DIVISION OF RECORDS AND STATISTICS

PUBLIC HEALTH STATISTICS

Cover and Chapter Introduction Pages
by
KENNETH JONES
Illustrator

1984/1985
VITAL STATISTICS
OF LOUISIANA

1984
State Capital Bldg.
1985

Department of Health and Human Resources
Office of Preventive and Public Health Services

EDWIN W. EDWARDS
Governor

SANDRA L. ROBINSON, M.D., M.P.H.
Secretary
State Health Officer

DANETA DANIEL BARDSLEY, Ed. D.
Assistant Secretary

PREPARED BY
PUBLIC HEALTH STATISTICS

THOMAS E. BALLINGER
Statistical Officer

LILLIAN CHILES
Classification Methods Supervisor

AUDREY P. COLLINS
Statistical Services Supervisor

FRANCES N. BARI
Assistant Statistical Officer

MARY LEE ESTEVE
Chief Nosologist

BEATRICE R. BONIN
Graphic Specialist

CONTENTS

Narrative

Page
Introduction . . . i
Population Estimates for Louisiana Parishes, Preliminary, July 1, 1984/1985 . . . ix
Summary of Vital Events in 1984 and 1985 . . . xiv

Tables

1984 Data | 1985 Data

NATALITY

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child, Louisiana:
  By Parish . . . 1 109
  By State Planning Districts and Health Service Areas . . . 10 118
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant, Louisiana . . . 11 119
Live Births Showing Hospital in Which Birth Occurred, by Sex and Race, Louisiana . . . 14 122
Congenital Anomalies Specified on Birth Certificate, Shown by Type of Anomalies and Age of Mother, Louisiana Residents . . . 19 127
Immature Births Showing Hospital in Which Birth Occurred, Louisiana . . . 20 128
Live Births by Live Birth Order by Weight of Child, Louisiana Residents . . . 24 132
Live Births by Weight of Child, Shown by Sex and Race, Louisiana Residents . . . 24 132
Live Births by Birth Weight, Age of Mother, and Race of Child, Louisiana Residents . . . 25 133
Live Births by Birth Order, Shown by Age of Mother and Race of Child, Louisiana Residents . . . 26 134
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child, Louisiana:
  By Parish . . . 27 135
  By State Planning Districts and Health Service Areas . . . 31 139

FETAL MORTALITY:

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race, Louisiana:
  By Parish . . . 32 140
  By State Planning Districts and Health Service Areas . . . 36 144
Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child, Louisiana Residents . . . 37 145
Reported Induced Terminations of Pregnancy by Weeks of Gestation, Race, Age, and Marital Status, Louisiana . . . 40 148
Reported Induced Terminations of Pregnancy by Type of Procedure and Weeks of Gestation, Louisiana 41 149

MORTALITY:

Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age, Louisiana:
  By Parish . . . 42 150
  By State Planning Districts and Health Service Areas . . . 52 160
Deaths Showing Hospital in Which Death Occurred, by Age, Louisiana . . . 54 162
Principal Causes of Death by Parish, Louisiana . . . 61 169
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race and Age, Louisiana Residents 63 171
Accidental Deaths Occurring in Louisiana, by Type of Accident, Shown by Geographic Location Where Accident Occurred, Louisiana . . . 72 180
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age, Louisiana:
  By Parish . . . 74 182
  By State Planning Districts and Health Service Areas . . . 83 191
Infant Mortality Rates by Place of Residence, Shown by Age at Death and Race, Louisiana by State Planning District and Health Service Areas . . . 84 192
Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana Residents . . . 85 193
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age, Louisiana . . . 91 199
Maternal Deaths by Cause, Shown by Race, and Age, Louisiana Residents . . . 92 200

MORBIDITY:

Reportable Diseases by Parish, Louisiana . . . 93 201
Reportable Diseases by Race and Age, Louisiana . . . 99 207

MARRIAGE AND DIVORCE:

Marriages, Final Divorces, and Annulments Granted, Louisiana . . . 104 212
Marriages by Month of Occurrence, Louisiana . . . 105 213
Marriages by Race of Bride, by Race of Groom, Louisiana . . . 105 213
Marriages by Previous Marital Status of Bride and Groom, Louisiana . . . 105 213
All Marriages by Age of Bride, by Age of Groom, Louisiana . . . 106 214

LOUISIANA
HEALTH SERVICE AREAS
AND
STATE PLANNING DISTRICTS

I: HSA 1 (STATE PLANNING DISTRICTS 1 AND 3)
II: HSA 2 (STATE PLANNING DISTRICTS 2, 4, AND 5)
III: HSA 3 (STATE PLANNING DISTRICTS 6, 7, AND 8)


III
BOSSIER
CLAIBORNE
UNION
MOREHOUSE
W. CARROLL
E. CARROLL
WEBSTER
LINCOLN
8
OUACHITA
CADDO
7
JACKSON
RICHLAND
MADISON
RED RIVER
BIENVILLE
DESOTO
WINN
CALDWELL
FRANKLIN
TENSAS
CATAHOULA
LASALLE
SABINE
GRANT
CONCORDIA
NATCHITOCHES
6
VERNON
RAPIDES
AVOYELLES
II
W. FELICIANA
E. FELICIANA
ST. HELENA
WASHINGTON
BEAUREGARD
ALLEN
EVANGELINE
POINTE COUPEE
2
TANGIPAHOA
ST. LANDRY
E. BATON ROUGE
5
4
W. BATON ROUGE
LIVINGSTON
JEFFERSON DAVIS
ACADIA
ST. TAMMANY
CALCASIEU
LAFAYETTE
ST. MARTIN
IBERVILLE
ASCENSION
IBERIA
CAMERON
VERMILION
ORLEANS
ST. MARY
ST. BERNARD
SSUMPTION
ST. JAMES
ST. JOHN
ST. CHARLES
1
3
JEFFERSON
LAFOURCHE
PLAQUEMINES
TERREBONNE
I

Introduction

- **"A vital statistics law is conceded the most fundamental health law that any state can enact. . . . Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]. Figures show the points of attack; figures also show the effect of measures of control and prevention." (From the report of Oscar Dowling, M.D., president of the Louisiana State Board of Health in the Biennial Report of the Board, 1920 - 1921).**

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Human Resources, Office of Preventive and Public Health Services (formerly the Office of Health Services and Environmental Quality). Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Office of Vital Records, but there are many exceptions to this rule. Records of vital events occurring outside the State to residents of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data for census years were obtained from United States Bureau of the Census publications; and intercensal population estimates were made available by the Research Division, College of Administration and Business of Louisiana Tech University. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana is approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be close to 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 31 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate exchange of abortion reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are almost nonexistent. Although Vital Records does receive certificates on some divorces, few parishes submit records of all divorces, and the information on the filed certificates is so incomplete as to prevent any meaningful analysis. The divorce tabulations included in this report reflect counts made by the Clerks of Court as well as data derived from actual certificates received in the central office. For obvious reasons, Louisiana is excluded from the national divorce registration system.

CAUSE-OF-DEATH CODING

CLASSIFICATION SYSTEM

World Health Organization regulations specify that member nations classify cause-of-death in accordance with the current revision of The International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD - 9 , has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data, is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as "(a) the disease or injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"[1]. Under the last four revisions, death resulting from accident or violence may be classified by nature or injury or by external cause of injury, but it has been standard procedure to code such deaths according to the later classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in Tables 1 and 2 on pages vi and vii. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed description of the construction of the ratios and a brief summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revision of the International Classification of Disease", Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120, Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

CAUSE-OF-DEATH RANKING

Cause-of-death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Organization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Illdefined Conditions" are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in the year designated to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g. "tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

EXPLANATORY NOTES

MISSING DATA

Allocations have been made in this report when the following data items are missing:

1. "Sex" is allocated male or female depending on whether the last digit of the record identification number is even or odd, except in the case of a death where the underlying cause is sex specific.
2. "Race" is allocated depending on the last digit of the record identification number, giving a 70% chance for white and 30% chance for black.
3. "Parish of Residence" is assumed to be "Parish of Occurrence" when residence parish is missing for infants dying under 1 year of age.

CITIES LOCATED IN TWO PARISHES

The following cities span parish boundaries:

1. Bossier City -
   Primarily in Bossier Parish, partly in Caddo Parish.
2. Shreveport -
   Primarily in Caddo Parish, partly in Bossier Parish.
3. Eunice -
   Primarily in St. Landry Parish, partly in Acadia Parish.
4. De Ridder -
   Primarily in Beauregard Parish, partly in Vernon Parish.

In this report, the city is reported as a single entity in the primary parish and all events are allocated to that city; However, at the parish level the event is allocated to the actual parish. As an illustration, if a birth occurs in that portion of Shreveport in Bossier Parish, it is reported in the Shreveport city count printed below Caddo Parish, but is not included in the Caddo Parish birth count. It is included in the Bossier Parish birth count. There is a possibility that this reallocation may show more events in a city than in the parish where the city is primarily located.

COMPARABILITY OF NATIONAL AND STATE DATA

Numbers and rates published in state tables by the National Center for Health Statistics (NCHS) may vary slightly from data compiled by the

Louisiana Office of Preventive and Public Health Services (OPPHS) due to differences in editing of the data.

DEFINITIONS

The following is a glossary of technical terms used in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. (Tables and figures that include race classification are tabulated by white and nonwhite categories only. White includes persons reported as White, Mexican, Puerto Rican, and Cuban. Nonwhite includes all other races and mixture of races. Approximately one percent of those classified as nonwhite are other than black.)

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing 5 pounds 8 ounces (2,500 grams) or less regardless of length of gestation.

PREMATURE BIRTH: a live birth which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life.

SPONTANEOUS FETAL DEATH (STILLBIRTH): a fetal death which is not an induced termation of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must be reported.

INDUCED TERMINATION OF PREGNANCY (ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HEBDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium."

RATES AND RATIOS

BIRTH RATE = $$\frac{\text{number of live births}}{\text{estimated population}} \times 1{,}000$$

IMMATURE BIRTH RATIO = $$\frac{\text{number of immature births}}{\text{number of live births}} \times 1{,}000$$

ILLEGITIMACY RATIO = $$\frac{\text{number of illegitimate live births}}{\text{number of live births}} \times 1{,}000$$

ILLEGITIMACY RATE = $$\frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \times 1{,}000$$

FERTILITY RATE = $$\frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \times 1{,}000$$

AGE SPECIFIC FERTILITY RATE = $$\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$$

TOTAL FERTILITY RATE = sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 *

FETAL DEATH RATIO = $$\frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times 1{,}000 \text{ (or } 100{,}000\text{, as specified)}$$

DEATH RATE = $$\frac{\text{number of deaths}}{\text{estimated population}} \times 1{,}000 \text{ (or } 100{,}000\text{, as specified)}$$

AGE SPECIFIC DEATH RATE = $$\frac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}} \times 1{,}000 \text{ (or } 100{,}000 \text{ as specified)}$$

* If divided by 1,000, the total fertility rate is an approximation of completed family size per woman (if, throughout their reproductive period, women were to experience the same age specific birthrates that were observed in the childbearing population in the current year.)

$$\text{AGE ADJUSTED DEATH RATE (Direct Method)} = \frac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as population being adjusted)}}{\text{total standard population}} \times \text{1,000 (or 100,000 as specified)}$$

$$\text{INFANT MORTALITY RATE} = \frac{\text{number of deaths under 1 year of age}}{\text{total number of live births}} \times \text{1,000 (or 100,000 as specified)}$$

$$\text{HEBDOMADAL MORTALITY RATE} = \frac{\text{number of deaths under 7 days of age}}{\text{total number of live births}} \times \text{1,000}$$

$$\text{NEONATAL MORTALITY RATE} = \frac{\text{number of deaths under 28 days of age}}{\text{total number of live births}} \times \text{1,000}$$

$$\text{PERINATAL MORTALITY RATE} = \frac{\text{stillbirths + deaths of infants under 7 days old}}{\text{total number of live births + stillbirths}} \times \text{1,000}$$

$$\text{MATERNAL MORTALITY RATE} = \frac{\text{number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium}}{\text{total number of live births}} \times \text{100,000**}$$

** In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."

AVAILABILITY OF ADDITIONAL DATA

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office. Microfiche copies of this publication are available on request.

Public use tapes (all identifiers removed) of birth and death data for 1968 - 1985 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Request for additional data, or information concerning birth and death tapes, should be addressed to:

Public Health Statistics
P.O. Box 60630
New Orleans, Louisiana 70160
(504) 568 - 5454

Reprint from Monthly Vital Statistics
Report, DHEW Publication No. (PHS) 80
- 1120, Vol. 28, No. 11 (Supplement),
pp. 12-13. Hyattsville, Md.: National
Center for Health Statistics.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated compara-bility ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample) (1)	Eighth Revision (total count)[1] (2)	(3)	Standard error (4)	Relative standard error (5)	Upper (6)	Lower (7)
All causes	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis...004,006	54	56	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections...007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis...010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system...010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis...013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough...033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas...034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection...036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia...038	5,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis...045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles...055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis...070	793	567	1.3986	0.0820	5.9	1.5593	1.2379
Syphilis...090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases...001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139	3,961	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues...140-208	378,289	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx...140-149	8,209	8,114	1.0117	0.0087	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum...150-159	105,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs...160-165	91,191	91,131	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast...174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs...179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs...188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites...170-173,190-199	43,938	45,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia...204-208	15,161	15,056	1.0070	0.0056	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues...200-203	19,205	20,463	0.9385	0.0069	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplams of uncertain behavior and of unspecified nature...210-239	5,703	4,719	1.2085	0.0261	2.2	1.2595	1.1575
Diabetes mellitus...250	34,478	34,508	0.9991	0.0087	0.9	1.0162	0.9820
Nutritional deficiencies...260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias...280-285	2,958	3,182	0.9296	0.0124	1.3	0.9538	0.9054
Meningitis...320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases...390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart...390-398,402,404-429	732,989	723,878	1.0126	0.0039	0.4	1.0202	1.0050
Rheumatic fever and rheumatic heart disease...390-398	8,715	13,110	0.6648	0.0080	1.2	0.6804	0.6492
Hypertensive heart disease...402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease...404	4,872	4,020	1.2119	0.0438	3.6	1.2978	1.1260
Ischemic heart disease...410-414	567,520	646,073	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction...410	319,562	319,477	1.0003	0.0054	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease...411	4,924	4,028	1.2224	0.0661	5.4	1.3519	1.0929
Angina pectoris...413	195	186	1.0484	0.0666	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease...412,414	242,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium...424	5,154	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease...415-423,425-429	124,701	49,810	2.5035	0.0257	1.0	2.5539	2.4531
Hypertension with or without renal disease...401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases...430-438	189,553	188,623	1.0049	0.0066	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage...431-432	24,769	24,845	0.9969	0.0068	0.7	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries...434.0,434.9	46,328	44,803	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism...434.1	926	826	1.1211	0.0924	8.2	1.3022	0.9400
All other and late effects of cerebrovascular diseases...430,433,435-438	117,530	118,149	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis...440	31,273	29,366	1.0649	0.0246	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries...441-448	19,583	26,432	0.7409	0.0098	1.3	0.7600	0.7218
Acute bronchitis and bronchiolitis...466	759	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza...480-487	57,315	61,866	0.9264	0.0067	0.7	0.9394	0.9134
Pneumonia...480-486	49,663	53,989	0.9199	0.0076	0.8	0.9347	0.9051
Influenza...487	7,652	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions...490-496	46,002	24,410	1.8846	0.0150	0.8	1.9141	1.8551
Bronchitis, chronic and unspecified...490-491	4,353	4,639	0.9383	0.0134	1.4	0.9646	0.9120
Emphysema...492	17,387	17,796	0.9770	0.0127	1.3	1.0018	0.9522
Asthma...493	2,675	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions...494-496	21,588	[4]...	[4]...	[4]...	[4]...	[4]...	[4]...
Ulcer of stomach and duodenum...531-533	7,194	6,428	1.1192	0.0247	2.2	1.1675	1.0709
Appendicitis...540-543	758	752	1.0080	0.0264	2.6	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia...550-553,560	5,583	5,919	0.9432	0.0169	1.8	0.9762	0.9102

See footnotes at end of table.

Reprint (continued)

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES—Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
Chronic liver disease and cirrhosis ... 571	31,799	31,453	1.0110	0.0069	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder ... 574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis ... 580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome ... 580-581	426	1,759	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified ... 582-583,587	3,360	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause ... 584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney ... 590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate ... 600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium ... 630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome ... 630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium ... 640-676	366	374	0.9840	0.0454	4.6	1.0729	0.8951
Congenital anomalies ... 740-759	12,981	13,002	0.9984	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period ... 760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome ... 767-769	10,051	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period ... 760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions ... 780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases ... Residual	97,585	125,340	0.7786	0.0082	1.1	0.7947	0.7625
Accidents and adverse effects ... E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents ... E810-E825	47,587	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects ... E800-E807,E826-E949	52,867	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide ... E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention ... E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes ... E980-E999	4,611	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1] Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0265 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Table 2. COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT*, BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 8 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes ...	48,265	48,265	1.0000				
Certain gastrointestinal diseases ... 008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza ... 480-487	1,465	1,961	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies ... 740-759	8,404	8,345	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight ... 765	3,830	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma ... 767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia ... 768	1,177	3,599	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome ... 769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period ... 760-764,766,770-779	13,059	15,378	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome ... 798.0	4,334	...	...	...	...	...	...
All other causes ... Residual	6,781	12,431	0.5455	0.0061	1.1	0.5573	0.5335

[1] Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

PRELIMINARY ESTIMATES OF THE POPULATION OF LOUISIANA PARISHES

JULY, 1984 AND 1985

The parish population estimates which appear on the following pages were prepared by the Research Division, College of Administration and Business, Louisiana Tech University. They were based on an average of (1) the regression (ratio - correlation) method, using a series of data including resident births, deaths, and school enrollment (grades 1 through 8); and (2) The administrative - records method, which utilizes Federal tax data, resident birth and death data, and data on medicare enrollees.

A detailed description of the methodology can be obtained from:

Division of Business and Economic Research
College of Administration and Business
Louisiana Tech University
P.O. Box 10318
Ruston, Louisiana 71272

Telephone (318) 257-3701

POPULATION ESTIMATES FOR LOUISIANA PARISHES
PRELIMINARY JULY 1, 1984

PARISH	ESTIMATE	PARISH	ESTIMATE
STATE TOTAL	4,462,490		
Acadia	59,422	Madison	15,776
Allen	21,514	Morehouse	35,178
Ascension	56,291	Natchitoches	40,253
Assumption	23,757	Orleans	566,498
Avoyelles	43,003	Ouachita	142,822
Beauregard	31,829	Plaquemines	26,755
Bienville	16,527	Pointe Coupee	25,266
Bossier	89,435	Rapides	138,692
Caddo	264,758	Red River	11,005
Calcasieu	177,586	Richland	22,904
Caldwell	10,911	Sabine	27,335
Cameron	10,185	St. Bernard	67,796
Catahoula	12,484	St. Charles	42,075
Claiborne	18,523	St. Helena	10,397
Concordia	23,582	St. James	22,334
DeSoto	27,221	St. John the Baptist	39,051
East Baton Rouge	391,975	St. Landry	88,716
East Carroll	11,568	St. Martin	45,037
East Feliciana	19,888	St. Mary	66,222
Evangeline	34,603	St. Tammany	132,048
Franklin	24,210	Tangipahoa	88,958
Grant	17,779	Tensas	8,215
Iberia	69,055	Terrebonne	101,319
Iberville	33,336	Union	21,980
Jackson	17,681	Vermilion	52,773
Jefferson	477,213	Vernon	60,806
Jefferson Davis	33,536	Washington	47,168
Lafayette	170,377	Webster	45,352
Lafourche	88,111	West Baton Rouge	20,385
LaSalle	17,398	West Carroll	13,093
Lincoln	42,585	West Feliciana	13,806
Livingston	68,770	Winn	17,362

SOURCE: Research Division, College of Administration and Business, Louisiana Tech University.

POPULATION ESTIMATES FOR LOUISIANA PARISHES
PRELIMINARY JULY 1, 1985

PARISH	ESTIMATE	PARISH	ESTIMATE
STATE TOTAL	4,480,681		
Acadia	59,733	Madison	15,546
Allen	21,722	Morehouse	35,423
Ascension	57,817	Natchitoches	39,866
Assumption	23,436	Orleans	564,383
Avoyelles	42,987	Ouachita	143,407
Beauregard	32,419	Plaquemines	26,680
Bienville	16,677	Pointe Coupee	25,101
Bossier	90,161	Rapides	139,328
Caddo	270,811	Red River	10,938
Calcasieu	176,792	Richland	23,145
Caldwell	11,161	Sabine	27,414
Cameron	10,052	St. Bernard	68,046
Catahoula	12,615	St. Charles	42,384
Claiborne	18,420	St. Helena	10,456
Concordia	23,672	St. James	22,162
DeSoto	27,662	St. John the Baptist	40,556
East Baton Rouge	390,915	St. Landry	88,563
East Carroll	11,436	St. Martin	45,594
East Feliciana	20,206	St. Mary	65,448
Evangeline	35,026	St. Tammany	137,635
Franklin	24,262	Tangipahoa	90,325
Grant	17,926	Tensas	8,376
Iberia	68,909	Terrebonne	101,076
Iberville	33,272	Union	22,369
Jackson	17,598	Vermilion	53,044
Jefferson	476,022	Vernon	61,196
Jefferson Davis	33,390	Washington	47,440
Lafayette	170,402	Webster	45,714
Lafourche	87,069	West Baton Rouge	20,697
LaSalle	17,483	West Carroll	12,986
Lincoln	43,252	West Feliciana	13,752
Livingston	71,249	Winn	17,077

SOURCE: Research Division, College of Administration and Business, Louisiana Tech University.

* Estimates of the Population of Louisiana Parishes: July 1, 1985

	July 1, 1985 Est. Population[1]	April 1, 1980 Census	Change 1980-85		Migration
			Absolute	Percent	
Louisiana	4,480,681	4,206,116	274,565	6.53	29,904
District 1	1,272,766	1,213,534	59,232	4.88	-2,561
Jefferson	476,022	454,592	21,430	4.71	-4,814
Orleans	564,383	557,927	6,456	1.16	-16,705
Plaquemines	26,680	26,049	631	2.42	-1,355
St. Bernard	68,046	64,097	3,949	6.16	949
St. Tammany	137,635	110,869	26,766	24.14	19,364
District 2	781,230	716,288	64,942	9.07	17,419
Ascension	57,817	50,068	7,749	15.48	3,513
East Baton Rouge	390,915	366,191	24,724	6.75	-146
East Feliciana	20,206	19,015	1,191	6.26	-13
Iberville	33,272	32,159	1,113	3.46	-759
Livingston	71,249	58,806	12,443	21.26	7,894
Pointe Coupee	25,101	24,045	1,056	4.39	-318
St. Helena	10,456	9,827	629	6.40	220
Tangipahoa	90,325	80,698	9,627	11.93	4,258
Washington	47,440	44,207	3,233	7.31	1,633
West Baton Rouge	20,697	19,086	1,611	8.44	78
West Feliciana	13,752	12,186	1,566	12.85	1,059
District 3	316,683	289,638	27,045	9.34	3,103
Assumption	23,436	22,084	1,352	6.12	-195
Lafourche	87,069	82,483	4,586	5.56	-1,166
St. Charles	42,384	37,259	5,125	13.76	1,894
St. James	22,162	21,495	667	3.10	-800
St. John the Baptist	40,556	31,924	8,632	27.04	5,170
Terrebonne	101,076	94,393	6,683	7.08	-1,800
District 4	586,719	540,592	46,127	8.53	7,429
Acadia	59,733	56,427	3,306	5.86	-256
Evangeline	35,026	33,343	1,683	5.05	115
Iberia	68,909	63,752	5,157	8.09	194
Lafayette	170,402	150,017	20,385	13.59	7,763
St. Landry	88,563	84,128	4,435	5.27	-612
St. Martin	45,594	40,214	5,380	13.38	2,274
St. Mary	65,448	64,253	1,195	1.86	3,659
Vermilion	53,044	48,458	4,586	9.46	1,610
District 5	274,375	259,827	14,548	5.60	-985
Allen	21,722	21,408	314	1.47	-469
Beauregard	32,419	29,692	2,727	9.18	1,376
Calcasieu	176,792	167,223	9,569	5.72	-1,525
Cameron	10,052	9,336	716	7.67	108
Jefferson Davis	33,390	32,168	1,222	3.80	-475

* SOURCE: Reprint from State Planning Bulletin, Spring 1986, Table 1, State Planning Office, Division of Administration (Based on Louisiana Tech Population Data)

	July 1, 1985 Est. Population[1]	April 1, 1980 Census	Change 1980-85		Migration
			Absolute	Percent	
District 6	332,284	316,378	15,906	5.03	-1,380
Avoyelles	42,987	41,393	1,594	3.85	2
Catahoula	12,615	12,287	328	2.67	-230
Concordia	23,672	22,981	691	3.01	-382
Grant	17,926	16,703	1,223	7.32	753
LaSalle	17,483	17,004	479	2.82	77
Rapides	139,328	135,282	4,046	2.99	-2,508
Vernon	61,196	53,475	7,721	14.44	1,496
Winn	17,077	17,253	-176	-1.02	-588
District 7	590,915	551,337	39,578	7.18	13,686
Bienville	16,677	16,387	290	1.77	-186
Bossier	90,161	80,721	9,440	11.69	3,633
Caddo	270,811	252,437	18,374	7.28	5,541
Claiborne	18,420	17,095	1,325	7.75	996
DeSoto	27,662	25,727	1,935	7.52	882
Lincoln	43,252	39,763	3,489	8.77	1,893
Natchitoches	39,866	39,863	3	0.01	-1,588
Red River	10,938	10,433	505	4.84	119
Sabine	27,414	25,280	2,134	8.44	1,389
Webster	45,714	43,631	2,083	4.77	1,007
District 8	325,709	318,522	7,187	2.26	-6,807
Caldwell	11,161	10,761	400	3.72	135
East Carroll	11,436	11,772	-336	-2.85	-1,032
Franklin	24,262	24,141	121	0.50	-717
Jackson	17,589	17,321	277	1.60	-161
Madison	15,546	15,682	-136	0.87	-803
Morehouse	35,432	34,803	620	1.78	-953
Ouachita	143,407	139,241	4,166	2.99	-3,105
Richland	23,145	22,187	958	4.32	-8
Tensas	8,376	8,525	-149	-1.75	-408
Union	22,369	21,167	1,202	5.68	695
West Carroll	12,986	12,922	64	0.50	-450

[1] Estimates prepared by Louisiana Tech, Division of Business Research.

Louisiana Population at Mid-Decade

Louisiana grew 6.5 percent from 1980 to 1985 to an estimated 4,481,000 population for July 1, 1985. This was a higher growth than the U.S. average of 5.4 percent. The Census Bureau's West South Central Region which includes Louisiana grew 11.6 percent. Also in this region are Oklahoma, Texas and Arkansas with respective growth rates of 9.1, 15.0 and 3.2 percent. Four Louisiana parishes had growth rates higher than fifteen percent in this period according to estimates prepared by Louisiana Tech researchers. Ascension, Livingston, St. Tammany and St. John the Baptist had rates of 15.5, 21.3, 24.1, and 27.0 as shown in[the preceding table].

SUMMARY OF VITAL EVENTS IN 1984 AND 1985

A MID-DECADE REVIEW

The population of Louisiana increased by almost 275,000 between April 1, 1980 and July 1, 1985 - from 4,206,116 at the time of the national decennial census to an estimated 4,480,681 in 1985 (see Page xii. Approximately 30,000 of this increase can be attributed to in-migration and 245,000 to natural increase, defined as the excess of births over deaths. Considering the demographic impact of these two variables, a mid-decade review of their characteristics should prove of interest at this time.

LIVE BIRTHS

Louisiana resident births totalled 81,401 in 1985, a small decrease under the 82,114 reported in 1980. Although the absolute change in the number of births was relatively small, the crude birth rate (live births per 1,000 estimated population) decreased almost 6.7% - from 19.5 in 1980 to 18.2 in 1985. The United States rate, 15.9 in 1980 and 15.7 in 1985, was over 18% below the Louisiana rate in 1980 but only 14% below our estimated state rate in 1985.

A review of the last 25 years reveals that the number of births in the state followed a generally declining trend for 16 years, dropping from a high of 90,126 in 1960 to 69,678 in 1976, then reversed to a rising trend which ended in 1982, when 84,531 births were reported. Although births then dropped substantially in both 1983 and 1984, there was virtually no change in 1985. The crude birth rate, 27.7 in 1960, decreased to 17.5 by 1974, then followed a generally increasing trend until 1982, when it reversed the trend and started down again (see Table 1).

Data released by the National Center for Health Statistics (NCHS) indicate that Louisiana had the 6th highest birth rate among the states in 1984 (NOTE: When 1985 United States data are unavailable for comparison, National and State 1984 data will be cited). Our State fertility rate, 75.4 per 1,000 females 15-44 years of age, ranked 10th highest among the states. The National fertility rate was 65.4 (see Table 2).

SEX RATIO

In 1980, the sex ratio at birth in Louisiana was 1,049 male births per 1,000 female births; the corresponding ratio for 1985 was 1,040. The white sex ratio, 1,061 in 1980 and 1,060 in 1985, remains higher than the black, 1,032 in 1980 and 1,008 in 1985. A study of United States data from 1940 through 1984 indicates that the white sex ratio of male to female births has been consistently higher than the black ratio.

GIVEN NAMES

In 1985, Ashley was the most popular given name for infant girls and Christopher for infant boys. Jennifer and Michael ranked first in 1980. The 15 names appearing most often on live birth certificates are shown for each sex in the following tables:

GIRLS				
RANK	1985		1980	
	NAME	NUMBER	NAME	NUMBER
1	ASHLEY	1448	JENNIFER	988
2	JESSICA	833	AMANDA	747
3	JENNIFER	665	JESSICA	677
4	AMANDA	663	MELISSA	479
5	BRITTANY	512	TIFFANY	457
6	HEATHER	435	KIMBERLY	450
7	LAUREN	414	CRYSTAL	418
8	MEGAN	412	ASHLEY	396
9	CRYSTAL	373	APRIL	383
10	KIMBERLY	364	HEATHER	343
11	SARAH	357	AMY	329
12	TIFFANY	346	MICHELLE	324
13	DANIELLE	340	SARAH	315
14	RACHEL	305	NICOLE	314
15	STEPHANIE	301	ANGELA	303

BOYS				
RANK	1985		1980	
	NAME	NUMBER	NAME	NUMBER
1	CHRISTOPHER	1233	MICHAEL	1187
2	JOSHUA	1063	CHRISTOPHER	1031
3	MICHAEL	1044	JASON	963
4	BRANDON	966	JOHN	838
5	JAMES	741	JAMES	789
6	MATTHEW	673	JOSHUA	732
7	JOHN	670	DAVID	691
8	DAVID	613	JOSEPH	620
9	ROBERT	542	BRANDON	610
10	JONATHAN	532	ROBERT	575
11	JOSEPH	526	JEREMY	538
12	DANIEL	502	JUSTIN	496
13	JUSTIN	499	WILLIAM	491
14	RYAN	498	NICHOLAS	448
15	WILLIAM	484	JONATHAN	439

WEIGHT AT BIRTH

Data released by the NCHS (Table 3) indicate that 6.7% of the live births in the United States were classified as low birth weight (less than 2,500 grams) in 1984, virtually unchanged from the 6.8% observed in 1980. In Louisiana, also, the percent low birth weight remained essentially the same - 8.6% in 1984, as in 1980, and 8.7% in 1985. The incidence of low birth weight is still substantially higher for black infants in both the nation and the state. The 1984 levels for black births were 12.4% for the United States and 13.1% for Louisiana, while the corresponding white levels were 5.6% and 5.7%.

In Louisiana in 1985, births under 2,500 grams for mothers 25-29 (7.4%) were approximately half the level observed for teenagers under 15 (14.0%) and substantially lower than the levels for mothers 15-19 (11.1%) and 40 and over (10.4%). United States data showed a similar pattern by age, although lower levels were prevalent for "All Ages" due to differing national and state proportions of white and nonwhite births (see Table 4).

CHARITY HOSPITAL BIRTHS

The number of births occurring in Charity hospitals rose from 21,357 in 1980 to 26,866 in 1985. A study of Table 5, showing the percent of births occurring in Charity hospitals, reveals that the percent decreased each year from 1974 to 1980, then reversed this trend and increased each year through 1985. The figures varied significantly by race, with 19.2% of the white births and 53.2% of the nonwhite births occurring in Charity hospitals in 1985. Although the white percent followed an increasing trend during the period (from 8.4% in 1974 to 19.2% in 1985), the nonwhite percent decreased from 64.0% in 1974 to 49.3% in 1981, then fluctuated between 53% and 56% during the years 1982-1985. Thus, although the nonwhite percent is still almost 3 times higher than the white percent, the disparity between the two racial groups has decreased substantially since 1974, when the nonwhite percent was almost 8 times higher than the white percent.

PRENATAL CARE

In 1980, the month prenatal care began could not be determined from data on 7.4% (6,071) of the birth certificates. By 1985, reporting had improved to the extent that only 1.1% (929) of the certificates lacked this information. Unfortunately, the statistics do not show a significant increase in the proportion of mothers who started receiving prenatal care in the first trimester - 77.8% in 1980 and 78.4% in 1985. Equally disturbing, the percent of mothers who did not begin prenatal care until the third trimester or who had no prenatal care at all was 4.9% in both 1980 and 1985. (Percents were based on the total births with month prenatal care began stated numerically).

The percent of white mothers receiving first trimester prenatal care remained the same in 1985 as in 1980 - 85.2%. The proportion of black mothers receiving early prenatal care increased only slightly, from 66.2% in 1980 to 67.6% in 1985. Thus, there is still a substantial racial difference in the percent of mothers receiving prenatal care in the critical first trimester. In addition, 7.9% of the black mothers received no prenatal care or started prenatal care late (in the third trimester) in both 1980 and 1985.

The differential in timely prenatal care between mothers under 18 and 18 and over is also pronounced (see Table 6). In 1985, only 57.6% of the mothers under 18 started prenatal care in the first trimester, whereas 79.9% of mothers 18 and over started receiving care in this period. Prenatal care was not started until the third trimester or not received at all by 10.4% of the mothers under 18 in contrast to only 5.4% of mothers 18 and over.

ILLEGITIMATE BIRTHS

Both the number of illegitimate births and the ratio of illegitimate births to all births continued to rise steadily. In 1960 there were 8,248 illegitimate births (9.2% of all births), in 1970 there were 11,077 (14.9%), in 1980 there were 19,174 (23.4%) and in 1985 the total reached 23,233 (28.5%). Nationally, 18.4% of all births were to unwed mothers in 1980, rising to 21.0% in 1984.

Although the 1984 state illegitimacy ratio (illegitimate births per 1,000 live births) was higher than the national ratio for total births, both the white and black ratios were lower for Louisiana: data published by the NCHS indicate that the United States white and black ratios were 134.1 and 592.0 respectively in 1984, while the corresponding Louisiana ratios were 87.7 and 557.8 (see Table 3). The higher black ratio affects the Louisiana illegitimacy ratio to a greater degree than the national ratio because the state has a larger percent of black births.

Illegitimacy ratios show a similar pattern by age group for United States and Louisiana (see Table 7). The highest ratios were for women under 20 and the lowest ratios for women 30-34.

FETAL DEATHS

STILLBIRTHS

There were 764 stillbirths to Louisiana

residents in 1985, or 9.4 per 1,000 live births. The white stillbirth ratio was 6.7, approximately 15% lower than the 1980 white ratio of 7.9; the nonwhite ratio, 13.3 in 1985, was 7% below the 1980 ratio of 14.3. Thus, the nonwhite ratio is almost double the white ratio.

ABORTIONS

In 1985, there were 18,137 reported abortions occurring in Louisiana, an increase over the 16,525 reported in 1980, but a decrease under the reports for 1981-1984, which varied between 18,237 (1981) and a high of 19,793 in 1982. It cannot be presumed that this represents a true reduction in the number of abortions performed as it has been determined that reporting is not always consistent and complete.

DEATHS

Louisiana resident deaths varied up and down in number from 35,544 in 1980 to 37,041 in 1985. Although the 1985 rate, 8.3 per 1,000 estimated population, was slightly lower than the 1980 rate of 8.5, it was higher than the rates of 8.2 in 1982 and 1983 and 8.0 in 1984. The preliminary United States rate, 8.7 in 1985 continues to exceed the state rate. Table 8 shows death rates by state of occurrence for each state in 1984 (1985 resident data are not available at this time). Caution should be used in comparing crude death rates by states as these rates are affected by the age/race/sex composition of the areas compared.

The first 5 leading causes of death - "Diseases of the Heart", "Malignant Neoplasms", Cerebrovascular Disease", "Accidents and Adverse Effects" and "Chronic Obstructive Pulmonary Disease" - retained their same relative ranks 1981-1985 (Diabetes was 5th in 1980 by a small margin). These 5 causes accounted for 73% of the 1985 Louisiana resident deaths. "Influenza and Pneumonia" ranked 6th, "Diabetes" ranked 7th, and "Suicide" replaced "Homicide" as the 8th leading cause of death (see Table 9).

INFANT DEATHS

There were 966 resident infant deaths in Louisiana in 1985, resulting in an infant death rate of 11.9 per 1,000 live births, the lowest ever recorded for the state but 12% higher than the provisional national rate of 10.6. Table 1 reveals that the Louisiana infant death rate has followed an almost consistently decreasing trend over the last 25 years, from 32.0 in 1960 to 24.3 in 1970, 14.3 in 1980, and 11.9 in 1985. The neonatal rate (deaths under 28 days of age per 1,000 live births) has followed a similar pattern, dropping almost 65% between 1960 and 1985 (from 21.7 to 7.7).

Provisional 1984 data by state of occurrence, released by NCHS, indicate that Louisiana had the 7th highest state infant death rate (see Table 8). Comparable data for 1985 are not yet available.

The leading cause of infant death was again "Congenital Anomalies", with an infant mortality rate of 245.7 per 100,000 live births in 1985 (see Table 10). In the period 1980 through 1984, this rate fluctuated between 249.3 and 280.3. In the 80's, the three causes competing for 2nd, 3rd, and 4th places were "Sudden Infant Death Syndrome", "Respiratory Distress Syndrome", and "Disorders Relating to Short Gestation and Unspecified Low Birth Weight". Each of these causes had rates less than half that for Congenital Anomalies. It should be noted, however, that ICD 9th Revision rules preclude assigning "SIDS" or "Immaturity" codes as the underlying cause of death if any other condition considered more specific under the rules is stated anywhere on the certificate.

MATERNAL DEATHS

During the first half of this decade, deaths from "Complications of Pregnancy, Childbirth, and the Puerperium" (ICD 9 codes 630-676) have fluctuated between a low of 6 in 1983 and 1984 and a high of 13 in 1981. In the 5 years 1981-1985, there were 41 maternal deaths - 14 white and 27 nonwhite. The average annual rate for this period was 10.0 per 100,000 live births for "All Races", 5.6 for white mothers, and 16.7 for nonwhite mothers.

Table 1
LIVE BIRTHS AND INFANT DEATHS
SHOWING NEONATAL, POSTNEONATAL, AND INFANT DEATH RATES
LOUISIANA RESIDENTS, 1960 - 1985

YEAR	LIVE BIRTHS		INFANT DEATHS		NEONATAL DEATHS		POSTNEONATAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1960	90126	27.7	2882	32.0	1954	21.7	928	10.3
1961	88892	26.8	2689	30.3	1922	21.6	767	8.6
1962	88005	26.1	2746	31.2	1923	21.9	823	9.4
1963	85334	24.9	2590	30.4	1822	21.4	768	9.0
1964	86060	24.7	2562	29.8	1799	20.9	763	8.9
1965	79533	22.5	2429	30.5	1657	20.8	772	9.7
1966	77223	21.5	2225	28.8	1576	20.4	649	8.4
1967	75199	20.7	1990	26.5	1429	19.0	561	7.5
1968	74098	20.2	1882	25.4	1349	18.2	533	7.2
1969	74770	20.1	1837	24.6	1335	17.9	502	6.7
1970	74615	20.5	1811	24.3	1377	18.5	434	5.8
1971	73014	19.8	1614	22.1	1215	16.6	399	5.5
1972	68340	18.3	1432	21.0	1084	15.9	348	5.1
1973	66413	17.6	1365	20.6	1014	15.3	351	5.3
1974	65880	17.5	1237	18.8	922	14.0	315	4.8
1975	67792	17.9	1235	18.2	923	13.6	312	4.6
1976	69678	18.1	1241	17.8	919	13.2	322	4.6
1977	74989	19.1	1359	18.1	1000	13.3	359	4.8
1978	74831	18.9	1303	17.4	908	12.1	395	5.3
1979	79183	19.7	1230	15.5	814	10.3	416	5.3
1980	82114	19.5	1175	14.3	818	10.0	357	4.3
1981	82167	19.1	1129	13.7	760	9.2	369	4.5
1982	84531	19.4	1094	12.9	710	8.4	384	4.5
1983	82466	18.6	1108	13.4	737	8.9	371	4.5
1984	81428	18.2	984	12.1	653	8.0	331	4.1
1985	81401	18.2	966	11.9	628	7.7	338	4.2

RATES:

Live Birth Rates = live births per 1,000 estimated population.
Infant Death Rates = deaths under 1 year of age per 1,000 live births.
Neonatal Rates = deaths under 28 days of age per 1,000 live births.
Postneonatal Deaths = deaths 28 - 365 days of age per 1,000 live births.

Table 2

* **Live births by race of child, birth rates, and fertility rates: United States, each division and State, 1984**

[By place of residence. Based on 100 percent of births in 46 States and on a 50-percent sample of births in 4 States and the District of Columbia; see Technical notes. Birth rates per 1,000 estimated population in each area; fertility rates per 1,000 women aged 15–44 years estimated in each area]

Division and State	Number			Birth rate	Fertility rate
	All races[1]	White	Black		
United States	3,669,141	2,923,502	592,745	15.5	65.4
New England	172,198	156,438	12,160	13.7	56.7
Maine	16,770	16,438	103	14.5	62.6
New Hampshire	14,250	13,979	106	14.6	59.1
Vermont	8,020	7,943	29	15.1	61.2
Massachusetts	78,279	70,565	5,702	13.5	55.2
Rhode Island	12,659	11,339	872	13.2	55.8
Connecticut	42,220	36,174	5,348	13.4	56.4
Middle Atlantic	509,497	402,207	94,401	13.7	58.5
New York	251,053	188,914	54,267	14.1	59.3
New Jersey	101,334	78,654	19,783	13.5	57.4
Pennsylvania	157,110	134,639	20,351	13.2	58.0
East North Central	627,140	518,943	97,756	15.1	63.9
Ohio	158,519	134,406	22,428	14.8	62.9
Indiana	80,084	70,725	8,640	14.6	61.8
Illinois	179,274	137,102	38,420	15.6	66.0
Michigan	136,076	110,751	23,022	15.0	62.5
Wisconsin	73,187	65,959	5,246	15.4	65.9
West North Central	274,226	246,053	19,178	15.7	68.5
Minnesota	66,716	62,020	1,768	16.0	67.6
Iowa	42,367	40,662	1,059	14.6	64.8
Missouri	74,736	62,422	11,452	14.9	65.4
North Dakota	11,825	10,787	131	17.2	76.8
South Dakota	12,445	10,520	101	17.7	81.3
Nebraska	26,127	24,114	1,361	16.3	72.0
Kansas	40,010	35,528	3,306	16.4	72.9
South Atlantic	575,767	402,221	163,484	14.6	61.5
Delaware	9,266	7,056	2,112	15.1	61.8
Maryland	65,409	43,816	19,721	15.0	59.8
District of Columbia	9,666	1,794	7,749	15.5	57.5
Virginia	82,719	60,774	19,757	14.7	59.1
West Virginia	24,585	23,531	933	12.6	55.5
North Carolina	86,042	59,439	24,256	14.0	57.9
South Carolina	50,670	30,687	19,564	15.3	62.9
Georgia	92,013	59,104	31,890	15.8	63.7
Florida	155,397	116,020	37,502	14.1	65.4
East South Central	221,354	159,101	60,548	14.7	62.6
Kentucky	53,290	48,031	4,885	14.3	61.3
Tennessee	65,006	50,017	14,465	13.8	57.6
Alabama	59,217	38,291	20,553	14.8	63.3
Mississippi	43,841	22,762	20,645	16.9	73.1
West South Central	469,814	370,858	84,890	17.9	75.2
Arkansas	34,840	26,091	8,364	14.9	66.4
Louisiana	81,472	49,198	30,848	18.3	75.4
Oklahoma	54,477	43,267	5,331	16.5	71.8
Texas	299,025	252,302	40,347	18.6	76.9
Mountain	231,763	206,304	7,878	18.4	77.0
Montana	14,141	12,451	69	17.2	74.4
Idaho	18,028	17,383	89	18.0	79.1
Wyoming	9,754	9,278	106	19.0	79.3
Colorado	54,364	49,897	2,711	17.0	66.6
New Mexico	27,373	22,742	645	19.2	80.7
Arizona	55,001	45,920	2,539	17.9	77.4
Utah	38,299	36,380	268	23.6	101.9
Nevada	14,803	12,253	1,451	16.1	64.9
Pacific	587,382	461,377	52,450	17.1	70.5
Washington	68,927	60,623	3,103	15.8	65.7
Oregon	39,563	36,711	910	14.8	62.0
California	447,730	350,464	47,079	17.4	71.3
Alaska	12,445	8,921	512	24.7	97.3
Hawaii	18,707	4,658	846	18.0	76.7

[1] Includes races other than white and black

* SOURCE: National Center for Health Statistics: Advance report of final natality statistics, 1984. Monthly Vital Statistics Report. Vol. 35, No. 4 Supp. Table 6, p 20. DHHS Pub. No. (PHS) 86-1120. Public Health Service. Hyattsville, Md., July 18, 1986.

Table 3

★ **Number and percent of births of low birth weight and number and ratio of births to unmarried women, by race of child: United States and each State, 1984**

[By place of residence. Based on 100 percent of births in 46 States and on a 50-percent sample of births in 4 States and the District of Columbia; see Technical notes]

State	Low birth weight[1]						Births to unmarried women					
	Number			Percent			Number			Ratio per 1,000 live births		
	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black
United States	246,105	163,117	73,178	6.7	5.6	12.4	770,355	391,929	350,896	210.0	134.1	592.0
Alabama	4,701	2,188	2,487	7.9	5.7	12.1	14,532	2,802	11,706	245.4	73.2	569.6
Alaska	600	386	36	4.8	4.3	7.1	2,187	951	146	175.6	106.6	285.2
Arizona	3,369	2,696	303	6.1	5.9	11.9	12,774	8,474	1,332	232.3	184.5	524.6
Arkansas	2,610	1,562	1,021	7.5	6.0	12.3	7,603	2,525	5,042	218.2	96.8	602.8
California[3]	26,185	17,728	5,347	5.9	5.1	11.4	106,739	74,031	26,176	238.4	211.2	556.0
Colorado	4,142	3,654	353	7.6	7.3	13.0	8,300	7,003	1,078	152.7	140.3	397.6
Connecticut[3]	2,777	2,042	688	6.6	5.6	12.9	8,934	5,401	3,435	211.6	149.3	642.3
Delaware	682	430	248	7.4	6.1	11.8	2,297	908	1,378	247.9	128.7	652.5
District of Columbia	1,199	90	1,092	12.5	5.1	14.2	5,499	306	5,176	568.9	170.6	668.0
Florida	11,528	6,946	4,451	7.4	6.0	11.9	38,966	15,133	23,665	250.8	130.4	631.0
Georgia	7,613	3,491	4,026	8.3	5.9	12.6	23,076	4,920	18,104	250.8	83.2	567.7
Hawaii	1,353	284	76	7.2	6.1	9.0	3,576	591	98	191.2	126.9	115.8
Idaho	919	868	3	5.1	5.0	3.4	1,679	1,553	22	93.1	89.3	247.2
Illinois	12,759	7,253	5,279	7.1	5.3	13.8	44,834	17,317	27,224	250.1	126.3	708.6
Indiana	5,032	3,984	1,007	6.3	5.7	11.7	14,961	9,172	574.6	186.8	129.7	665.0
Iowa	2,062	1,912	112	4.9	4.7	10.6	5,318	4,550	643	125.5	111.9	607.2
Kansas	2,429	1,943	401	6.1	5.5	12.1	5,514	3,633	1,705	137.8	102.3	515.7
Kentucky	3,677	3,061	585	6.9	6.4	12.0	9,410	6,388	3,005	176.6	133.0	615.1
Louisiana	6,951	2,811	4,046	8.5	5.7	13.1	21,654	4,317	17,207	265.8	87.7	557.8
Maine	913	889	10	5.5	5.4	9.7	2,729	2,654	17	162.7	161.5	165.0
Maryland[3]	4,860	2,366	2,367	7.4	5.4	12.0	18,613	6,101	12,212	284.6	139.2	619.2
Massachusetts	4,607	3,851	627	5.9	5.5	11.0	13,833	10,431	3,160	176.7	147.8	554.2
Michigan[3]	9,477	6,065	3,272	7.0	5.5	14.2	24,055	11,221	12,663	176.8	101.3	550.0
Minnesota	3,235	2,870	187	4.9	4.7	10.6	9,019	6,949	1,027	135.2	112.0	580.9
Mississippi	3,806	1,372	2,413	8.7	6.0	11.7	14,170	1,712	12,371	323.2	75.2	599.2
Missouri	4,972	3,463	1,446	6.7	5.6	12.6	15,285	7,393	7,821	204.5	118.4	682.9
Montana[3]	825	708	5	5.8	5.7	7.2	2,139	1,360	10	151.3	109.2	144.9
Nebraska	1,404	1,208	158	5.4	5.0	11.6	3,655	2,541	901	139.9	105.4	662.0
Nevada[3]	988	744	148	6.7	6.1	10.2	2,089	1,245	710	141.1	101.6	489.3
New Hampshire	708	693	6	5.8	5.0	5.7	1,796	1,761	22	126.0	126.0	207.5
New Jersey	7,061	4,444	2,453	7.0	5.7	12.4	22,403	9,821	12,411	221.1	124.9	627.4
New Mexico	2,047	1,744	62	7.6	7.8	9.8	6,759	4,629	225	246.9	203.5	348.8
New York[3]	17,596	10,828	6,334	7.0	5.7	11.7	67,567	33,505	33,344	269.1	177.4	614.4
North Carolina	6,742	3,631	2,947	7.8	6.1	12.2	18,205	4,695	12,955	211.6	79.0	534.1
North Dakota	563	487	10	4.8	4.5	7.7	1,274	847	9	107.7	78.5	68.7
Ohio[3]	10,165	7,324	2,730	6.4	5.5	12.2	32,286	17,630	14,516	203.7	131.2	647.2
Oklahoma	3,442	2,514	610	6.3	5.8	11.5	8,793	4,670	2,837	161.4	107.9	532.2
Oregon	2,041	1,829	99	5.2	5.0	10.9	6,882	5,960	513	174.0	162.3	563.7
Pennsylvania	10,439	7,461	2,823	6.6	5.5	13.9	32,877	18,362	14,296	209.3	136.4	702.5
Rhode Island	764	631	101	6.0	5.6	11.6	2,244	1,697	478	177.3	149.7	548.2
South Carolina	4,442	1,917	2,491	8.8	6.2	12.7	12,967	2,560	10,375	255.9	83.4	530.3
South Dakota	632	510	6	5.1	4.8	7.9	2,036	979	26	163.6	93.1	257.4
Tennessee	5,163	3,221	1,903	7.9	6.4	13.2	14,885	5,603	9,260	229.0	112.0	640.2
Texas[3]	20,421	15,073	4,922	6.8	6.0	12.2	45,698	26,169	19,237	152.8	103.7	476.8
Utah	2,131	1,965	27	5.6	5.4	10.1	2,954	2,566	107	77.1	70.5	399.3
Vermont	490	488	1	6.1	6.2	3.4	1,276	1,258	10	159.1	158.4	344.8
Virginia	5,939	3,439	2,360	7.2	5.7	12.0	17,195	6,034	11,031	207.9	99.3	558.3
Washington	3,491	2,830	324	5.1	4.7	10.5	11,619	9,165	1,279	168.6	151.2	412.2
West Virginia	1,694	1,559	125	6.9	6.6	13.4	3,989	3,501	485	162.3	148.8	519.8
Wisconsin	3,751	3,005	636	5.1	4.6	12.1	12,121	7,975	3,664	165.6	120.9	698.4
Wyoming	688	659	12	7.1	7.1	11.3	1,089	960	36	111.6	103.5	339.6

[1] Less than 2,500 grams (5 pounds 8 ounces)

[2] Includes races other than white and black

[3] Marital status of mother is inferred. see Technical notes

SOURCE: National Center for Health Statistics: Advance report of final natality statistics, 1984. Monthly Vital Statistics Report. Vol. 35, No. 4 Supp. Table 16, p 30. DHHS, Pub. No. (PHS) 86-1120. Public Health Service. Hyattsville, Md., July 18, 1986.

Table 4
PERCENT LOW BIRTH WEIGHT
BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984 AND 1985 AND UNITED STATES, 1984

AGE	ALL RACES			WHITE			BLACK		
	LOUISIANA		UNITED STATES	LOUISIANA		UNITED STATES	LOUISIANA		UNITED STATES
	1985	1984	1984	1985	1984	1984	1985	1984	1984
ALL AGES	8.7	8.6	6.7	5.9	5.8	5.6	13.1	13.2	12.4
Under 15	14.0	17.2	13.6	6.9	9.1	10.8	15.8	19.0	15.6
15 - 19	11.1	11.4	9.3	7.7	7.4	7.6	14.1	15.1	13.5
20 - 24	8.8	8.4	6.9	5.7	5.6	5.7	13.4	12.8	12.2
25 - 29	7.4	7.5	5.9	5.3	5.4	5.0	11.8	12.1	11.7
30 - 34	8.2	7.4	5.9	5.9	5.2	5.1	13.0	12.2	11.7
35 - 39	9.1	8.6	6.7	6.5	6.1	5.9	13.2	13.0	12.6
40 & Over	10.4	11.8	8.3	6.9	10.4	7.4	14.3	13.3	13.5

Table 5
LIVE BIRTHS OCCURRING IN CHARITY HOSPITALS BY RACE, LOUISIANA, 1974-1985

YEAR AND RACE	TOTAL BIRTHS		PERCENT OF BIRTHS IN CHARITY HOSPITALS
	OCCURRING IN LOUISIANA	OCCURRING IN CHARITY HOSPITALS	
1974			
TOTAL	66027	19943	30.2
WHITE	40109	3358	8.4
NONWHITE	25918	16585	64.0
1975			
TOTAL	68135	20274	29.8
WHITE	41051	3844	9.4
NONWHITE	27084	16430	60.7
1976			
TOTAL	70004	20162	28.8
WHITE	42001	3797	9.0
NONWHITE	28003	16365	58.4
1977			
TOTAL	75576	21363	28.3
WHITE	45409	4234	9.3
NONWHITE	30167	17129	56.8
1978			
TOTAL	75027	20983	28.0
WHITE	45291	4457	9.8
NONWHITE	29736	16526	55.6
1979			
TOTAL	79344	21858	27.5
WHITE	47936	5177	10.8
NONWHITE	31408	16681	53.1
1980			
TOTAL	82208	21357	26.0
WHITE	50280	5502	10.9
NONWHITE	31928	15855	49.7
1981			
TOTAL	82177	21561	26.2
WHITE	50459	5937	11.8
NONWHITE	31718	15624	49.3
1982			
TOTAL	84604	25028	29.6
WHITE	52304	7370	14.1
NONWHITE	32300	17658	54.7
1983			
TOTAL	82394	26716	32.4
WHITE	50183	8689	17.3
NONWHITE	32211	18027	56.0
1984			
TOTAL	81496	26591	32.6
WHITE	49316	8999	18.2
NONWHITE	32180	17592	54.7
1985			
TOTAL	81649	26866	32.9
WHITE	48767	9359	19.2
NONWHITE	32882	17507	53.2

Table 6
PRENATAL CARE
SHOWING PERCENT OF MOTHERS
BEGINNING CARE IN EACH TRIMESTER *
LOUISIANA RESIDENTS, 1985

RACE AND AGE	TRIMESTER 1ST	2ND	3RD	NO PRENATAL CARE
TOTAL	78.4	16.7	3.9	1.0
RACE				
White	85.2	11.8	2.4	0.6
Black	67.6	24.5	6.3	1.6
Other NW	77.5	16.9	4.1	1.4
AGE				
Under 18	57.6	32.0	8.2	2.1
18 and Over	79.9	15.6	3.6	0.9

* Based on data from live birth certificates on which month prenatal care began was stated numerically (data missing on 1.1% of births).

Table 7
ILLEGITIMATE BIRTH RATIOS
LOUISIANA 1980, 1984, AND 1985
AND UNITED STATES 1980 AND 1984

AGE	LOUISIANA 1985	LOUISIANA 1984	LOUISIANA 1980	UNITED STATES 1984	UNITED STATES 1980
ALL AGES	285.4	265.8	233.5	210.0	184.3
Under 15	946.8	947.7	874.0	910.7	887.4
15 - 19	616.0	579.1	501.3	555.9	475.9
20 - 24	305.8	275.1	223.1	244.6	193.5
25 - 29	162.0	150.6	121.5	117.5	89.9
30 - 34	132.5	120.5	102.0	90.0	74.5
35 - 39	152.0	143.0	116.7	106.8	93.7
40 & Over	183.2	172.2	169.9	137.8	120.5

Illegitimate Birth Ratios = illegitimate births per 1,000 live births.

* PROVISIONAL DATA FROM THE NATIONAL CENTER FOR HEALTH STATISTICS

Deaths, infant deaths, and rates: Each reporting area, 1983 and 1984

[By place of occurrence. Rates for deaths at all ages are per 1,000 population in specified area. Rates for deaths under 1 year are infant mortality rates per 1,000 live births in specified area. Number of events reported; see Technical notes]

Area	*Deaths (all ages)*				*Infant deaths (under 1 year)*			
	1984		*1983*		*1984*		*1983*	
	Number	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*
New England	119,326	9.5	112,956	9.0	1,494	8.9	1,477	8.7
Maine	10,796	9.3	11,242	9.8	119	7.2	130	8.0
New Hampshire	7,749	7.9	7,771	8.1	106	8.4	89	6.4
Vermont	4,455	8.4	4,908	9.3	68	9.2	46	6.0
Massachusetts	59,104	10.2	54,275	9.4	739	9.3	746	9.5
Rhode Island	9,589	10.0	8,487	9.9	142	10.7	155	11.9
Connecticut	27,633	8.8	25,273	8.1	320	8.2	311	7.7
Middle Atlantic	357,533	9.6	358,460	9.7	5,457	10.7	5,470	10.8
New York	168,852	9.5	170,464	9.6	2,789	11.1	2,954	11.8
New Jersey	66,477	8.8	66,404	8.9	908	9.3	923	9.7
Pennsylvania	122,204	10.3	121,592	10.2	1,760	11.0	1,593	10.0
East North Central	359,072	8.6	361,892	8.7	6,750	10.8	6,909	11.1
Ohio	96,937	9.0	98,234	9.1	1,598	10.0	1,733	10.8
Indiana	47,195	8.6	48,268	8.8	868	11.0	923	11.2
Illinois	98,151	8.5	99,964	8.7	2,073	11.8	2,119	12.1
Michigan	75,515	8.3	74,302	8.2	1,507	11.2	1,474	11.2
Wisconsin	41,274	8.7	41,124	8.7	704	9.6	660	9.1
West North Central	160,979	9.2	160,296	9.2	2,548	9.2	2,779	10.0
Minnesota	33,525	8.1	34,099	8.2	571	8.7	642	9.9
Iowa	26,093	9.0	27,169	9.4	322	7.6	358	8.2
Missouri	52,332	10.4	50,419	10.1	815	10.4	897	11.7
North Dakota	5,897	8.6	5,880	8.6	116	9.1	108	8.2
South Dakota	6,417	9.1	6,545	9.4	112	9.0	129	10.4
Nebraska	14,973	9.3	14,819	9.3	276	10.4	265	9.9
Kansas	21,742	8.9	21,365	8.8	336	8.7	380	9.6
South Atlantic	351,942	8.9	346,713	8.9	6,971	12.2	7,039	12.5
Delaware	5,098	8.3	5,071	8.4	89	9.4	102	10.7
Maryland	34,875	8.0	34,524	8.0	618	10.5	572	9.9
District of Columbia	8,302	13.3	8,349	13.4	393	20.6	366	19.7
Virginia	43,899	7.8	43,226	7.8	898	11.3	876	11.3
West Virginia	19,114	9.8	19,210	9.8	288	11.5	303	11.3
North Carolina	51,496	8.4	50,602	8.3	1,099	12.7	1,145	13.5
South Carolina	25,340	7.7	25,300	7.8	659	13.7	716	14.8
Georgia	47,303	8.1	45,988	8.0	1,221	13.3	1,153	12.7
Florida	116,515	10.6	114,443	10.7	1,706	11.0	1,806	12.1
East South Central	139,034	9.3	133,715	8.9	2,894	12.9	2,824	12.6
Kentucky	33,449	9.0	33,590	9.0	567	10.9	585	10.6
Tennessee	45,570	9.7	42,148	9.0	921	13.1	875	12.9
Alabama	37,551	9.4	34,855	8.8	812	13.9	748	13.0
Mississippi	22,464	8.6	23,122	8.9	594	13.9	616	14.0
West South Central	208,816	8.0	202,390	7.8	5,160	10.8	5,275	11.6
Arkansas	23,478	10.0	23,093	9.9	340	10.2	327	9.7
Louisiana	36,549	8.2	35,755	8.1	1,037	12.5	1,148	14.2
Oklahoma	29,258	8.9	28,414	8.6	605	11.3	580	10.7
Texas	119,531	7.5	115,128	7.3	3,178	10.4	3,220	11.2
Mountain	88,021	7.0	85,508	6.9	2,273	9.9	2,271	9.7
Montana	6,644	8.1	6,697	8.2	103	7.4	106	7.7
Idaho	6,649	6.6	6,951	7.0	135	7.9	171	9.2
Wyoming	3,000	5.9	2,990	5.8	67	7.4	60	6.3
Colorado	20,941	6.6	19,978	6.4	599	11.0	576	10.4
New Mexico	9,806	6.9	9,927	7.1	265	10.1	314	10.4
Arizona	24,384	8.0	23,183	7.8	543	9.9	521	9.9
Utah	9,295	5.6	8,834	5.5	407	10.3	395	9.7
Nevada	7,302	8.0	6,948	7.8	154	10.1	126	9.0
Pacific	261,830	7.7	248,189	7.4	5,705	9.5	5,463	9.9
Washington	35,212	8.1	31,039	7.2	690	9.4	536	8.4
Oregon	23,229	8.7	21,579	8.1	415	10.5	388	9.5
California	195,430	7.6	187,938	7.5	4,245	9.3	4,200	10.1
Alaska	1,993	4.0	1,921	4.0	147	12.0	152	13.2
Hawaii	5,966	5.7	5,712	5.6	208	11.1	187	9.8

All data are by State of occurrence rather than by State of residence and should be interpreted accordingly

* SOURCE: National Center for Health Statistics: Annual summary of births, marriages, divorces, and deaths, United States, 1984. Monthly Vital Statistics Report. Vol. 33, No. 13, Table 3, p 14. DHHS Pub. No. (PHS) 85-1120. Public Health Service, Hyattsville, Md., Sept. 26, 1985

Table 9
TEN LEADING CAUSES OF DEATH IN LOUISIANA IN 1985
(SHOWING 1980 AND 1985 RANKS AND RATES)

CAUSES	1985		1980	
	RANK	RATE	RANK	RATE
ALL CAUSES		826.7		845.5
Diseases of Heart	1	294.2	1	308.3
Malignant Neoplasms	2	183.8	2	163.9
Cebrovascular Disease	3	59.2	3	78.2
Accidents and Adverse Effects	4	46.1	4	60.0
Chronic Obstructive Pulmonary Disease and Allied Conditions	5	23.4	6	17.8
Pneumonia and Influenza	6	19.7	9	15.0
Diabetes Mellitus	7	18.8	5	17.8
Suicide	8	13.1	11	11.8
Nephritis, Nephrotic Syndrome, and Nephrosis	9	12.9	13	10.5
Homicide and Legal Intervention	10	11.7	8	15.8

Rates per 100,000 population.

Table 10
INFANT MORTALITY RATES
LOUISIANA 1980 AND 1985

SELECTED CAUSES	1985	1980
Congenital Anomalies	245.7	277.7
Disorders Relating to Short Gestation and Unspecified Low Birth Weight	97.1	143.7
Respiratory Distress Syndrome	88.5	129.1
Sudden Infant Death Syndrome	74.9	104.7

Rates per 100,000 live births.


INTRACOASTAL
CANAL
MISSISSIPPI RIVER
LAKE PONTCHARTRAIN
INDUSTRIAL
CANAL

DATA

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	81496	81428	18.2			421	13883	27798	23738	11663	3377	517	29	2
				MW	25020	35	3334	8475	8087	3916	1023	140	9	1
				FW	24151	40	3120	8389	7855	3659	961	120	7	-
				MNW	16310	166	3780	5525	3992	2009	707	127	4	-
				FNW	15947	180	3649	5409	3804	2079	686	130	9	1
ACADIA	689	1214	20.4			10	231	445	324	152	46	6	-	-
				MW	477	2	76	185	132	64	16	2	-	-
				FW	465	2	79	166	143	59	16	-	-	-
				MNW	141	6	38	44	27	15	9	2	-	-
				FNW	131	-	38	50	22	14	5	2	-	-
CROWLEY*	451	329	20.3			7	82	103	77	42	16	2	-	-
				MW	107	1	20	42	24	14	6	-	-	-
				FW	108	1	26	26	34	16	5	-	-	-
				MNW	59	5	22	12	11	7	2	-	-	-
				FNW	55	-	14	23	8	5	3	2	-	-
ALLEN	222	386	17.9			-	83	141	98	42	14	8	-	-
				MW	158	-	31	54	47	20	3	3	-	-
				FW	139	-	30	54	35	13	4	3	-	-
				MNW	32	-	6	14	6	3	3	-	-	-
				FNW	57	-	16	19	10	6	4	2	-	-
ASCENSION	12	1245	22.1			2	207	467	384	150	28	6	1	-
				MW	448	-	63	172	145	57	11	-	-	-
				FW	439	1	64	169	144	53	7	-	1	-
				MNW	191	-	41	68	46	24	6	6	-	-
				FNW	167	1	39	58	49	16	4	-	-	-
ASSUMPTION	4	452	19.0			-	87	163	127	58	13	4	-	-
				MW	131	-	25	46	43	15	1	1	-	-
				FW	122	-	19	43	40	18	1	1	-	-
				MNW	97	-	24	30	26	10	6	1	-	-
				FNW	102	-	19	44	18	15	5	1	-	-
AVOYELLES	200	729	17.0			2	165	256	178	91	34	3	-	-
				MW	257	-	61	90	63	29	12	2	-	-
				FW	220	-	42	81	63	24	9	1	-	-
				MNW	132	-	28	45	25	24	10	-	-	-
				FNW	120	2	34	40	27	14	3	-	-	-
BEAUREGARD	386	520	16.3			2	87	172	167	63	26	3	-	-
				MW	196	2	25	71	62	24	10	2	-	-
				FW	215	-	36	70	71	26	11	1	-	-
				MNW	58	-	14	15	19	8	2	-	-	-
				FNW	51	-	12	16	15	5	3	-	-	-
DE RIDDER*	383	231	20.4			1	34	70	74	37	15	-	-	-
				MW	66	1	5	21	23	11	5	-	-	-
				FW	76	-	10	24	22	15	5	-	-	-
				MNW	48	-	10	12	17	7	2	-	-	-
				FNW	41	-	9	13	12	4	3	-	-	-
BIENVILLE	-	272	16.5			3	62	104	58	28	14	2	1	-
				MW	68	-	11	24	17	11	5	-	-	-
				FW	66	-	11	24	21	6	4	-	-	-
				MNW	76	2	24	29	10	7	3	1	-	-
				FNW	62	1	16	27	10	4	2	1	1	-
BOSSIER	1469	1676	18.7			6	266	679	472	200	50	3	-	-
				MW	599	1	89	232	182	77	18	-	-	-
				FW	624	1	75	268	188	78	12	2	-	-
				MNW	250	3	65	98	52	20	11	1	-	-
				FNW	203	1	37	81	50	25	9	-	-	-
BOSSIER CITY*	1469	1073	19.7			2	159	454	303	131	22	2	-	-
				MW	403	1	57	163	126	48	8	-	-	-
				FW	422	-	51	189	123	53	5	1	-	-
				MNW	140	1	34	56	31	12	5	1	-	-
				FNW	108	-	17	46	23	18	4	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CADDO	7699	4915	18.6			38	986	1640	1358	692	170	29	2	-
				MW	1263	3	157	398	428	235	38	3	1	-
				FW	1176	3	150	401	384	186	45	7	-	-
				MNW	1280	15	353	421	296	138	46	11	-	-
				FNW	1196	17	326	420	250	133	41	8	1	-
SHREVEPORT*	7696	4045	19.4			35	825	1346	1114	556	141	26	2	-
				MW	920	2	108	281	325	176	25	2	1	-
				FW	877	3	108	307	286	130	37	6	-	-
				MNW	1166	15	316	386	267	129	43	10	-	-
				FNW	1082	15	293	372	236	121	36	8	1	-
CALCASIEU	4026	3246	18.3			7	484	1195	966	450	122	20	2	-
				MW	1203	-	153	452	389	166	37	6	-	-
				FW	1124	2	155	410	339	163	50	4	1	-
				MNW	465	4	88	162	128	61	17	4	1	-
				FNW	454	1	88	171	110	60	18	6	-	-
LAKE CHARLES*	3511	1370	17.8			6	204	463	399	230	55	11	2	-
				MW	348	-	37	106	125	68	10	2	-	-
				FW	310	1	31	107	86	67	16	1	1	-
				MNW	351	4	63	114	103	49	14	3	1	-
				FNW	361	1	73	136	85	46	15	5	-	-
SULPHUR*	498	372	18.2			-	60	138	112	49	12	1	-	-
				MW	173	-	23	70	55	21	4	-	-	-
				FW	169	-	31	55	53	22	7	1	-	-
				MNW	22	-	3	9	4	5	1	-	-	-
				FNW	8	-	3	4	-	1	-	-	-	-
CALDWELL	115	153	14.0			-	44	60	32	13	4	-	-	-
				MW	64	-	17	29	14	4	-	-	-	-
				FW	51	-	12	21	12	3	3	-	-	-
				MNW	16	-	6	5	1	3	1	-	-	-
				FNW	22	-	9	5	5	3	-	-	-	-
CAMERON	5	172	16.9			1	32	67	49	20	3	-	-	-
				MW	87	-	13	32	30	10	2	-	-	-
				FW	74	-	16	32	18	7	1	-	-	-
				MNW	5	-	2	2	1	-	-	-	-	-
				FNW	6	1	1	1	-	3	-	-	-	-
CATAHOULA	16	209	16.7			1	47	83	51	18	5	3	1	-
				MW	71	1	18	28	17	6	1	-	-	-
				FW	71	-	9	26	23	9	3	1	-	-
				MNW	27	-	5	14	5	1	1	-	1	-
				FNW	40	-	15	15	6	2	-	2	-	-
CLAIBORNE	79	290	15.7			6	73	104	59	34	10	4	-	-
				MW	62	-	8	25	18	9	2	-	-	-
				FW	60	-	12	24	15	4	3	2	-	-
				MNW	91	4	30	31	15	8	2	1	-	-
				FNW	77	2	23	24	11	13	3	1	-	-
CONCORDIA	316	404	17.1			4	89	145	112	39	10	5	-	-
				MW	99	-	15	37	42	5	-	-	-	-
				FW	115	1	18	41	34	15	5	1	-	-
				MNW	93	2	23	36	21	7	2	2	-	-
				FNW	97	1	33	31	15	12	3	2	-	-
DESOTO	2	518	19.0			4	123	177	129	57	25	3	-	-
				MW	128	-	16	40	48	18	5	1	-	-
				FW	146	-	26	59	38	16	6	1	-	-
				MNW	121	1	36	45	18	13	8	-	-	-
				FNW	123	3	45	33	25	10	6	1	-	-
E BATON ROUGE	11452	7078	18.1			35	878	2156	2337	1264	353	53	2	-
				MW	2066	4	186	589	748	402	121	16	-	-
				FW	1982	1	142	616	736	387	91	9	-	-
				MNW	1529	16	268	479	457	232	65	11	1	-
				FNW	1501	14	282	472	396	243	76	17	1	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BATON ROUGE*	11031	5206	21.1			34	733	1668	1599	874	257	39	2	-
				MW	1248	4	120	388	403	242	82	9	-	-
				FW	1209	-	101	413	418	217	54	6	-	-
				MNW	1397	16	252	438	418	205	57	10	1	-
				FNW	1352	14	260	429	360	210	64	14	1	-
BAKER*	-	259	18.6			-	44	91	84	28	11	1	-	-
				MW	121	-	27	43	37	10	3	1	-	-
				FW	98	-	11	34	39	11	3	-	-	-
				MNW	17	-	2	5	6	3	1	-	-	-
				FNW	23	-	4	9	2	4	4	-	-	-
EAST CARROLL	144	255	22.0			10	65	82	59	30	7	2	-	-
				MW	43	-	8	14	15	5	1	-	-	-
				FW	35	1	2	17	7	7	-	1	-	-
				MNW	85	4	25	24	23	6	3	-	-	-
				FNW	92	5	30	27	14	12	3	1	-	-
E FELICIANA	1	382	19.2			1	76	140	103	42	17	3	-	-
				MW	100	-	15	37	33	7	7	1	-	-
				FW	94	-	15	43	29	5	2	-	-	-
				MNW	97	-	20	32	23	16	4	2	-	-
				FNW	91	1	26	28	18	14	4	-	-	-
EVANGELINE	302	625	18.1			5	146	234	164	62	11	3	-	-
				MW	202	1	38	70	62	25	6	-	-	-
				FW	201	-	31	86	61	20	1	2	-	-
				MNW	117	3	38	39	20	13	3	1	-	-
				FNW	105	1	39	39	21	4	1	-	-	-
FRANKLIN	9	403	16.6			9	98	170	69	47	6	4	-	-
				MW	109	1	11	51	31	13	1	1	-	-
				FW	106	-	22	51	17	12	3	1	-	-
				MNW	86	6	30	30	10	8	1	1	-	-
				FNW	102	2	35	38	11	14	1	1	-	-
GRANT	-	264	14.8			1	62	99	61	25	15	1	-	-
				MW	115	-	24	45	28	10	7	1	-	-
				FW	97	-	20	41	21	10	5	-	-	-
				MNW	29	-	8	7	9	2	3	-	-	-
				FNW	23	1	10	6	3	3	-	-	-	-
IBERIA	1116	1404	20.3			5	226	400	432	189	62	10	-	-
				MW	455	1	57	168	153	62	12	2	-	-
				FW	408	2	49	137	118	76	20	6	-	-
				MNW	260	-	55	79	89	24	13	-	-	-
				FNW	281	2	65	96	72	27	17	2	-	-
NEW IBERIA*	1104	727	21.1			2	126	251	212	97	33	6	-	-
				MW	229	1	32	87	69	32	7	1	-	-
				FW	196	-	24	66	54	39	8	5	-	-
				MNW	147	-	32	48	47	13	7	-	-	-
				FNW	155	1	38	50	42	13	11	-	-	-
IBERVILLE	35	656	19.7			6	125	245	155	91	28	6	-	-
				MW	139	-	15	55	35	25	8	1	-	-
				FW	139	1	24	53	44	12	5	-	-	-
				MNW	171	3	39	62	32	26	6	3	-	-
				FNW	207	2	47	75	44	28	9	2	-	-
JACKSON	245	262	14.8			1	55	101	68	27	9	1	-	-
				MW	107	-	25	41	24	12	4	1	-	-
				FW	69	-	12	25	21	9	2	-	-	-
				MNW	43	-	8	18	12	3	2	-	-	-
				FNW	43	1	10	17	11	3	1	-	-	-
JEFFERSON	8364	7748	16.2			30	1022	2335	2561	1381	366	51	1	1
				MW	2968	5	338	821	1064	571	147	21	-	1
				FW	2726	5	283	808	972	512	136	10	-	-
				MNW	1046	8	212	352	278	150	36	10	-	-
				FNW	1008	12	189	354	247	148	47	10	1	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
KENNER*	4	1170	16.2			5	143	334	404	209	68	7	-	-
				MW	479	1	53	127	183	85	26	4	-	-
				FW	423	2	37	113	162	81	27	1	-	-
				MNW	131	1	29	45	33	16	5	2	-	-
				FNW	137	1	24	49	26	27	10	-	-	-
GRETNA*	1786	664	32.6			3	100	238	199	97	22	5	-	-
				MW	203	1	31	71	58	33	8	1	-	-
				FW	222	-	33	75	77	25	11	1	-	-
				MNW	127	1	22	42	35	24	1	2	-	-
				FNW	112	1	14	50	29	15	2	1	-	-
HARAHAN*	-	88	7.7			-	6	28	27	23	4	-	-	-
				MW	45	-	1	14	16	13	1	-	-	-
				FW	42	-	5	14	11	10	2	-	-	-
				MNW	-	-	-	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1	-	-	-
WESTWEGO*	1	327	25.3			4	84	128	71	23	13	3	-	1
				MW	119	-	30	49	25	8	4	2	-	1
				FW	102	-	26	44	25	3	4	-	-	-
				MNW	52	2	13	15	11	7	4	-	-	-
				FNW	54	2	15	20	10	5	1	1	-	-
JEFF DAVIS	181	557	16.6			-	100	201	170	64	21	1	-	-
				MW	207	-	34	79	68	20	5	1	-	-
				FW	199	-	30	80	60	25	4	-	-	-
				MNW	72	-	17	19	19	13	4	-	-	-
				FNW	79	-	19	23	23	6	8	-	-	-
JENNINGS*	159	202	15.8			-	33	77	62	21	9	-	-	-
				MW	69	-	8	27	27	6	1	-	-	-
				FW	70	-	9	31	21	8	1	-	-	-
				MNW	29	-	6	10	7	4	2	-	-	-
				FNW	34	-	10	9	7	3	5	-	-	-
LAFAYETTE	6371	3312	19.4			7	359	1034	1147	595	152	18	-	-
				MW	1238	-	107	375	448	245	54	9	-	-
				FW	1229	2	109	372	476	216	51	3	-	-
				MNW	437	1	72	153	116	69	22	4	-	-
				FNW	408	4	71	134	107	65	25	2	-	-
LAFAYETTE*	6352	1666	18.2			5	212	498	555	306	82	8	-	-
				MW	507	-	47	142	189	108	19	2	-	-
				FW	532	2	50	145	204	104	25	2	-	-
				MNW	332	1	57	117	89	47	18	3	-	-
				FNW	295	2	58	94	73	47	20	1	-	-
LAFOURCHE	1242	1542	17.5			7	299	539	451	180	56	9	1	-
				MW	635	-	126	219	173	88	23	5	1	-
				FW	589	1	97	203	208	57	20	3	-	-
				MNW	171	5	41	63	41	14	6	1	-	-
				FNW	147	1	35	54	29	21	7	-	-	-
THIBODAUX*	810	316	19.6			4	62	105	90	39	15	1	-	-
				MW	93	-	16	28	29	15	5	-	-	-
				FW	82	-	10	22	38	9	3	-	-	-
				MNW	81	4	21	31	14	6	4	1	-	-
				FNW	60	-	15	24	9	9	3	-	-	-
LASALLE	45	261	15.0			-	43	97	67	42	11	1	-	-
				MW	109	-	24	39	33	11	2	-	-	-
				FW	111	-	14	43	27	21	6	-	-	-
				MNW	20	-	2	11	2	2	2	1	-	-
				FNW	21	-	3	4	5	8	1	-	-	-
LINCOLN	385	623	14.6			3	107	205	168	104	32	3	1	-
				MW	176	-	22	67	42	35	7	2	1	-
				FW	184	-	22	57	66	29	10	-	-	-
				MNW	143	-	32	48	30	25	7	1	-	-
				FNW	120	3	31	33	30	15	8	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
RUSTON*	368	304	13.9			1	50	103	86	48	14	1	1	-
				MW	83	-	9	33	22	14	3	1	1	-
				FW	86	-	6	28	29	17	6	-	-	-
				MNW	66	-	15	22	16	12	1	-	-	-
				FNW	69	1	20	20	19	5	4	-	-	-
LIVINGSTON	1	1357	19.7			6	233	535	375	165	34	9	-	-
				MW	633	2	93	268	168	83	17	2	-	-
				FW	611	1	102	231	188	71	14	4	-	-
				MNW	55	3	16	19	7	6	3	1	-	-
				FNW	58	-	22	17	12	5	-	2	-	-
MADISON	57	266	16.9			8	62	77	78	36	2	3	-	-
				MW	46	-	7	14	16	7	1	1	-	-
				FW	34	1	6	9	9	8	-	1	-	-
				MNW	79	2	22	20	25	10	-	-	-	-
				FNW	107	5	27	34	28	11	1	1	-	-
TALLULAH*	57	174	15.3			4	43	54	53	18	1	1	-	-
				MW	13	-	3	3	5	2	-	-	-	-
				FW	17	-	4	6	6	-	-	1	-	-
				MNW	60	1	15	15	21	8	-	-	-	-
				FNW	84	3	21	30	21	8	1	-	-	-
MOREHOUSE	367	592	16.8			4	146	244	124	57	14	3	-	-
				MW	137	-	27	55	39	15	1	-	-	-
				FW	129	-	23	57	34	11	4	-	-	-
				MNW	163	2	50	67	23	15	4	2	-	-
				FNW	163	2	46	65	28	16	5	1	-	-
BASTROP*	367	292	19.1			2	64	133	60	28	4	1	-	-
				MW	49	-	9	25	11	4	-	-	-	-
				FW	55	-	8	27	14	4	2	-	-	-
				MNW	89	1	22	40	16	9	-	1	-	-
				FNW	99	1	25	41	19	11	2	-	-	-
NATCHITOCHES	381	674	16.7			3	132	226	186	93	30	4	-	-
				MW	181	-	36	53	63	25	4	-	-	-
				FW	177	-	20	62	59	24	11	1	-	-
				MNW	160	-	40	57	34	20	7	2	-	-
				FNW	156	3	36	54	30	24	8	1	-	-
NATCHITOCHES*	380	333	19.3			1	72	108	94	45	12	1	-	-
				MW	53	-	11	12	24	6	-	-	-	-
				FW	71	-	9	23	27	7	5	-	-	-
				MNW	106	-	28	39	24	12	3	-	-	-
				FNW	103	1	24	34	19	20	4	1	-	-
ORLEANS	14094	10430	18.4			57	1896	3200	2886	1754	552	81	3	1
				MW	1402	2	108	350	488	331	109	13	1	-
				FW	1382	2	101	345	465	359	99	10	1	-
				MNW	3850	25	891	1273	957	490	188	26	-	-
				FNW	3796	28	796	1232	976	574	156	32	1	1
OUACHITA	4344	2550	17.9			23	478	894	741	297	99	18	-	-
				MW	727	-	85	274	246	80	34	8	-	-
				FW	724	-	98	256	243	96	26	5	-	-
				MNW	528	10	136	177	118	66	18	3	-	-
				FNW	571	13	159	187	134	55	21	2	-	-
MONROE*	3604	1257	21.4			16	273	427	327	157	48	9	-	-
				MW	223	-	24	84	73	30	11	1	-	-
				FW	190	-	19	59	63	36	9	4	-	-
				MNW	407	7	112	135	86	52	13	2	-	-
				FNW	437	9	118	149	105	39	15	2	-	-
WEST MONROE*	739	293	19.4			2	68	106	76	26	14	1	-	-
				MW	113	-	23	49	28	9	3	1	-	-
				FW	126	-	28	43	37	11	7	-	-	-
				MNW	20	-	5	7	5	2	1	-	-	-
				FNW	34	2	12	7	6	4	3	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
PLAQUEMINES	22	554	20.7			3	98	210	164	62	16	1	-	-
				MW	213	-	34	88	60	25	5	1	-	-
				FW	173	-	31	65	53	19	5	-	-	-
				MNW	83	2	14	27	29	9	2	-	-	-
				FNW	85	1	19	30	22	9	4	-	-	-
POINTE COUPEE	157	473	18.7			-	100	176	105	61	29	2	-	-
				MW	121	-	22	43	34	18	4	-	-	-
				FW	122	-	16	54	28	17	5	2	-	-
				MNW	102	-	25	36	21	12	8	-	-	-
				FNW	128	-	37	43	22	14	12	-	-	-
RAPIDES	3953	2446	17.6			7	431	931	687	305	74	11	-	-
				MW	778	-	127	302	226	102	20	1	-	-
				FW	765	1	99	303	248	87	23	4	-	-
				MNW	453	4	114	162	102	51	19	1	-	-
				FNW	450	2	91	164	111	65	12	5	-	-
ALEXANDRIA*	2283	1126	21.3			5	234	424	284	142	30	7	-	-
				MW	237	-	43	98	59	33	4	-	-	-
				FW	229	1	24	87	78	28	9	2	-	-
				MNW	330	3	91	115	76	36	9	-	-	-
				FNW	330	1	76	124	71	45	8	5	-	-
PINEVILLE*	1613	300	23.6			2	54	112	91	33	7	1	-	-
				MW	126	-	28	48	36	12	2	-	-	-
				FW	102	-	18	38	33	11	1	1	-	-
				MNW	35	1	6	12	10	3	3	-	-	-
				FNW	37	1	2	14	12	7	1	-	-	-
RED RIVER	29	213	19.4			6	49	83	49	20	5	1	-	-
				MW	59	1	11	23	18	6	-	-	-	-
				FW	57	-	10	26	11	9	1	-	-	-
				MNW	46	3	10	18	8	4	2	1	-	-
				FNW	51	2	18	16	12	1	2	-	-	-
RICHLAND	139	409	17.9			10	92	153	98	48	7	1	-	-
				MW	91	-	9	38	28	14	2	-	-	-
				FW	95	1	19	31	29	13	2	-	-	-
				MNW	110	4	35	39	19	10	2	1	-	-
				FNW	113	5	29	45	22	11	1	-	-	-
SABINE	55	376	13.8			1	100	146	75	31	18	5	-	-
				MW	138	-	34	55	25	13	9	2	-	-
				FW	124	-	31	51	28	11	2	1	-	-
				MNW	57	-	20	15	12	3	6	1	-	-
				FNW	57	1	15	25	10	4	1	1	-	-
ST BERNARD	3	1067	15.7			-	140	395	345	147	33	6	1	-
				MW	490	-	61	177	155	75	18	3	1	-
				FW	489	-	60	185	169	61	11	3	-	-
				MNW	39	-	9	13	10	4	3	-	-	-
				FNW	49	-	10	20	11	7	1	-	-	-
ST CHARLES	72	911	21.7			2	124	305	322	121	32	5	-	-
				MW	323	-	29	111	125	44	12	2	-	-
				FW	329	-	27	106	138	46	10	2	-	-
				MNW	130	1	37	47	28	13	3	1	-	-
				FNW	129	1	31	41	31	18	7	-	-	-
ST HELENA	-	168	16.2			1	35	63	41	15	10	3	-	-
				MW	42	-	10	15	9	6	2	-	-	-
				FW	34	-	6	16	8	3	1	-	-	-
				MNW	50	-	14	19	9	4	2	2	-	-
				FNW	42	1	5	13	15	2	5	1	-	-
ST JAMES	78	446	20.0			2	67	160	134	59	21	3	-	-
				MW	86	-	7	36	32	9	1	1	-	-
				FW	97	-	9	40	32	12	4	-	-	-
				MNW	142	1	28	43	40	22	6	2	-	-
				FNW	121	1	23	41	30	16	10	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST JOHN	248	975	25.0			3	124	318	351	137	36	6	-	-
				MW	296	-	31	91	113	47	12	2	-	-
				FW	301	-	24	99	126	41	9	2	-	-
				MNW	165	1	24	55	52	26	5	2	-	-
				FNW	213	2	45	73	60	23	10	-	-	-
ST LANDRY	1314	1693	19.1			5	297	608	448	245	78	11	1	-
				MW	465	1	61	181	140	60	20	2	-	-
				FW	468	-	69	185	131	65	16	2	-	-
				MNW	414	2	91	125	103	61	27	5	-	-
				FNW	346	2	76	117	74	59	15	2	1	-
OPELOUSAS*	1045	487	25.0			3	95	158	129	68	29	4	1	-
				MW	66	-	6	20	22	11	7	-	-	-
				FW	74	-	8	27	22	14	3	-	-	-
				MNW	190	2	45	62	48	17	13	3	-	-
				FNW	157	1	36	49	37	26	6	1	1	-
EUNICE*	264	260	20.9			-	55	97	62	31	14	1	-	-
				MW	92	-	16	38	24	8	6	-	-	-
				FW	88	-	19	35	21	8	4	1	-	-
				MNW	40	-	12	11	10	7	-	-	-	-
				FNW	40	-	8	13	7	8	4	-	-	-
ST MARTIN	157	906	20.1			3	164	315	248	127	39	9	1	-
				MW	286	1	46	94	85	51	7	2	-	-
				FW	268	-	46	99	68	38	15	2	-	-
				MNW	176	1	35	62	49	18	9	1	1	-
				FNW	176	1	37	60	46	26	8	4	-	-
ST MARY	665	1354	20.4			5	238	536	391	130	46	7	1	-
				MW	424	-	65	169	131	45	12	1	1	-
				FW	392	-	57	165	126	30	11	3	-	-
				MNW	267	1	59	99	69	27	9	3	-	-
				FNW	271	4	57	103	65	28	14	-	-	-
MORGAN CITY*	420	373	23.2			2	65	141	112	39	13	1	-	-
				MW	127	-	21	45	41	13	6	1	-	-
				FW	120	-	20	45	41	12	2	-	-	-
				MNW	65	-	15	23	17	7	3	-	-	-
				FNW	61	2	9	20	13	7	2	-	-	-
ST TAMMANY	1530	2353	17.0			10	265	686	777	479	121	14	1	-
				MW	1043	2	97	282	373	225	55	9	-	-
				FW	967	2	96	277	325	215	47	4	1	-
				MNW	174	2	32	68	41	22	9	-	-	-
				FNW	169	4	40	59	38	17	10	1	-	-
SLIDELL*	715	530	19.5			-	61	174	164	105	32	1	1	-
				MW	225	-	17	68	76	48	16	-	-	-
				FW	222	-	20	62	77	49	12	1	1	-
				MNW	50	-	11	27	6	4	2	-	-	-
				FNW	41	-	13	17	5	4	2	-	-	-
TANGIPAHOA	1900	1777	20.0			19	392	610	471	213	64	8	-	-
				MW	505	1	85	191	144	66	17	1	-	-
				FW	520	2	86	173	166	71	19	3	-	-
				MNW	375	7	106	124	84	31	20	3	-	-
				FNW	377	9	115	122	77	45	8	1	-	-
HAMMOND*	1	353	21.7			10	88	121	91	30	12	1	-	-
				MW	61	-	8	24	20	5	4	-	-	-
				FW	63	-	8	22	22	9	2	-	-	-
				MNW	105	4	35	36	21	5	3	1	-	-
				FNW	124	6	37	39	28	11	3	-	-	-
TENSAS	62	152	18.5			1	37	56	28	17	7	4	2	-
				MW	33	-	3	16	8	3	2	-	1	-
				FW	24	-	6	10	4	3	-	1	-	-
				MNW	47	-	15	15	9	7	1	-	-	-
				FNW	48	1	13	15	7	4	4	3	1	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TERREBONNE	3554	2092	20.6			15	414	734	580	238	100	8	3	-
				MW	742	3	124	262	222	92	35	4	-	-
				FW	766	5	144	276	218	89	30	2	2	-
				MNW	319	3	79	109	76	36	16	-	-	-
				FNW	265	4	67	87	64	21	19	2	1	-
HOUMA*	959	805	23.5			4	185	277	213	89	33	1	3	-
				MW	239	-	44	77	75	34	9	-	-	-
				FW	275	2	51	102	76	31	10	1	2	-
				MNW	152	-	47	49	30	18	8	-	-	-
				FNW	139	2	43	49	32	6	6	-	1	-
UNION	116	328	14.9			1	100	100	72	42	11	1	1	-
				MW	91	-	24	27	21	16	3	-	-	-
				FW	101	1	23	31	26	14	5	1	-	-
				MNW	71	-	31	18	13	7	2	-	-	-
				FNW	65	-	22	24	12	5	1	-	1	-
VERMILION	564	958	18.2			3	155	353	281	111	48	7	-	-
				MW	380	1	55	145	115	46	18	-	-	-
				FW	376	1	57	135	121	41	18	3	-	-
				MNW	102	-	21	40	20	13	8	-	-	-
				FNW	100	1	22	33	25	11	4	4	-	-
ABBEVILLE*	264	289	22.9			-	55	109	69	37	16	3	-	-
				MW	76	-	10	30	17	13	6	-	-	-
				FW	77	-	18	24	21	11	3	-	-	-
				MNW	72	-	14	31	16	6	5	-	-	-
				FNW	64	-	13	24	15	7	2	3	-	-
VERNON	1266	1532	25.2			2	256	719	390	125	38	2	-	-
				MW	523	-	98	237	127	45	14	2	-	-
				FW	555	-	98	266	137	40	14	-	-	-
				MNW	229	1	30	112	62	20	4	-	-	-
				FNW	225	1	30	104	64	20	6	-	-	-
WASHINGTON	853	753	16.0			6	154	266	203	80	35	7	2	-
				MW	220	-	44	76	69	20	9	1	1	-
				FW	238	-	40	84	74	26	11	2	1	-
				MNW	142	1	35	55	26	20	3	2	-	-
				FNW	153	5	35	51	34	14	12	2	-	-
BOGALUSA*	810	254	15.1			2	50	89	70	28	11	3	1	-
				MW	51	-	13	15	16	4	2	-	1	-
				FW	80	-	16	30	25	6	2	1	-	-
				MNW	64	1	12	27	11	12	1	-	-	-
				FNW	59	1	9	17	18	6	6	2	-	-
WEBSTER	342	739	16.3			2	157	283	185	82	25	4	1	-
				MW	225	-	41	86	60	31	6	-	1	-
				FW	242	-	41	101	68	25	6	1	-	-
				MNW	148	1	39	57	27	16	6	2	-	-
				FNW	124	1	36	39	30	10	7	1	-	-
MINDEN*	275	275	18.3			-	69	97	68	30	10	-	1	-
				MW	54	-	11	18	14	9	1	-	1	-
				FW	73	-	16	29	21	7	-	-	-	-
				MNW	76	-	20	30	15	8	3	-	-	-
				FNW	72	-	22	20	18	6	6	-	-	-
W BATON ROUGE	4	456	22.4			1	72	157	150	62	12	2	-	-
				MW	150	-	25	54	54	15	2	-	-	-
				FW	124	-	10	45	46	19	3	1	-	-
				MNW	109	1	22	34	31	15	5	1	-	-
				FNW	73	-	15	24	19	13	2	-	-	-
WEST CARROLL	24	205	15.7			1	46	82	55	15	3	3	-	-
				MW	65	-	9	24	23	7	1	1	-	-
				FW	75	-	16	36	15	6	1	1	-	-
				MNW	30	1	10	11	8	-	-	-	-	-
				FNW	35	-	11	11	9	2	1	1	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
W FELICIANA	3	180	13.0			2	39	49	57	20	11	2	-	-
				MW	44	-	2	18	17	5	2	-	-	-
				FW	43	-	13	13	11	5	1	-	-	-
				MNW	50	2	16	13	12	3	4	-	-	-
				FNW	43	-	8	5	17	7	4	2	-	-
WINN	2	270	15.6			3	63	112	65	19	7	1	-	-
				MW	81	-	16	35	19	8	3	-	-	-
				FW	73	-	10	36	20	6	1	-	-	-
				MNW	64	2	24	21	11	3	2	1	-	-
				FNW	52	1	13	20	15	2	1	-	-	-
OUT OF STATE**	833	901				4	119	308	304	126	35	5	-	-
				MW	381	2	52	135	122	53	16	1	-	-
				FW	363	-	35	111	142	58	14	3	-	-
				MNW	79	2	15	34	18	8	2	-	-	-
				FNW	78	-	17	28	22	7	3	1	-	-

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE I-B
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1984

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	81496	81428	18.2			421	13883	27798	23738	11663	3377	517	29	2
				MW	25020	35	3334	8475	8087	3916	1023	140	9	1
				FW	24151	40	3120	8389	7855	3659	961	120	7	-
				MNW	16310	166	3780	5525	3992	2009	707	127	4	-
				FNW	15947	180	3649	5409	3804	2079	686	130	9	1
SPD 1	24021	22152	17.4			100	3421	6826	6733	3823	1088	153	6	2
				MW	6116	9	638	1718	2140	1227	334	47	2	1
				FW	5737	9	571	1680	1984	1166	298	27	2	-
				MNW	5192	37	1158	1733	1315	675	238	36	-	-
				FNW	5107	45	1054	1695	1294	755	218	43	2	1
SPD 2	14418	14525	18.7			79	2311	4864	4381	2163	621	101	5	-
				MW	4468	7	560	1518	1456	704	200	22	1	-
				FW	4346	6	518	1497	1474	669	159	21	2	-
				MNW	2871	33	602	941	748	389	126	31	1	-
				FNW	2840	33	631	908	703	401	136	27	1	-
SPD 3	5198	6418	20.3			29	1115	2219	1965	793	258	35	4	-
				MW	2213	3	342	765	708	295	84	15	1	-
				FW	2204	6	320	767	762	263	74	10	2	-
				MNW	1024	11	233	347	263	121	42	7	-	-
				FNW	977	9	220	340	232	114	58	3	1	-
SPD 4	11178	11466	19.6			43	1816	4005	3435	1611	482	71	3	-
				MW	3927	7	505	1387	1266	598	145	18	1	-
				FW	3807	7	497	1345	1244	545	148	21	-	-
				MNW	1914	14	409	641	493	240	100	16	1	-
				FNW	1818	15	405	632	432	228	89	16	1	-
SPD 5	4820	4881	17.8			10	786	1776	1450	639	186	32	2	-
				MW	1851	2	256	688	596	240	57	12	-	-
				FW	1751	2	267	646	523	234	70	8	1	-
				MNW	632	4	127	212	173	85	26	4	1	-
				FNW	647	2	136	230	158	80	33	8	-	-
SPD 6	5798	6115	18.5			20	1156	2442	1611	664	194	27	1	-
				MW	2033	1	383	813	555	216	59	6	-	-
				FW	2007	2	310	837	573	212	66	7	-	-
				MNW	1047	9	234	408	237	110	43	5	1	-
				FNW	1028	8	229	384	246	126	26	9	-	-
SPD 7	10441	10296	17.7			72	2055	3647	2739	1341	379	58	5	-
				MW	2899	5	425	1003	901	460	94	8	3	-
				FW	2856	4	398	1073	878	388	100	15	-	-
				MNW	2372	29	649	819	502	254	98	21	-	-
				FNW	2169	34	583	752	458	239	87	14	2	-
SPD 8	5622	5575	17.2			68	1223	2019	1424	629	169	40	3	-
				MW	1513	1	225	583	465	176	50	12	1	-
				FW	1443	4	239	544	417	182	46	11	-	-
				MNW	1258	29	368	424	261	135	34	7	-	-
				FNW	1361	34	391	468	281	136	39	10	2	-
HSA 1	29219	28570	18.0			129	4536	9045	8698	4616	1346	188	10	2
				MW	8329	12	980	2483	2848	1522	418	62	3	1
				FW	7941	15	891	2447	2746	1429	372	37	4	-
				MNW	6216	48	1391	2080	1578	796	280	43	-	-
				FNW	6084	54	1274	2035	1526	869	276	46	3	1
HSA 2	30416	30872	18.9			132	4913	10645	9266	4413	1289	204	10	-
				MW	10246	16	1321	3593	3318	1542	402	52	2	-
				FW	9904	15	1282	3488	3241	1448	377	50	3	-
				MNW	5417	51	1138	1794	1414	714	252	51	3	-
				FNW	5305	50	1172	1770	1293	709	258	51	2	-
HSA 3	21861	21986	17.8			160	4434	8108	5774	2634	742	125	9	-
				MW	6445	7	1033	2399	1921	852	203	26	4	-
				FW	6306	10	947	2454	1868	782	212	33	-	-
				MNW	4677	67	1251	1651	1000	499	175	33	1	-
				FNW	4558	76	1203	1604	985	501	152	33	4	-

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TOTAL	81496	81428	18.2	49171	48924	91	156	32257	32082	51	124	41330	40098
ACADIA	689	1214	20.4	942	937	1	4	272	269	-	3	618	596
CROWLEY*	451	329	20.3	215	214	-	1	114	112	-	2	166	163
ALLEN	222	386	17.9	297	297	-	-	89	89	-	-	190	196
ASCENSION	12	1245	22.1	887	885	2	-	358	349	-	9	639	606
ASSUMPTION	4	452	19.0	253	253	-	-	199	196	-	3	228	224
AVOYELLES	200	729	17.0	477	475	-	2	252	252	-	-	389	340
BEAUREGARD	386	520	16.3	411	409	-	2	109	109	-	-	254	266
DE RIDDER*	383	231	20.4	142	142	-	-	89	89	-	-	114	117
BIENVILLE	-	272	16.5	134	134	-	-	138	137	1	-	144	128
BOSSIER	1469	1676	18.7	1223	1203	18	2	453	444	9	-	849	827
BOSSIER CITY*	1469	1073	19.7	825	809	14	2	248	240	8	-	543	530
CADDO	7698	4915	18.6	2439	2425	14	-	2476	2466	10	-	2543	2372
SHREVEPORT*	7696	4045	19.4	1797	1784	13	-	2248	2238	10	-	2086	1959
CALCASIEU	4026	3246	18.3	2327	2323	2	2	919	918	-	1	1668	1578
LAKE CHARLES*	3511	1370	17.8	658	657	-	1	712	711	-	1	699	671
SULPHUR*	498	372	18.2	342	342	-	-	30	30	-	-	195	177
CALDWELL	115	153	14.0	115	114	-	1	38	38	-	-	80	73
CAMERON	5	172	16.9	161	160	-	1	11	11	-	-	92	80
CATAHOULA	16	209	16.7	142	142	-	-	67	67	-	-	98	111
CLAIBORNE	79	290	15.7	122	121	1	-	168	165	-	3	153	137
CONCORDIA	316	404	17.1	214	213	-	1	190	189	-	1	192	212
DE SOTO	2	518	19.0	274	274	-	-	244	243	1	-	249	269
EAST BATON ROUGE	11452	7078	18.1	4048	4032	2	14	3030	3007	4	19	3595	3483
BATON ROUGE*	11031	5206	21.1	2457	2446	1	10	2749	2727	4	18	2645	2561
BAKER*	-	259	18.6	219	219	-	-	40	40	-	-	138	121
EAST CARROLL	144	255	22.0	78	78	-	-	177	176	-	1	128	127
EAST FELICIANA	1	382	19.2	194	193	1	-	188	187	-	1	197	185
EVANGELINE	302	625	18.1	403	402	1	-	222	222	-	-	319	306
FRANKLIN	9	403	16.6	215	211	2	2	188	188	-	-	195	208
GRANT	-	264	14.8	212	211	-	1	52	52	-	-	144	120
IBERIA	1116	1404	20.3	863	856	1	6	541	536	1	4	715	689
NEW IBERIA*	1104	727	21.1	425	421	1	3	302	302	-	-	376	351
IBERVILLE	35	656	19.7	278	276	-	2	378	371	-	7	310	346
JACKSON	245	262	14.8	176	176	-	-	86	86	-	-	150	112
JEFFERSON	8364	7748	16.2	5694	5680	9	5	2054	2051	-	3	4014	3734
KENNER*	4	1170	16.2	902	898	2	2	268	268	-	-	610	560
GRETNA*	1786	664	32.6	425	422	2	1	239	239	-	-	330	334
HARAHAN*	-	88	7.7	87	87	-	-	1	1	-	-	45	43
WESTWEGO*	1	327	25.3	221	220	-	1	106	106	-	-	171	156

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY				
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
JEFFERSON DAVIS	181	557	16.6	406	404	-	2	151	151	-	-	279	278
JENNINGS*	159	202	15.8	139	138	-	1	63	63	-	-	98	104
LAFAYETTE	6371	3312	19.4	2467	2436	1	30	845	842	-	3	1675	1637
LAFAYETTE*	6352	1666	18.2	1039	1021	1	17	627	624	-	3	839	827
LAFOURCHE	1242	1542	17.5	1224	1219	-	5	318	316	-	2	806	736
THIBODAUX*	810	316	19.6	175	174	-	1	141	141	-	-	174	142
LA SALLE	45	261	15.0	220	220	-	-	41	39	-	2	129	132
LINCOLN	385	623	14.6	360	357	3	-	263	250	13	-	319	304
RUSTON*	368	304	13.9	169	168	1	-	135	131	4	-	149	155
LIVINGSTON	1	1357	19.7	1244	1241	2	1	113	113	-	-	688	669
MADISON	57	266	16.9	80	79	-	1	186	184	1	1	125	141
TALLULAH*	57	174	15.3	30	29	-	1	144	143	-	1	73	101
MOREHOUSE	367	592	16.8	266	266	-	-	326	326	-	-	300	292
BASTROP*	367	292	19.1	104	104	-	-	188	188	-	-	138	154
NATCHITOCHES	381	674	16.7	358	356	2	-	316	315	-	1	341	333
NATCHITOCHES*	380	333	19.3	124	124	-	-	209	209	-	-	159	174
ORLEANS	14094	10430	18.4	2784	2768	8	8	7646	7628	2	16	5252	5178
OUACHITA	4344	2550	17.9	1451	1448	3	-	1099	1097	1	1	1255	1295
MONROE*	3604	1257	21.4	413	412	1	-	844	843	-	1	630	627
WEST MONROE*	739	293	19.4	239	237	2	-	54	53	1	-	133	160
PLAQUEMINES	22	554	20.7	386	382	1	3	168	167	-	1	296	258
POINTE COUPEE	157	473	18.7	243	243	-	-	230	228	1	1	223	250
RAPIDES	3953	2446	17.6	1543	1529	2	12	903	894	1	8	1231	1215
ALEXANDRIA*	2283	1126	21.3	466	460	1	5	660	656	1	3	567	559
PINEVILLE*	1613	300	23.6	228	227	-	1	72	72	-	-	161	139
RED RIVER	29	213	19.4	116	114	2	-	97	97	-	-	105	108
RICHLAND	139	409	17.9	186	186	-	-	223	223	-	-	201	208
SABINE	55	376	13.8	262	262	-	-	114	112	-	2	195	181
ST BERNARD	3	1067	15.7	979	978	-	1	88	88	-	-	529	538
ST CHARLES	72	911	21.7	652	652	-	-	259	258	-	1	453	458
ST HELENA	-	168	16.2	76	76	-	-	92	92	-	-	92	76
ST JAMES	78	446	20.0	183	180	1	2	263	259	-	4	228	218
ST JOHN	248	975	25.0	597	594	1	2	378	377	-	1	461	514
ST LANDRY	1314	1693	19.1	933	929	-	4	760	759	-	1	879	814
OPELOUSAS*	1045	487	25.0	140	139	-	1	347	347	-	-	256	231
EUNICE*	264	260	20.9	180	180	-	-	80	80	-	-	132	128
ST MARTIN	157	906	20.1	554	549	1	4	352	350	-	2	462	444
ST MARY	665	1354	20.4	816	815	-	1	538	534	2	2	691	663
MORGAN CITY*	420	373	23.2	247	247	-	-	126	126	-	-	192	181
ST TAMMANY	1538	2353	17.8	2010	1996	6	8	343	342	-	1	1217	1136
SLIDELL*	715	538	19.5	447	444	2	1	91	90	-	1	275	263

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY				
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TANGIPAHOA	1900	1777	20.0	1025	1019	2	4	752	749	1	2	880	897
HAMMOND*	1	353	21.7	124	123	-	1	229	229	-	-	166	187
TENSAS	62	152	18.5	57	55	-	2	95	94	-	1	80	72
TERREBONNE	3554	2092	20.6	1508	1503	-	5	584	580	-	4	1061	1031
HOUMA*	959	805	23.5	514	511	-	3	291	289	-	2	391	414
UNION	116	328	14.9	192	192	-	-	136	135	-	1	162	166
VERMILION	564	958	18.2	756	747	-	9	202	200	-	2	482	476
ABBEVILLE*	264	289	22.9	153	146	-	7	136	135	-	1	148	141
VERNON	1266	1532	25.2	1078	1073	1	4	454	447	2	5	752	780
WASHINGTON	853	753	16.0	458	457	-	1	295	295	-	-	362	391
BOGALUSA*	810	254	15.1	131	131	-	-	123	123	-	-	115	139
WEBSTER	342	739	16.3	467	465	1	1	272	272	-	-	373	366
MINDEN*	275	275	18.3	127	127	-	-	148	148	-	-	130	145
WEST BATON ROUGE	4	456	22.4	274	273	-	1	182	180	1	1	259	197
WEST CARROLL	24	205	15.7	140	140	-	-	65	64	-	1	95	110
WEST FELICIANA	3	180	13.0	87	87	-	-	93	92	-	1	94	86
WINN	2	270	15.6	154	154	-	-	116	115	-	1	145	125
OUT OF STATE**	833	901		744	737	6	1	157	157	-	-	460	441

*INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
TOTAL................................	81496	25094	24222	16283	15897
ACADIA................................	689	309	288	46	46
ACADIA-ST. LANDRY HOSPITAL	91	26	30	18	17
AMERICAN LEGION HOSPITAL	450	232	200	9	9
RAYNE BRANCH HOSPITAL	143	51	54	18	20
OUT OF HOSPITAL	5	-	4	1	-
ALLEN.................................	222	91	76	24	31
ALLEN PARISH HOSPITAL	138	62	53	10	13
HUMANA HOSPITAL, OAKDALE	83	29	22	14	18
OUT OF HOSPITAL	1	-	1	-	-
ASCENSION.............................	12	1	1	7	3
EAST ASCENSION GENERAL HOSPITAL	5	-	1	3	1
OUT OF HOSPITAL	7	1	-	4	2
ASSUMPTION............................	4	-	-	4	-
ASSUMPTION GENERAL HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	3	-	-	3	-
AVOYELLES.............................	200	62	63	31	44
BUNKIE GENERAL HOSPITAL	100	34	35	13	18
HUMANA HOSPITAL-MARKSVILLE	96	26	26	18	26
OUT OF HOSPITAL	4	2	2	-	-
BEAUREGARD............................	386	147	168	37	34
BEAUREGARD MEMORIAL HOSPITAL	383	146	166	37	34
OUT OF HOSPITAL	3	1	2	-	-
BOSSIER...............................	1469	610	604	132	123
U S AIR FORCE BASE HOSPITAL	562	216	189	85	72
BOSSIER MEDICAL CENTER	902	393	413	46	50
OUT OF HOSPITAL	5	1	2	1	1
CADDO.................................	7699	1955	1912	1981	1851
L.S.U. MEDICAL CENTER	4564	683	679	1662	1540
HIGHLAND HOSPITAL	458	205	209	18	26
DOCTORS HOSPITAL OF CADDO	75	11	24	17	23
PHYSICIANS AND SURGEONS HOSPITAL	287	92	80	64	51
T. E. SCHUMPERT HOSPITAL	1131	470	484	89	88
WILLIS KNIGHTON MEDICAL CENTER	1179	494	432	131	122
OUT OF HOSPITAL	5	-	4	-	1
CALCASIEU.............................	4026	1520	1405	557	544
DEQUINCY GENERAL HOSPITAL	14	8	3	2	1
HUMANA WOMENS HOSPITAL-LAKE CHARLES	155	70	65	12	8
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	1379	401	400	282	296
LAKE CHARLES MEMORIAL HOSPITAL	1283	472	451	191	169
ST. PATRICKS HOSPITAL	689	328	263	45	53
WEST CALCASIEU-CAMERON HOSPITAL	497	241	217	23	16
OUT OF HOSPITAL	9	-	6	2	1
CALDWELL..............................	115	31	20	33	31
CALDWELL MEMORIAL HOSPITAL	112	31	18	33	30
CITIZENS MEDICAL HOSPITAL	2	-	1	-	1
OUT OF HOSPITAL	1	-	1	-	-
CAMERON...............................	5	1	4	-	-
SOUTH CAMERON MEMORIAL HOSPITAL	5	1	4	-	-
CATAHOULA.............................	16	7	5	4	-
CATAHOULA PARISH HOSPITAL	15	7	5	3	-
OUT OF HOSPITAL	1	-	-	1	-
CLAIBORNE.............................	79	14	14	24	27
HOMER MEMORIAL HOSPITAL	75	14	13	21	27
NORTH CLAIBORNE HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	3	-	-	3	-
CONCORDIA.............................	316	69	78	91	78
CONCORDIA PARISH HOSPITAL	313	68	78	90	77
OUT OF HOSPITAL	3	1	-	1	1

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
DESOTO...............................	2	-	-	2	-
DESOTO GENERAL HOSPITAL	2	-	-	2	-
EAST BATON ROUGE......................	11452	3621	3465	2206	2160
EARL K. LONG MEMORIAL HOSPITAL	3388	512	441	1216	1219
LANE MEMORIAL HOSPITAL	416	145	146	57	68
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	-	-	1
WOMANS HOSPITAL	7607	2953	2875	920	859
OUT OF HOSPITAL	40	11	3	13	13
EAST CARROLL..........................	144	8	16	60	60
EAST CARROLL PARISH HOSPITAL	140	8	16	58	58
OUT OF HOSPITAL	4	-	-	2	2
EAST FELICIANA........................	1	1	-	-	-
OUT OF HOSPITAL	1	1	-	-	-
EVANGELINE............................	302	77	72	78	75
HUMANA HOSPITAL-VILLE PLATTE	73	20	14	20	19
SAVOY MEMORIAL HOSPITAL	224	57	56	56	55
OUT OF HOSPITAL	5	-	2	2	1
FRANKLIN..............................	9	3	1	-	5
FRANKLIN PARISH HOSPITAL	2	-	-	-	2
OUT OF HOSPITAL	7	3	1	-	3
IBERIA................................	1116	388	366	188	174
DAUTERIVE HOSPITAL INC.	529	225	203	55	46
IBERIA GENERAL HOSP AND MEDICAL CENTER	571	158	162	127	124
OUT OF HOSPITAL	16	5	1	6	4
IBERVILLE.............................	35	2	3	16	14
RHODES SPEDALE GENERAL HOSPITAL	2	-	1	-	1
RIVER WEST MEDICAL CENTER	25	1	1	11	12
OUT OF HOSPITAL	8	1	1	5	1
JACKSON...............................	245	35	20	96	94
JACKSON PARISH HOSPITAL	244	35	20	95	94
OUT OF HOSPITAL	1	-	-	1	-
JEFFERSON.............................	8364	3428	3261	821	854
EAST JEFFERSON GENERAL HOSPITAL	782	391	340	26	25
OCHSNER FOUNDATION HOSPITAL	742	347	302	52	41
LAKESIDE HOSPITAL	4098	1816	1741	243	298
MEADOWCREST HOSPITAL	1781	519	544	364	354
WEST JEFFERSON GENERAL HOSPITAL	942	348	325	135	134
OUT OF HOSPITAL	19	7	9	1	2
JEFFERSON DAVIS.......................	181	70	87	13	11
JENNINGS AMERICAN LEGION HOSPITAL	158	60	77	11	10
WELSH GENERAL HOSPITAL	22	10	9	2	1
OUT OF HOSPITAL	1	-	1	-	-
LAFAYETTE.............................	6371	2141	2082	1086	1062
UNIVERSITY MEDICAL CENTER	3009	701	667	838	803
LAFAYETTE GENERAL HOSPITAL	479	109	129	127	114
WOMANS HOSPITAL OF ACADIANA	2824	1308	1268	114	134
OUT OF HOSPITAL	59	23	18	7	11
LAFOURCHE.............................	1242	550	524	84	84
LADY OF THE SEA HOSPITAL	83	42	34	3	4
ST. ANNE HOSPITAL	341	169	149	10	13
THIBODAUX GENERAL HOSPITAL	808	336	338	69	65
OUT OF HOSPITAL	10	3	3	2	2
LASALLE...............................	45	20	17	2	6
HARDTNER MEDICAL CENTER	41	20	17	-	4
LASALLE GENERAL HOSPITAL	3	-	-	2	1
OUT OF HOSPITAL	1	-	-	-	1
LINCOLN...............................	385	160	148	45	32
LINCOLN GENERAL HOSPITAL	368	159	145	38	26
OUT OF HOSPITAL	17	1	3	7	6

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
LIVINGSTON............................	1	-	1	-	-
OUT OF HOSPITAL	1	-	1	-	-
MADISON..............................	57	8	7	17	25
MADISON PARISH HOSPITAL	55	7	7	17	24
OUT OF HOSPITAL	2	1	-	-	1
MOREHOUSE............................	367	102	98	89	78
MOREHOUSE GENERAL HOSPITAL	366	101	98	89	78
OUT OF HOSPITAL	1	1	-	-	-
NATCHITOCHES.........................	381	139	137	56	49
NATCHITOCHES PARISH HOSPITAL	379	139	137	56	47
OUT OF HOSPITAL	2	-	-	-	2
ORLEANS..............................	14094	2612	2447	4569	4466
SOUTHERN BAPTIST HOSPITAL	2103	989	855	142	117
CHARITY HOSPITAL OF NEW ORLEANS	6400	613	592	2654	2541
UNITED MEDICAL CENTER	415	7	3	199	206
F. EDWARD HEBERT HOSPITAL	42	10	5	12	15
FLINT GOODRIDGE HOSP OF DILLARD UNIV	123	-	-	69	54
HUMANA WOMENS HOSPITAL	303	93	114	54	42
HOTEL DIEU HOSPITAL	1222	216	213	396	397
METHODIST HOME HOSPITAL	1755	474	444	423	414
NEW ORLEANS GENERAL HOSPITAL	1	-	-	-	1
TOURO INFIRMARY	1296	165	157	460	514
TULANE MEDICAL CENTER HOSPITAL	376	36	55	141	144
OUT OF HOSPITAL	58	9	9	19	21
OUACHITA.............................	4344	1204	1205	926	1009
E. A. CONWAY HOSPITAL	2196	278	295	777	846
GLENWOOD HOSPITAL	737	322	330	38	47
NORTH MONROE COMMUNITY HOSPITAL	202	86	95	6	15
ST. FRANCIS HOSPITAL	1180	515	483	91	91
OUT OF HOSPITAL	29	3	2	14	10
PLAQUEMINES..........................	22	9	9	2	2
PLAQUEMINES PARISH GENERAL HOSPITAL	16	7	7	1	1
OUT OF HOSPITAL	6	2	2	1	1
POINTE COUPEE........................	157	25	27	44	61
POINTE COUPEE GENERAL HOSPITAL	155	25	27	44	59
OUT OF HOSPITAL	2	-	-	-	2
RAPIDES..............................	3953	1268	1263	717	705
RAPIDES GENERAL HOSPITAL	1384	558	528	166	132
WOODVIEW REGIONAL HOSPITAL	43	18	10	8	7
HUEY P. LONG CHARITY HOSPITAL	1608	318	305	483	502
ST. FRANCIS CABRINI HOSPITAL	884	366	411	52	55
OUT OF HOSPITAL	34	8	9	8	9
RED RIVER............................	29	15	9	4	1
L. S. HUCKABAY MEMORIAL HOSPITAL	29	15	9	4	1
RICHLAND.............................	139	69	49	10	11
RICHLAND PARISH HOSPITAL - URBAN	85	47	28	6	4
RICHLAND PARISH HOSPITAL - RURAL	52	22	20	4	6
OUT OF HOSPITAL	2	-	1	-	1
SABINE...............................	55	12	9	19	15
SABINE MEDICAL CENTER	40	11	4	14	11
PLEASANT HILL GENERAL HOSPITAL	11	1	4	3	3
OUT OF HOSPITAL	4	-	1	2	1
ST.BERNARD...........................	3	1	1	1	-
OUT OF HOSPITAL	3	1	1	1	-
ST.CHARLES...........................	72	11	13	19	29
ST. CHARLES PARISH HOSPITAL	71	11	13	18	29
OUT OF HOSPITAL	1	-	-	1	-
ST. JAMES............................	78	23	23	22	10
ST. JAMES PARISH HOSPITAL	72	22	23	19	8
OUT OF HOSPITAL	6	1	-	3	2

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ST. JOHN..............................	248	69	92	40	47
RIVER PARISHES MEDICAL CENTER	243	67	91	40	45
OUT OF HOSPITAL	5	2	1	-	2
ST. LANDRY............................	1314	475	480	205	154
MOOSA MEMORIAL HOSPITAL	264	114	115	14	21
OPELOUSAS GENERAL HOSPITAL	1043	361	361	190	131
OUT OF HOSPITAL	7	-	4	1	2
ST. MARTIN............................	157	48	35	31	43
GARY MEMORIAL HOSPITAL	102	39	20	13	30
ST. MARTIN INFIRMARY	50	7	13	17	13
OUT OF HOSPITAL	5	2	2	1	-
ST. MARY..............................	665	234	197	120	114
FRANKLIN FOUNDATION HOSPITAL	244	57	48	74	65
LAKEWOOD HOSPITAL	420	177	149	46	48
OUT OF HOSPITAL	1	-	-	-	1
ST. TAMMANY...........................	1538	673	622	129	114
HIGHLAND PARK HOSPITAL	379	145	132	54	48
ST. TAMMANY PARISH HOSPITAL	434	181	177	39	37
SLIDELL MEMORIAL HOSPITAL	710	339	307	36	28
OUT OF HOSPITAL	15	8	6	-	1
TANGIPAHOA............................	1900	505	528	438	429
LALLIE KEMP CHARITY HOSPITAL	899	185	186	268	260
SEVENTH WARD GENERAL HOSPITAL	994	317	340	168	169
OUT OF HOSPITAL	7	3	2	2	-
TENSAS................................	62	14	8	20	20
TENSAS MEMORIAL HOSPITAL	58	13	7	18	20
OUT OF HOSPITAL	4	1	1	2	-
TERREBONNE............................	3554	1142	1155	658	599
SOUTH LOUISIANA MEDICAL CENTER	2586	726	703	604	553
TERREBONNE PARISH GENERAL HOSPITAL	954	415	448	49	42
OUT OF HOSPITAL	14	1	4	5	4
UNION.................................	116	33	39	22	22
UNION GENERAL HOSPITAL	115	33	39	21	22
OUT OF HOSPITAL	1	-	-	1	-
VERMILION.............................	564	227	223	61	53
ABROM KAPLAN MEMORIAL HOSPITAL	291	138	126	12	15
ABBEVILLE GENERAL HOSPITAL	256	80	91	47	38
ERATH GENERAL HOSPITAL	3	2	1	-	-
GUEYDAN MEMORIAL HOSPITAL	2	2	-	-	-
OUT OF HOSPITAL	12	5	5	2	-
VERNON................................	1266	422	404	227	213
LEESVILLE GENERAL HOSPITAL	4	-	2	-	2
BAYNE JONES ARMY COMMUNITY HOSPITAL	1178	390	378	212	198
BYRD MEMORIAL HOSPITAL	79	30	23	13	13
OUT OF HOSPITAL	5	2	1	2	-
WASHINGTON............................	853	278	295	123	157
BOGALUSA COMMUNITY MEDICAL CENTER	246	100	118	8	20
RIVERSIDE MEDICAL CENTER	43	24	16	-	3
WASHINGTON-ST. TAMMANY HOSPITAL	562	154	160	115	133
OUT OF HOSPITAL	2	-	1	-	1
WEBSTER...............................	342	143	139	36	24
HUMANA HOSPITAL-MINDEN	267	111	101	35	20
HUMANA HOSPITAL-SPRINGHILL	61	24	33	1	3
OUT OF HOSPITAL	14	8	5	-	1
WEST BATON ROUGE......................	4	-	2	2	-
OUT OF HOSPITAL	4	-	2	2	-
WEST CARROLL..........................	24	10	5	6	3
WEST CARROLL PARISH HOSPITAL	21	10	5	3	3
OUT OF HOSPITAL	3	-	-	3	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
WEST FELICIANA.........................	3	1	-	1	1
WEST FELICIANA PARISH HOSPITAL	2	1	-	1	-
OUT OF HOSPITAL	1	-	-	-	1
WINN....................................	2	1	-	1	-
HUMANA HOSPITAL-WINN PARISH	1	1	-	-	-
OUT OF HOSPITAL	1	-	-	1	-

TABLE IV
CONGENITAL ANOMALIES SPECIFIED ON BIRTH CERTIFICATES
SHOWN BY TYPE OF ANOMALY AND AGE OF MOTHER
LOUISIANA RESIDENTS, 1984

CONGENITAL ANOMALY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK
TOTAL	678	2	112	222	197	94	43	8	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740) .	10	-	-	2	6	2	-	-	-	-
SPINA BIFIDA - (741)	28	-	-	11	9	6	2	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	17	-	5	4	4	3	1	-	-	-
CONGENITAL ANOMALIES OF EYE - (743)	4	-	2	1	1	-	-	-	-	-
CONGENITAL ANOMALIES OF EAR, FACE AND NECK - (744)	20	-	5	6	8	1	-	-	-	-
BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE - (745)	14	-	1	5	4	4	-	-	-	-
OTHER CONGENITAL ANOMALIES OF HEART - (746)	31	-	5	6	11	7	2	-	-	-
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM - (747)	14	-	2	5	2	4	-	1	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	18	-	3	4	10	1	-	-	-	-
CLEFT PALATE AND CLEFT LIP - (749)	49	-	5	20	15	6	3	-	-	-
OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT - (750)	10	-	-	4	3	2	1	-	-	-
OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM - (751)	17	-	4	2	5	4	2	-	-	-
CONGENITAL ANOMALIES OF GENITAL ORGANS - (752)	62	-	19	18	18	6	1	-	-	-
CONGENITAL ANOMALIES OF URINARY SYSTEM - (753)	18	-	3	11	3	1	-	-	-	-
CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES - (754)	66	-	10	25	19	6	6	-	-	-
OTHER CONGENITAL ANOMALIES OF LIMBS - (755)	148	1	24	60	32	18	10	3	-	-
OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES - (756)	28	-	5	11	7	5	-	-	-	-
CONGENITAL ANOMALIES OF THE INTEGUMENT - (757)	50	1	12	11	17	4	5	-	-	-
CHROMOSOMAL ANOMALIES - (758)	27	-	-	4	6	7	7	3	-	-
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES - (759)	36	-	4	11	15	5	1	-	-	-
CONDITIONS OTHER THAN (740-759) MENTIONED ON BIRTH CERTIFICATE	11	-	3	1	2	2	2	1	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONGENITAL ANOMALY WAS SHOWN ON SOME BIRTH CERTIFICATES.

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TOTAL................................	7017	1323	1532	1922	2240	1475	1409	4133
ACADIA................................	34	13	7	7	7	1	6	27
ACADIA-ST. LANDRY HOSPITAL	8	1	3	2	2	-	1	7
AMERICAN LEGION HOSPITAL	15	9	3	1	2	1	4	10
RAYNE BRANCH HOSPITAL	10	3	1	3	3	-	1	9
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
ALLEN................................	12	8	3	1	-	1	1	10
ALLEN PARISH HOSPITAL	7	4	2	1	-	-	-	7
HUMANA HOSPITAL, OAKDALE	4	4	-	-	-	1	1	2
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
ASCENSION............................	4	-	-	1	3	-	-	4
EAST ASCENSION GENERAL HOSPITAL	1	-	-	-	1	-	-	1
OUT OF HOSPITAL	3	-	-	1	2	-	-	3
ASSUMPTION...........................	1	-	-	1	-	-	-	1
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
AVOYELLES............................	18	3	6	4	5	3	6	9
BUNKIE GENERAL HOSPITAL	11	1	4	2	4	1	4	6
HUMANA HOSPITAL-MARKSVILLE	6	1	2	2	1	1	2	3
OUT OF HOSPITAL	1	1	-	-	-	1	-	-
BEAUREGARD...........................	29	8	7	2	12	5	5	19
BEAUREGARD MEMORIAL HOSPITAL	28	8	6	2	12	5	5	18
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
BOSSIER..............................	90	25	37	14	14	13	20	57
U S AIR FORCE BASE HOSPITAL	23	3	7	7	6	1	7	15
BOSSIER MEDICAL CENTER	67	22	30	7	8	12	13	42
CADDO................................	824	126	151	237	310	208	176	440
L.S.U. MEDICAL CENTER	584	65	60	202	257	141	120	323
HIGHLAND HOSPITAL	17	8	7	-	2	4	5	8
DOCTORS HOSPITAL OF CADDO	4	-	-	1	3	-	1	3
PHYSICIANS AND SURGEONS HOSPITAL	12	1	3	4	4	1	3	8
T. E. SCHUMPERT HOSPITAL	115	27	47	17	24	39	28	48
WILLIS KNIGHTON MEDICAL CENTER	92	25	34	13	20	23	19	50
CALCASIEU............................	336	82	105	68	81	53	57	226
HUMANA WOMENS HOSPITAL-LAKE CHARLES	15	8	4	-	3	3	2	10
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	153	26	44	42	41	24	27	102
LAKE CHARLES MEMORIAL HOSPITAL	106	29	28	19	30	16	17	73
ST. PATRICKS HOSPITAL	29	10	13	3	3	3	6	20
WEST CALCASIEU-CAMERON HOSPITAL	33	9	16	4	4	7	5	21
CALDWELL.............................	7	3	-	1	3	-	1	6
CALDWELL MEMORIAL HOSPITAL	7	3	-	1	3	-	1	6
CAMERON..............................	1	-	1	-	-	-	-	1
SOUTH CAMERON MEMORIAL HOSPITAL	1	-	1	-	-	-	-	1
CLAIBORNE............................	6	2	1	-	3	1	1	4
HOMER MEMORIAL HOSPITAL	6	2	1	-	3	1	1	4
CONCORDIA............................	30	4	2	11	13	3	8	19
CONCORDIA PARISH HOSPITAL	30	4	2	11	13	3	8	19
EAST BATON ROUGE.....................	962	169	200	275	318	222	201	539
EARL K. LONG MEMORIAL HOSPITAL	446	39	38	166	203	93	101	252
LANE MEMORIAL HOSPITAL	33	3	12	5	13	7	7	19
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	-	-	1	1	-	-
WOMANS HOSPITAL	474	126	150	103	95	116	92	266
OUT OF HOSPITAL	8	1	-	1	6	5	1	2
EAST CARROLL.........................	14	-	-	4	10	1	1	12
EAST CARROLL PARISH HOSPITAL	13	-	-	3	10	1	1	11
OUT OF HOSPITAL	1	-	-	1	-	-	-	1

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
EVANGELINE............................	31	3	6	9	13	4	6	21
HUMANA HOSPITAL-VILLE PLATTE	5	-	2	1	2	-	2	3
SAVOY MEMORIAL HOSPITAL	25	3	4	8	10	3	4	18
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
FRANKLIN..............................	1	-	-	-	1	-	-	1
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
IBERIA................................	50	10	13	10	17	12	6	32
DAUTERIVE HOSPITAL INC.	15	3	5	4	3	4	1	10
IBERIA GENERAL HOSP AND MEDICAL CENTER	33	5	8	6	14	6	5	22
OUT OF HOSPITAL	2	2	-	-	-	2	-	-
IBERVILLE.............................	4	-	-	2	2	-	1	3
RIVER WEST MEDICAL CENTER	2	-	-	1	1	-	-	2
OUT OF HOSPITAL	2	-	-	1	1	-	1	1
JACKSON...............................	16	-	1	7	8	1	3	12
JACKSON PARISH HOSPITAL	16	-	1	7	8	1	3	12
JEFFERSON.............................	569	157	207	98	107	123	141	305
EAST JEFFERSON GENERAL HOSPITAL	28	10	13	2	3	2	5	21
OCHSNER FOUNDATION HOSPITAL	89	37	30	16	6	39	22	28
LAKESIDE HOSPITAL	233	76	106	15	36	36	65	132
MEADOWCREST HOSPITAL	164	26	42	50	46	34	41	89
WEST JEFFERSON GENERAL HOSPITAL	54	7	16	15	16	12	8	34
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
JEFFERSON DAVIS.......................	12	6	3	1	2	1	3	8
JENNINGS AMERICAN LEGION HOSPITAL	12	6	3	1	2	1	3	8
LAFAYETTE.............................	558	126	106	158	168	107	102	349
UNIVERSITY MEDICAL CENTER	339	54	47	117	121	54	57	228
LAFAYETTE GENERAL HOSPITAL	69	8	9	22	30	18	13	38
WOMANS HOSPITAL OF ACADIANA	144	61	49	19	15	34	31	79
OUT OF HOSPITAL	6	3	1	-	2	1	1	4
LAFOURCHE.............................	55	18	28	5	4	9	10	36
LADY OF THE SEA HOSPITAL	3	2	1	-	-	2	-	1
ST. ANNE HOSPITAL	12	4	6	1	1	-	2	10
THIBODAUX GENERAL HOSPITAL	40	12	21	4	3	7	8	25
LASALLE...............................	4	-	1	1	2	-	2	2
HARDTNER MEDICAL CENTER	2	-	1	-	1	-	-	2
LASALLE GENERAL HOSPITAL	2	-	-	1	1	-	2	-
LINCOLN...............................	23	8	7	4	4	3	6	14
LINCOLN GENERAL HOSPITAL	23	8	7	4	4	3	6	14
MADISON...............................	4	-	-	1	3	1	2	1
MADISON PARISH HOSPITAL	3	-	-	1	2	1	1	1
OUT OF HOSPITAL	1	-	-	-	1	-	1	-
MOREHOUSE.............................	23	5	3	10	5	5	3	15
MOREHOUSE GENERAL HOSPITAL	23	5	3	10	5	5	3	15
NATCHITOCHES..........................	13	1	3	7	2	1	3	9
NATCHITOCHES PARISH HOSPITAL	13	1	3	7	2	1	3	9
ORLEANS...............................	1595	181	200	575	639	378	306	911
SOUTHERN BAPTIST HOSPITAL	147	57	68	14	8	35	30	82
CHARITY HOSPITAL OF NEW ORLEANS	898	71	68	373	386	235	176	487
UNITED MEDICAL CENTER	59	-	-	17	42	7	12	40
F. EDWARD HEBERT HOSPITAL	5	-	-	1	4	2	1	2
FLINT GOODRIDGE HOSP OF DILLARD UNIV	10	-	-	5	5	-	2	8
HUMANA WOMENS HOSPITAL	18	5	8	2	3	3	3	12
HOTEL DIEU HOSPITAL	130	10	11	58	51	32	26	72
METHODIST HOME HOSPITAL	147	30	29	42	46	32	24	91
TOURO INFIRMARY	106	5	3	34	64	12	20	74
TULANE MEDICAL CENTER HOSPITAL	61	3	11	24	23	16	10	35
OUT OF HOSPITAL	14	-	2	5	7	4	2	8

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
OUACHITA..............................	419	84	78	110	147	97	84	238
E. A. CONWAY HOSPITAL	274	26	29	92	127	57	63	154
GLENWOOD HOSPITAL	38	14	10	8	6	5	6	27
NORTH MONROE COMMUNITY HOSPITAL	2	-	1	-	1	1	-	1
ST. FRANCIS HOSPITAL	101	44	38	9	10	33	15	53
OUT OF HOSPITAL	4	-	-	1	3	1	-	3
PLAQUEMINES............................	1	-	1	-	-	-	1	-
PLAQUEMINES PARISH GENERAL HOSPITAL	1	-	1	-	-	-	1	-
POINTE COUPEE.........................	5	-	-	-	5	-	-	5
POINTE COUPEE GENERAL HOSPITAL	4	-	-	-	4	-	-	4
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
RAPIDES...............................	339	76	87	79	97	65	81	193
RAPIDES GENERAL HOSPITAL	84	23	30	14	17	7	25	52
WOODVIEW REGIONAL HOSPITAL	2	2	-	-	-	-	-	2
HUEY P. LONG CHARITY HOSPITAL	174	24	25	54	71	33	35	106
ST. FRANCIS CABRINI HOSPITAL	72	26	30	8	8	22	20	30
OUT OF HOSPITAL	7	1	2	3	1	3	1	3
RED RIVER..............................	1	1	-	-	-	-	-	1
L. S. HUCKABAY MEMORIAL HOSPITAL	1	1	-	-	-	-	-	1
RICHLAND...............................	9	1	4	2	2	1	2	6
RICHLAND PARISH HOSPITAL - URBAN	6	1	3	2	-	-	2	4
RICHLAND PARISH HOSPITAL - RURAL	2	-	1	-	1	-	-	2
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
SABINE.................................	3	-	1	1	1	-	1	2
SABINE MEDICAL CENTER	3	-	1	1	1	-	1	2
ST.CHARLES.............................	8	-	2	2	4	2	1	5
ST. CHARLES PARISH HOSPITAL	8	-	2	2	4	2	1	5
ST. JAMES..............................	5	1	-	3	1	1	-	4
ST. JAMES PARISH HOSPITAL	5	1	-	3	1	1	-	4
ST. JOHN...............................	12	1	2	1	8	5	1	6
RIVER PARISHES MEDICAL CENTER	11	1	2	1	7	4	1	6
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
ST. LANDRY.............................	76	26	22	16	12	11	11	54
MOOSA MEMORIAL HOSPITAL	13	5	4	2	2	2	1	10
OPELOUSAS GENERAL HOSPITAL	63	21	18	14	10	9	10	44
ST. MARTIN.............................	8	2	2	1	3	2	2	4
GARY MEMORIAL HOSPITAL	2	1	-	-	1	-	-	2
ST. MARTIN INFIRMARY	6	1	2	1	2	2	2	2
ST. MARY...............................	41	9	13	9	10	3	7	31
FRANKLIN FOUNDATION HOSPITAL	13	1	1	5	6	2	2	9
LAKEWOOD HOSPITAL	27	8	12	4	3	1	5	21
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
ST. TAMMANY............................	76	23	30	8	15	16	14	46
HIGHLAND PARK HOSPITAL	16	3	7	2	4	4	2	10
ST. TAMMANY PARISH HOSPITAL	42	15	14	4	9	7	8	27
SLIDELL MEMORIAL HOSPITAL	17	5	8	2	2	4	4	9
OUT OF HOSPITAL	1	-	1	-	-	1	-	-
TANGIPAHOA.............................	196	31	36	60	69	28	39	129
LALLIE KEMP CHARITY HOSPITAL	89	10	16	25	38	12	18	59
SEVENTH WARD GENERAL HOSPITAL	107	21	20	35	31	16	21	70
TENSAS.................................	7	2	1	3	1	2	2	3
TENSAS MEMORIAL HOSPITAL	4	1	-	2	1	1	1	2
OUT OF HOSPITAL	3	1	1	1	-	1	1	1
TERREBONNE.............................	322	73	101	76	72	58	63	201
SOUTH LOUISIANA MEDICAL CENTER	264	54	68	73	69	45	53	166
TERREBONNE PARISH GENERAL HOSPITAL	58	19	33	3	3	13	10	35

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
UNION..................................	5	-	1	3	1	1	-	4
UNION GENERAL HOSPITAL	5	-	1	3	1	1	-	4
VERMILION..............................	31	8	8	8	7	3	5	23
ABROM KAPLAN MEMORIAL HOSPITAL	9	4	4	1	-	1	-	8
ABBEVILLE GENERAL HOSPITAL	22	4	4	7	7	2	5	15
VERNON.................................	56	13	17	12	14	17	9	30
BAYNE JONES ARMY COMMUNITY HOSPITAL	53	13	17	10	13	17	8	28
BYRD MEMORIAL HOSPITAL	2	-	-	1	1	-	-	2
OUT OF HOSPITAL	1	-	-	1	-	-	1	-
WASHINGTON.............................	48	10	16	10	12	5	7	36
BOGALUSA COMMUNITY MEDICAL CENTER	9	2	5	-	2	-	1	8
RIVERSIDE MEDICAL CENTER	2	2	-	-	-	-	-	2
WASHINGTON-ST. TAMMANY HOSPITAL	37	6	11	10	10	5	6	26
WEBSTER................................	17	4	10	1	2	2	1	14
HUMANA HOSPITAL-MINDEN	12	3	7	1	1	2	1	9
HUMANA HOSPITAL-SPRINGHILL	5	1	3	-	1	-	-	5
WEST BATON ROUGE.......................	3	-	1	2	-	-	1	2
OUT OF HOSPITAL	3	-	1	2	-	-	1	2
WEST CARROLL...........................	2	-	1	-	1	-	-	2
WEST CARROLL PARISH HOSPITAL	2	-	1	-	1	-	-	2
WEST FELICIANA.........................	1	-	-	1	-	-	-	1
WEST FELICIANA PARISH HOSPITAL	1	-	-	1	-	-	-	1

TABLE VI
LIVE BIRTHS BY LIVE BIRTH ORDER BY WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1984

BIRTH ORDER	TOTAL	WEIGHT IN POUNDS								NOT STATED	IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
		THROUGH 2.5	OVER 2.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5	OVER 5.5 THROUGH 6.5	OVER 6.5 THROUGH 7.5	OVER 7.5 THROUGH 8.5	OVER 8.5 THROUGH 9.5	OVER 9.5			
TOTAL	81428	765	2100	4117	13722	26941	22483	8851	2404	45	6982	8.6
1	32703	320	844	1662	5822	11193	8841	3227	785	9	2826	8.6
2	25966	219	596	1150	4039	8604	7540	2999	807	12	1965	7.6
3	13253	112	316	683	2207	4189	3729	1547	459	11	1111	8.4
4	5407	52	175	330	945	1679	1383	638	204	1	557	10.3
5	2117	32	84	146	367	648	522	240	76	2	262	12.4
6	971	14	43	66	167	317	224	104	36	-	123	12.7
7	430	4	18	31	77	127	114	46	13	-	53	12.3
8	242	5	11	13	41	85	57	21	9	-	29	12.0
9	131	3	4	14	24	38	33	9	6	-	21	16.0
10	59	1	2	4	9	20	14	6	3	-	7	11.9
11	46	1	1	8	8	11	7	7	2	1	10	21.7
12	21	-	2	3	3	9	1	2	1	-	5	23.8
13	14	-	-	3	2	7	-	-	2	-	3	21.4
14	8	-	-	-	4	3	1	-	-	-	-	-
15	4	-	-	1	1	-	2	-	-	-	1	25.0
UNK.	56	2	4	3	6	11	15	5	1	9	9	16.1

TABLE VII
LIVE BIRTHS BY WEIGHT OF CHILD SHOWN BY SEX AND RACE
LOUISIANA RESIDENTS, 1984

WEIGHT IN POUNDS	TOTAL	PERCENT	WHITE				NONWHITE			
			MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT
0.5 OR LESS	10	0.0	3	0.0	-	-	5	0.0	2	0.0
OVER 0.5 THROUGH 1.5	288	0.4	48	0.2	55	0.2	86	0.5	99	0.6
OVER 1.5 THROUGH 2.5	467	0.6	96	0.4	81	0.3	138	0.8	152	1.0
OVER 2.5 THROUGH 3.5	685	0.8	134	0.5	144	0.6	184	1.1	223	1.4
OVER 3.5 THROUGH 4.5	1415	1.7	286	1.1	302	1.3	416	2.6	411	2.6
OVER 4.5 THROUGH 5.5	4117	5.1	741	3.0	932	3.9	1102	6.8	1342	8.4
OVER 5.5 THROUGH 6.5	13722	16.9	2752	11.0	3748	15.5	3245	19.9	3977	25.0
OVER 6.5 THROUGH 7.5	26941	33.1	7253	29.0	8308	34.4	5644	34.6	5736	36.0
OVER 7.5 THROUGH 8.5	22483	27.6	8289	33.1	7164	29.7	3969	24.4	3061	19.2
OVER 8.5 THROUGH 9.5	8851	10.9	4093	16.4	2749	11.4	1238	7.6	771	4.8
OVER 9.5	2404	3.0	1311	5.2	663	2.7	269	1.7	161	1.0
TOTAL(WITH WEIGHT STATED)	81383	100.0	25006	100.0	24146	100.0	16296	100.0	15935	100.0
WEIGHT NOT STATED	45	-	14	-	5	-	14	-	12	-
TOTAL	81428	-	25020	-	24151	-	16310	-	15947	-

PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE VIII
LIVE BIRTHS BY BIRTH WEIGHT, AGE OF MOTHER, AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500-4999 GRAMS	5000 GRAMS & OVER	NOT STATED
ALL RACES	81428	129	470	644	1350	4365	15019	30737	21441	5983	1094	151	45
UNDER 15 YEARS	421	1	9	8	10	45	110	165	64	7	1	1	-
15-19 YEARS	13883	29	88	148	299	1020	3114	5444	2983	656	77	13	12
20-24 YEARS	27798	49	147	209	439	1496	5423	10680	7173	1804	315	44	19
25-29 YEARS	23738	34	138	177	343	1061	3990	8937	6660	1985	363	42	8
30-34 YEARS	11663	14	60	70	180	528	1776	4171	3442	1151	229	38	4
35-39 YEARS	3377	1	23	29	66	172	512	1168	969	335	94	6	2
40-44 YEARS	517	1	5	3	12	41	88	155	146	44	15	7	-
45-49 YEARS	27	-	-	-	1	2	5	14	4	1	-	-	-
50 YEARS & OVER	2	-	-	-	-	-	1	1	-	-	-	-	-
NOT STATED	2	-	-	-	-	-	-	2	-	-	-	-	-
WHITE	49171	43	170	256	558	1786	7173	18215	15201	4729	915	106	19
UNDER 15 YEARS	75	-	1	2	1	3	15	31	19	2	-	1	-
15-19 YEARS	6454	6	22	46	87	315	1076	2517	1834	473	63	8	7
20-24 YEARS	16864	21	61	84	160	623	2621	6418	5100	1461	272	35	8
25-29 YEARS	15942	12	54	79	186	513	2273	5839	5013	1625	313	33	2
30-34 YEARS	7575	3	26	28	88	243	895	2672	2505	904	187	23	1
35-39 YEARS	1984	1	5	15	29	70	258	647	646	238	72	2	1
40-44 YEARS	260	-	1	2	7	19	34	79	81	25	8	4	-
45-49 YEARS	15	-	-	-	-	-	1	10	3	1	-	-	-
50 YEARS & OVER	1	-	-	-	-	-	-	1	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-
NONWHITE	32257	86	300	388	792	2579	7846	12522	6240	1254	179	45	26
UNDER 15 YEARS	346	1	8	6	9	42	95	134	45	5	1	-	-
15-19 YEARS	7429	23	66	102	212	705	2038	2927	1149	183	14	5	5
20-24 YEARS	10934	28	86	125	279	873	2802	4262	2073	343	43	9	11
25-29 YEARS	7796	22	84	98	157	548	1717	3096	1647	360	50	9	6
30-34 YEARS	4088	11	34	42	92	285	881	1499	937	247	42	15	3
35-39 YEARS	1393	-	18	14	37	102	254	521	323	97	22	4	1
40-44 YEARS	257	1	4	1	5	22	54	76	65	19	7	3	-
45-49 YEARS	12	-	-	-	1	2	4	4	1	-	-	-	-
50 YEARS & OVER	1	-	-	-	-	-	1	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE IX
LIVE BIRTHS BY BIRTH ORDER SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS									PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.		
TOTAL		81428	421	13883	27798	23738	11663	3377	517	29	2	100.0	24.7
	W	49171	75	6454	16864	15942	7575	1984	260	16	1	60.4	25.2
	NW	32257	346	7429	10934	7796	4088	1393	257	13	1	39.6	24.0
1		32703	405	10548	12382	6897	2056	382	33	-	-	40.2	22.1
	W	21211	72	5284	8577	5350	1616	288	24	-	-	26.0	23.0
	NW	11492	333	5264	3805	1547	440	94	9	-	-	14.1	20.6
2		25966	16	2674	9812	8860	3798	744	61	-	1	31.9	25.1
	W	16885	3	1029	6111	6429	2750	525	37	-	1	20.7	25.7
	NW	9081	13	1645	3701	2431	1048	219	24	-	-	11.2	24.0
3		13253	-	544	3881	4884	3039	810	93	1	1	16.3	27.0
	W	7391	-	117	1735	2976	1986	521	55	1	-	9.1	27.8
	NW	5862	-	427	2146	1908	1053	289	38	-	1	7.2	25.9
4		5407	-	91	1257	1870	1504	575	104	6	-	6.6	28.4
	W	2430	-	11	344	873	820	321	58	3	-	3.0	29.6
	NW	2977	-	80	913	997	684	254	46	3	-	3.7	27.5
5		2117	-	11	338	726	641	339	58	4	-	2.6	29.7
	W	749	-	1	71	222	259	163	30	3	-	0.9	31.1
	NW	1368	-	10	267	504	382	176	28	1	-	1.7	29.0
6		971	-	-	77	301	326	214	49	4	-	1.2	31.3
	W	279	-	-	13	62	84	93	26	1	-	0.3	33.1
	NW	692	-	-	64	239	242	121	23	3	-	0.8	30.6
7		430	-	-	20	114	138	123	35	-	-	0.5	32.5
	W	98	-	-	2	19	30	36	11	-	-	0.1	33.8
	NW	332	-	-	18	95	108	87	24	-	-	0.4	32.1
8		242	-	-	8	50	77	79	24	4	-	0.3	33.5
	W	46	-	-	-	4	14	17	9	2	-	0.1	36.0
	NW	196	-	-	8	46	63	62	15	2	-	0.2	32.9
9		131	-	-	2	23	42	43	19	2	-	0.2	34.3
	W	19	-	-	-	1	8	6	3	1	-	0.0	35.7
	NW	112	-	-	2	22	34	37	16	1	-	0.1	34.1
10		59	-	-	-	3	16	29	11	-	-	0.1	36.1
	W	12	-	-	-	-	3	7	2	-	-	0.0	36.6
	NW	47	-	-	-	3	13	22	9	-	-	0.1	35.9
11		46	-	-	2	2	13	12	12	5	-	0.1	36.9
	W	13	-	-	2	1	2	1	3	4	-	0.0	37.4
	NW	33	-	-	-	1	11	11	9	1	-	0.0	36.7
12		21	-	-	-	-	-	11	10	-	-	0.0	39.4
	W	4	-	-	-	-	-	2	2	-	-	0.0	39.5
	NW	17	-	-	-	-	-	9	8	-	-	0.0	39.4
13		14	-	-	-	-	2	6	4	2	-	0.0	39.1
	W	1	-	-	-	-	-	-	-	1	-	0.0	47.0
	NW	13	-	-	-	-	2	6	4	1	-	0.0	38.5
14		8	-	-	-	-	2	3	2	1	-	0.0	38.3
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	8	-	-	-	-	2	3	2	1	-	0.0	38.3
15		4	-	-	-	-	1	1	2	-	-	0.0	38.3
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	4	-	-	-	-	1	1	2	-	-	0.0	38.3
UNK.		56	-	15	19	8	8	6	-	-	-	0.1	24.4
	W	33	-	12	9	5	3	4	-	-	-	0.0	23.7
	NW	23	-	3	10	3	5	2	-	-	-	0.0	25.5

*MEAN AGE CALCULATED FROM GROUPED DATA AT MIDPOINT OF GROUP
PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	21561	21644	265.8			399	8040	7648	3574	1405	483	91	3	1
				W	4315	58	1739	1486	676	244	93	18	-	1
				NW	17329	341	6301	6162	2898	1161	390	73	3	-
ACADIA	117	251	206.8			10	99	80	43	12	5	2	-	-
				W	93	4	36	29	19	3	2	-	-	-
				NW	158	6	63	51	24	9	3	2	-	-
ALLEN	45	69	178.8			-	32	21	8	5	3	-	-	-
				W	37	-	22	8	4	2	1	-	-	-
				NW	32	-	10	13	4	3	2	-	-	-
ASCENSION	8	257	206.4			1	101	100	38	11	4	2	-	-
				W	59	1	32	22	1	1	2	-	-	-
				NW	198	-	69	78	37	10	2	2	-	-
ASSUMPTION	2	113	250.0			-	39	49	17	6	2	-	-	-
				W	14	-	6	5	2	1	-	-	-	-
				NW	99	-	33	44	15	5	2	-	-	-
AVOYELLES	76	192	263.4			2	78	67	24	17	3	1	-	-
				W	51	-	25	17	7	1	-	1	-	-
				NW	141	2	53	50	17	16	3	-	-	-
BEAUREGARD	62	83	159.6			2	38	26	11	3	2	1	-	-
				W	46	2	22	17	3	1	-	1	-	-
				NW	37	-	16	9	8	2	2	-	-	-
BIENVILLE	-	88	323.5			3	33	32	12	5	2	1	-	-
				W	9	-	1	5	2	-	1	-	-	-
				NW	79	3	32	27	10	5	1	1	-	-
BOSSIER	107	338	201.7			5	129	130	56	16	1	1	-	-
				W	116	1	43	47	17	8	-	-	-	-
				NW	222	4	86	83	39	8	1	1	-	-
CADDO	2780	1706	347.1			37	703	582	249	93	34	8	-	-
				W	218	5	93	75	33	10	2	-	-	-
				NW	1488	32	610	507	216	83	32	8	-	-
CALCASIEU	736	592	182.4			7	213	214	100	42	13	3	-	-
				W	209	2	77	74	35	13	8	-	-	-
				NW	383	5	136	140	65	29	5	3	-	-
CALDWELL	59	34	222.2			-	20	9	4	1	-	-	-	-
				W	10	-	5	2	3	-	-	-	-	-
				NW	24	-	15	7	1	1	-	-	-	-
CAMERON	-	23	133.7			1	10	10	-	2	-	-	-	-
				W	16	-	8	7	-	1	-	-	-	-
				NW	7	1	2	3	-	1	-	-	-	-
CATAHOULA	3	59	282.3			1	25	23	7	2	1	-	-	-
				W	14	1	7	4	-	1	1	-	-	-
				NW	45	-	18	19	7	1	-	-	-	-
CLAIBORNE	46	121	417.2			6	52	39	13	8	1	2	-	-
				W	11	-	6	4	-	1	-	-	-	-
				NW	110	6	46	35	13	7	1	2	-	-
CONCORDIA	158	162	401.0			3	61	57	30	8	1	2	-	-
				W	16	-	6	4	6	-	-	-	-	-
				NW	146	3	55	53	24	8	1	2	-	-
DESOTO	1	176	339.8			4	83	56	19	7	6	1	-	-
				W	21	-	11	9	1	-	-	-	-	-
				NW	155	4	72	47	18	7	6	1	-	-
E BATON ROUGE	2678	1690	238.8			34	542	607	321	129	47	9	1	-
				W	287	4	98	107	54	17	7	-	-	-
				NW	1403	30	444	500	267	112	40	9	1	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	107	140	549.0			10	54	45	25	5	1	-	-	-
				W	9	1	3	4	1	-	-	-	-	-
				NW	131	9	51	41	24	5	1	-	-	-
E FELICIANA	-	121	316.8			1	45	37	17	16	4	1	-	-
				W	13	-	7	3	1	2	-	-	-	-
				NW	108	1	38	34	16	14	4	1	-	-
EVANGELINE	118	140	224.0			5	69	42	12	12	-	-	-	-
				W	23	1	10	7	2	3	-	-	-	-
				NW	117	4	59	35	10	9	-	-	-	-
FRANKLIN	4	152	377.2			8	69	50	14	9	-	2	-	-
				W	17	-	8	7	1	-	-	1	-	-
				NW	135	8	61	43	13	9	-	1	-	-
GRANT	-	46	174.2			1	23	13	5	2	2	-	-	-
				W	17	-	10	5	-	-	2	-	-	-
				NW	29	1	13	8	5	2	-	-	-	-
IBERIA	224	379	269.9			4	135	137	66	23	13	1	-	-
				W	101	2	34	35	20	7	2	1	-	-
				NW	278	2	101	102	46	16	11	-	-	-
IBERVILLE	26	267	407.0			6	91	104	38	21	6	1	-	-
				W	29	1	13	11	4	-	-	-	-	-
				NW	238	5	78	93	34	21	6	1	-	-
JACKSON	150	62	236.6			1	23	31	4	1	1	1	-	-
				W	14	-	8	5	-	-	-	1	-	-
				NW	48	1	15	26	4	1	1	-	-	-
JEFFERSON	1031	1477	190.6			27	536	534	235	106	32	6	-	1
				W	552	8	209	193	88	37	14	2	-	1
				NW	925	19	327	341	147	69	18	4	-	-
JEFF DAVIS	17	118	211.8			-	49	30	23	10	6	-	-	-
				W	51	-	24	11	13	1	2	-	-	-
				NW	67	-	25	19	10	9	4	-	-	-
LAFAYETTE	1427	581	175.4			5	196	212	111	37	16	4	-	-
				W	193	-	72	65	35	15	5	1	-	-
				NW	388	5	124	147	76	22	11	3	-	-
LAFOURCHE	71	308	199.7			5	130	117	39	11	5	1	-	-
				W	125	-	67	39	13	2	3	1	-	-
				NW	183	5	63	78	26	9	2	-	-	-
LASALLE	9	35	134.1			-	14	11	6	3	1	-	-	-
				W	15	-	9	5	1	-	-	-	-	-
				NW	20	-	5	6	5	3	1	-	-	-
LINCOLN	29	156	250.4			3	62	52	16	15	7	1	-	-
				W	14	-	5	6	2	-	1	-	-	-
				NW	142	3	57	46	14	15	6	1	-	-
LIVINGSTON	-	185	136.3			6	79	57	29	9	4	1	-	-
				W	113	3	49	33	21	4	3	-	-	-
				NW	72	3	30	24	8	5	1	1	-	-
MADISON	36	148	556.4			8	45	49	34	11	-	1	-	-
				W	8	1	4	2	1	-	-	-	-	-
				NW	140	7	41	47	33	11	-	1	-	-
MOREHOUSE	135	240	405.4			4	101	99	23	11	2	-	-	-
				W	11	-	5	5	1	-	-	-	-	-
				NW	229	4	96	94	22	11	2	-	-	-
NATCHITOCHES	64	208	308.6			3	76	79	28	16	5	1	-	-
				W	33	-	12	15	4	2	-	-	-	-
				NW	175	3	64	64	24	14	5	1	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	5774	4671	447.8			57	1570	1683	889	342	111	18	1	-
				W	325	4	91	120	71	31	7	1	-	-
				NW	4346	53	1479	1563	818	311	104	17	1	-
OUACHITA	1428	822	322.4			23	318	280	135	46	16	4	-	-
				W	101	-	41	41	12	4	1	2	-	-
				NW	721	23	277	239	123	42	15	2	-	-
PLAQUEMINES	7	106	191.3			3	37	34	21	8	3	-	-	-
				W	29	-	13	8	6	2	-	-	-	-
				NW	77	3	24	26	15	6	3	-	-	-
POINTE COUPEE	70	143	302.3			-	68	46	18	6	5	-	-	-
				W	13	-	9	3	1	-	-	-	-	-
				NW	130	-	59	43	17	6	5	-	-	-
RAPIDES	957	597	244.1			6	226	217	100	43	4	1	-	-
				W	129	-	45	50	24	8	1	1	-	-
				NW	468	6	181	167	76	35	3	-	-	-
RED RIVER	2	71	333.3			6	29	23	9	3	1	-	-	-
				W	13	1	4	6	-	2	-	-	-	-
				NW	58	5	25	17	9	1	1	-	-	-
RICHLAND	21	186	454.8			10	70	67	27	11	1	-	-	-
				W	15	1	9	3	2	-	-	-	-	-
				NW	171	9	61	64	25	11	1	-	-	-
SABINE	32	117	311.2			1	53	33	16	7	6	1	-	-
				W	40	-	21	9	3	5	2	-	-	-
				NW	77	1	32	24	13	2	4	1	-	-
ST BERNARD	-	108	101.2			-	45	37	18	7	1	-	-	-
				W	71	-	30	23	13	5	-	-	-	-
				NW	37	-	15	14	5	2	1	-	-	-
ST CHARLES	38	179	196.5			2	72	69	26	9	1	-	-	-
				W	50	-	20	21	6	3	-	-	-	-
				NW	129	2	52	48	20	6	1	-	-	-
ST HELENA	-	59	351.2			1	21	23	5	3	4	2	-	-
				W	9	-	3	3	1	1	1	-	-	-
				NW	50	1	18	20	4	2	3	2	-	-
ST JAMES	18	144	322.9			2	47	52	23	12	8	-	-	-
				W	10	-	4	5	1	-	-	-	-	-
				NW	134	2	43	47	22	12	8	-	-	-
ST JOHN	61	206	211.3			3	70	64	42	20	6	1	-	-
				W	33	-	16	10	4	3	-	-	-	-
				NW	173	3	54	54	38	17	6	1	-	-
ST LANDRY	227	446	263.4			5	174	156	67	31	12	1	-	-
				W	87	1	39	30	8	7	2	-	-	-
				NW	359	4	135	126	59	24	10	1	-	-
ST MARTIN	57	232	256.1			2	91	89	28	16	5	1	-	-
				W	55	-	30	13	4	4	3	1	-	-
				NW	177	2	61	76	24	12	2	-	-	-
ST MARY	126	361	266.6			5	124	139	62	16	11	4	-	-
				W	82	-	30	37	10	2	1	2	-	-
				NW	279	5	94	102	52	14	10	2	-	-
ST TAMMANY	187	293	124.5			8	98	108	60	17	2	-	-	-
				W	127	2	42	47	27	8	1	-	-	-
				NW	166	6	56	61	33	9	1	-	-	-
TANGIPAHOA	665	578	325.3			18	234	188	90	37	10	1	-	-
				W	116	2	54	24	24	11	1	-	-	-
				NW	462	16	180	164	66	26	9	1	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	28	69	453.9			1	25	24	8	9	1	1	-	-
				W	5	-	1	1	-	2	-	1	-	-
				NW	64	1	24	23	8	7	1	-	-	-
TERREBONNE	1052	438	209.4			14	183	139	75	16	11	-	-	-
				W	165	7	77	49	24	3	5	-	-	-
				NW	273	7	106	90	51	13	6	-	-	-
UNION	30	89	271.3			1	51	22	6	7	1	-	1	-
				W	13	1	6	5	-	1	-	-	-	-
				NW	76	-	45	17	6	6	1	-	1	-
VERMILION	106	179	186.8			2	57	71	29	8	12	-	-	-
				W	74	2	28	25	12	1	6	-	-	-
				NW	105	-	29	46	17	7	6	-	-	-
VERNON	98	136	88.8			2	54	53	18	6	3	-	-	-
				W	69	-	28	27	8	4	2	-	-	-
				NW	67	2	26	26	10	2	1	-	-	-
WASHINGTON	221	193	256.3			5	66	66	38	12	5	1	-	-
				W	37	-	17	10	5	1	3	1	-	-
				NW	156	5	49	56	33	11	2	-	-	-
WEBSTER	17	195	263.9			2	81	66	27	13	6	-	-	-
				W	36	-	16	13	5	1	1	-	-	-
				NW	159	2	65	53	22	12	5	-	-	-
W BATON ROUGE	3	129	282.9			1	42	44	27	11	4	-	-	-
				W	24	-	8	7	7	2	-	-	-	-
				NW	105	1	34	37	20	9	4	-	-	-
WEST CARROLL	10	54	263.4			1	21	22	9	1	-	-	-	-
				W	12	-	3	8	1	-	-	-	-	-
				NW	42	1	18	14	8	1	-	-	-	-
W FELICIANA	-	54	300.0			2	23	9	13	3	3	1	-	-
				W	6	-	5	-	1	-	-	-	-	-
				NW	48	2	18	9	12	3	3	1	-	-
WINN	-	72	266.7			3	35	23	11	-	-	-	-	-
				W	4	-	2	1	1	-	-	-	-	-
				NW	68	3	33	22	10	-	-	-	-	-
OUT OF STATE**	193	110				3	45	39	15	6	2	-	-	-
				W	54	1	25	16	8	2	2	-	-	-
				NW	56	2	20	23	7	4	-	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE X-B
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1984

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	21561	21644	265.8			399	8040	7648	3574	1405	483	91	3	1
				W	4315	58	1739	1486	676	244	93	18	-	1
				NW	17329	341	6301	6162	2898	1161	390	73	3	-
SPD 1	6999	6655	300.4			95	2286	2396	1223	480	149	24	1	1
				W	1104	14	385	391	205	83	22	3	-	1
				NW	5551	81	1901	2005	1018	397	127	21	1	-
SPD 2	3671	3676	253.1			75	1312	1281	634	258	96	19	1	-
				W	706	11	295	223	120	39	17	1	-	-
				NW	2970	64	1017	1058	514	219	79	18	1	-
SPD 3	1242	1388	216.3			26	541	490	222	74	33	2	-	-
				W	397	7	190	129	50	12	8	1	-	-
				NW	991	19	351	361	172	62	25	1	-	-
SPD 4	2402	2569	224.1			38	945	926	418	155	74	13	-	-
				W	708	10	279	241	110	42	21	5	-	-
				NW	1861	28	666	685	308	113	53	8	-	-
SPD 5	860	885	181.3			10	342	301	142	62	24	4	-	-
				W	359	4	153	117	55	18	11	1	-	-
				NW	526	6	189	184	87	44	13	3	-	-
SPD 6	1301	1299	212.4			18	516	464	201	81	15	4	-	-
				W	315	1	132	113	47	14	6	2	-	-
				NW	984	17	384	351	154	67	9	2	-	-
SPD 7	3078	3176	308.5			70	1301	1092	445	183	69	16	-	-
				W	511	7	212	189	67	29	7	-	-	-
				NW	2665	63	1089	903	378	154	62	16	-	-
SPD 8	2008	1996	358.0			67	797	698	289	112	23	9	1	-
				W	215	4	93	83	22	7	1	5	-	-
				NW	1781	63	704	615	267	105	22	4	1	-
HSA 1	8241	8043	281.5			121	2827	2886	1445	554	182	26	1	1
				W	1501	21	575	520	255	95	30	4	-	1
				NW	6542	100	2252	2366	1190	459	152	22	1	-
HSA 2	6933	7130	231.0			123	2599	2508	1194	475	194	36	1	-
				W	1773	25	727	581	285	99	49	7	-	-
				NW	5357	98	1872	1927	909	376	145	29	1	-
HSA 3	6387	6471	294.3			155	2614	2254	935	376	107	29	1	-
				W	1041	12	437	385	136	50	14	7	-	-
				NW	5430	143	2177	1869	799	326	93	22	1	-

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	759	745	9.1			9	146	251	169	102	42	10	-	16
				W	342	-	51	123	88	47	23	5	-	5
				NW	403	9	95	128	81	55	19	5	-	11
ACADIA	6	11	9.1			-	1	6	3	-	1	-	-	-
				W	9	-	-	6	3	-	-	-	-	-
				NW	2	-	1	-	-	-	1	-	-	-
ALLEN	3	3	7.8			-	2	1	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	2	-	-	-	-	-	-	-
ASCENSION	-	6	4.8			-	1	4	1	-	-	-	-	-
				W	4	-	-	3	1	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
ASSUMPTION	1	7	15.5			-	2	1	2	1	1	-	-	-
				W	3	-	-	-	2	1	-	-	-	-
				NW	4	-	2	1	-	-	1	-	-	-
AVOYELLES	3	10	13.7			-	2	3	4	1	-	-	-	-
				W	3	-	-	2	1	-	-	-	-	-
				NW	7	-	2	1	3	1	-	-	-	-
BEAUREGARD	2	6	11.5			-	-	2	2	1	1	-	-	-
				W	6	-	-	2	2	1	1	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	3	11.0			-	1	1	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
BOSSIER	11	13	7.8			1	5	2	2	2	-	1	-	-
				W	9	-	3	1	2	2	-	1	-	-
				NW	4	1	2	1	-	-	-	-	-	-
CADDO	66	40	8.1			-	7	14	9	7	1	2	-	-
				W	11	-	1	5	1	4	-	-	-	-
				NW	29	-	6	9	8	3	1	2	-	-
CALCASIEU	42	32	9.9			-	9	9	8	4	1	1	-	-
				W	17	-	7	3	6	-	1	-	-	-
				NW	15	-	2	6	2	4	-	1	-	-
CALDWELL	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CAMERON	-	3	17.4			-	1	-	-	2	-	-	-	-
				W	3	-	1	-	-	2	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	2	9.6			-	-	1	-	1	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
CLAIBORNE	-	4	13.8			-	1	1	1	-	-	-	-	1
				W	2	-	-	1	1	-	-	-	-	-
				NW	2	-	1	-	-	-	-	-	-	1
CONCORDIA	3	4	9.9			1	1	1	1	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	3	1	1	-	1	-	-	-	-	-
DESOTO	1	6	11.6			-	1	3	2	-	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	4	-	1	2	1	-	-	-	-	-
E BATON ROUGE	93	64	9.0			-	11	17	27	4	3	2	-	-
				W	25	-	3	7	11	1	2	1	-	-
				NW	39	-	8	10	16	3	1	1	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	2	4	15.7			-	3	-	-	-	1	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	3	-	2	-	-	-	1	-	-	-
E FELICIANA	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
EVANGELINE	3	4	6.4			-	1	1	1	-	1	-	-	-
				W	2	-	1	-	-	-	1	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
FRANKLIN	-	4	9.9			-	-	-	1	3	-	-	-	-
				W	3	-	-	-	1	2	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
GRANT	-	4	15.2			-	-	3	-	-	1	-	-	-
				W	3	-	-	3	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
IBERIA	12	16	11.4			-	3	4	6	1	1	1	-	-
				W	6	-	-	1	2	1	1	1	-	-
				NW	10	-	3	3	4	-	-	-	-	-
IBERVILLE	-	3	4.6			-	1	-	1	1	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	2	-	-	-	1	1	-	-	-	-
JACKSON	2	2	7.6			-	-	1	-	1	-	-	-	-
				W	2	-	-	1	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
JEFFERSON	60	68	8.8			-	5	20	19	20	1	-	-	3
				W	40	-	-	14	11	13	1	-	-	1
				NW	28	-	5	6	8	7	-	-	-	2
JEFF DAVIS	-	5	9.0			-	1	3	1	-	-	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
LAFAYETTE	62	30	9.1			1	2	10	8	6	3	-	-	-
				W	15	-	-	4	7	3	1	-	-	-
				NW	15	1	2	6	1	3	2	-	-	-
LAFOURCHE	10	7	4.5			-	3	2	1	-	1	-	-	-
				W	6	-	2	2	1	-	1	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
LASALLE	1	3	11.5			-	-	1	2	-	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
LINCOLN	2	5	8.0			-	1	2	1	1	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	4	-	1	1	1	1	-	-	-	-
LIVINGSTON	-	11	8.1			-	-	8	3	-	-	-	-	-
				W	11	-	-	8	3	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
MADISON	-	3	11.3			-	2	-	-	1	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	2	-	1	-	-	1	-	-	-	-
MOREHOUSE	4	9	15.2			-	7	2	-	-	-	-	-	-
				W	3	-	3	-	-	-	-	-	-	-
				NW	6	-	4	2	-	-	-	-	-	-
NATCHITOCHES	4	9	13.4			-	4	4	1	-	-	-	-	-
				W	5	-	2	2	1	-	-	-	-	-
				NW	4	-	2	2	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS: UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	167	120	11.5			1	31	35	18	13	12	1	-	9
				W	24	-	5	5	3	2	6	-	-	3
				NW	96	1	26	30	15	11	6	1	-	6
OUACHITA	38	15	5.9			-	4	3	4	4	-	-	-	-
				W	11	-	2	2	4	3	-	-	-	-
				NW	4	-	2	1	-	1	-	-	-	-
PLAQUEMINES	1	9	16.2			-	2	3	2	2	-	-	-	-
				W	5	-	1	3	1	-	-	-	-	-
				NW	4	[illegible]	1	-	1	2	-	-	-	-
POINTE COUPEE	3	3	6.3			-	-	1	-	1	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	-	1	-	1	1	-	-	-
RAPIDES	50	22	9.0			1	4	11	5	1	-	-	-	-
				W	7	-	1	4	2	-	-	-	-	-
				NW	15	1	3	7	3	1	-	-	-	-
RED RIVER	1	3	14.1			-	-	3	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
RICHLAND	1	3	7.3			-	1	1	1	-	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
SABINE	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	5	4.7			-	-	2	-	1	1	1	-	-
				W	5	-	-	2	-	1	1	1	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	4	4.4			-	-	1	-	2	-	-	-	1
				W	3	-	-	1	-	2	-	-	-	-
				NW	1	-	-	-	-	-	-	-	-	1
ST HELENA	-	1	6.0			-	1	-	-	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST JAMES	2	11	24.7			-	2	4	1	3	1	-	-	-
				W	2	-	2	-	-	-	-	-	-	-
				NW	9	-	-	4	1	3	1	-	-	-
ST JOHN	1	7	7.2			1	2	3	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	6	1	2	3	-	-	-	-	-	-
ST LANDRY	20	28	16.5			-	5	14	5	3	-	1	-	-
				W	17	-	3	10	2	1	-	1	-	-
				NW	11	-	2	4	3	2	-	-	-	-
ST MARTIN	1	7	7.7			-	2	3	1	1	-	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	4	-	1	2	-	1	-	-	-	-
ST MARY	4	12	8.9			-	1	5	4	2	-	-	-	-
				W	6	-	-	3	1	2	-	-	-	-
				NW	6	-	1	2	3	-	-	-	-	-
ST TAMMANY	13	14	5.9			-	1	4	1	3	3	-	-	2
				W	12	-	1	4	-	3	3	-	-	1
				NW	2	-	-	-	1	-	-	-	-	1
TANGIPAHOA	13	14	7.9			-	2	4	6	2	-	-	-	-
				W	7	-	1	1	5	-	-	-	-	-
				NW	7	-	1	3	1	2	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	1	2	13.2			-	-	-	-	2	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
TERREBONNE	24	17	8.1			-	5	4	4	1	3	-	-	-
				W	7	-	2	1	2	-	2	-	-	-
				NW	10	-	3	3	2	1	1	-	-	-
UNION	1	3	9.1			1	-	2	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	1	-	1	-	-	-	-	-	-
VERMILION	3	7	7.3			-	1	4	2	-	-	-	-	-
				W	5	-	1	2	2	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
VERNON	11	19	12.4			2	3	8	2	3	1	-	-	-
				W	9	-	3	5	1	-	-	-	-	-
				NW	10	2	-	3	1	3	1	-	-	-
WASHINGTON	3	5	6.6			-	-	4	1	-	-	-	-	-
				W	2	-	-	2	-	-	-	-	-	-
				NW	3	-	-	2	1	-	-	-	-	-
WEBSTER	8	3	4.1			-	-	1	1	-	1	-	-	-
				W	2	-	-	-	1	-	1	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
W BATON ROUGE	-	5	11.0			-	-	3	1	-	1	-	-	-
				W	2	-	-	1	-	-	1	-	-	-
				NW	3	-	-	2	1	-	-	-	-	-
WEST CARROLL	-	1	4.9			-	-	-	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
WINN	-	4	14.8			-	1	1	1	-	1	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	2	-	1	-	-	-	1	-	-	-
OUT OF STATE**	-	14				-	2	4	4	3	1	-	-	-
				W	9	-	1	2	3	3	-	-	-	-
				NW	5	-	1	2	1	-	1	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE XI-B
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1984

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	759	745	9.1			9	146	251	169	102	42	10	-	16
				W	342	-	51	123	88	47	23	5	-	5
				NW	403	9	95	128	81	55	19	5	-	11
SPD 1	241	216	9.8			1	39	64	40	39	17	2	-	14
				W	86	-	7	28	15	19	11	1	-	5
				NW	130	1	32	36	25	20	6	1	-	9
SPD 2	112	112	7.7			-	16	41	40	8	5	2	-	-
				W	53	-	6	22	20	1	3	1	-	-
				NW	59	-	10	19	20	7	2	1	-	-
SPD 3	38	53	8.3			1	14	15	9	7	6	-	-	1
				W	22	-	6	4	6	3	3	-	-	-
				NW	31	1	8	11	3	4	3	-	-	1
SPD 4	111	115	10.0			1	16	47	30	13	6	2	-	-
				W	63	-	6	27	18	7	3	2	-	-
				NW	52	1	10	20	12	6	3	-	-	-
SPD 5	47	49	10.0			-	13	15	11	7	2	1	-	-
				W	30	-	9	7	9	3	2	-	-	-
				NW	19	-	4	8	2	4	-	1	-	-
SPD 6	68	68	11.1			4	11	29	15	6	3	-	-	-
				W	28	-	4	18	6	-	-	-	-	-
				NW	40	4	7	11	9	6	3	-	-	-
SPD 7	93	86	8.4			1	20	31	18	10	2	3	-	1
				W	34	-	6	12	8	6	1	1	-	-
				NW	52	1	14	19	10	4	1	2	-	1
SPD 8	49	46	8.3			1	17	9	6	12	1	-	-	-
				W	26	-	7	5	6	8	-	-	-	-
				NW	20	1	10	4	-	4	1	-	-	-
HSA 1	279	269	9.4			2	53	79	49	46	23	2	-	15
				W	108	-	13	32	21	22	14	1	-	5
				NW	161	2	40	47	28	24	9	1	-	10
HSA 2	270	276	8.9			1	45	103	81	28	13	5	-	-
				W	146	-	21	56	47	11	8	3	-	-
				NW	130	1	24	47	34	17	5	2	-	-
HSA 3	210	200	9.1			6	48	69	39	28	6	3	-	1
				W	88	-	17	35	20	14	1	1	-	-
				NW	112	6	31	34	19	14	5	2	-	1

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
TOTAL	745	914.9			9	146	251	169	102	42	10	-	16
			W	342	-	51	123	88	47	23	5	-	5
			NW	403	9	95	128	81	55	19	5	-	11
CONGENITAL ANOMALIES - (740-759)	50	61.4			-	6	22	13	3	3	2	-	1
			W	31	-	4	9	11	2	3	1	-	1
			NW	19	-	2	13	2	1	-	1	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	15	18.4			-	4	3	6	1	1	-	-	-
			W	11	-	2	2	6	-	1	-	-	-
			NW	4	-	2	1	-	1	-	-	-	-
SPINA BIFIDA - (741)	2	2.5			-	-	-	1	-	-	1	-	-
			W	2	-	-	-	1	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	9	11.1			-	-	6	2	-	1	-	-	-
			W	5	-	-	2	2	-	1	-	-	-
			NW	4	-	-	4	-	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART - (745-746)	3	3.7			-	-	1	2	-	-	-	-	-
			W	2	-	-	-	2	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
MULTIPLE CONGENITAL ANOMALIES - (759.7)	14	17.2			-	1	8	2	1	1	1	-	-
			W	8	-	1	5	-	1	1	-	-	-
			NW	6	-	-	3	2	-	-	1	-	-
ALL OTHER CONGENITAL ANOMALIES - (REMAINDER OF 740-759)	7	8.6			-	1	4	-	1	-	-	-	1
			W	3	-	1	-	-	1	-	-	-	1
			NW	4	-	-	4	-	-	-	-	-	-
FETUS AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY - (760)	44	54.0			1	14	14	7	2	4	2	-	-
			W	17	-	5	6	2	2	2	-	-	-
			NW	27	1	9	8	5	-	2	2	-	-
MATERNAL HYPERTENSIVE DISORDERS - (760.0)	34	41.8			1	12	11	4	2	2	2	-	-
			W	11	-	4	4	-	2	1	-	-	-
			NW	23	1	8	7	4	-	1	2	-	-
MATERNAL INJURY - (760.5)	2	2.5			-	1	1	-	-	-	-	-	-
			W	1	-	1	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY - (REMAINDER OF 760)	8	9.8			-	1	2	3	-	2	-	-	-
			W	5	-	-	2	2	-	1	-	-	-
			NW	3	-	1	-	1	-	1	-	-	-
FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY - (761) .	68	83.5			1	14	24	14	12	2	-	-	1
			W	31	-	8	13	3	5	2	-	-	-
			NW	37	1	6	11	11	7	-	-	-	1

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
PREMATURE RUPTURE OF MEMBRANES - (761.1)	29	35.6			-	3	10	8	6	1	-	-	1
			W	10	-	1	5	1	2	1	-	-	-
			NW	19	-	2	5	7	4	-	-	-	1
MULTIPLE PREGNANCY - (761.5)	28	34.4			1	10	10	4	3	-	-	-	-
			W	16	-	6	7	2	1	-	-	-	-
			NW	12	1	4	3	2	2	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL COMPLICATIONS OF PREGNANCY - (REMAINDER OF 761)	11	13.5			-	1	4	2	3	1	-	-	-
			W	5	-	1	1	-	2	1	-	-	-
			NW	6	-	-	3	2	1	-	-	-	-
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES - (762)	287	352.5			3	48	90	74	44	18	4	-	6
			W	150	-	16	56	44	20	9	4	-	1
			NW	137	3	32	34	30	24	9	-	-	5
PLACENTA PRAEVIA - (762.0)	7	8.6			-	2	-	4	-	1	-	-	-
			W	2	-	-	-	2	-	-	-	-	-
			NW	5	-	2	-	2	-	1	-	-	-
OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE - (762.1)	114	140.0			-	25	34	29	17	6	-	-	3
			W	44	-	7	14	14	6	3	-	-	-
			NW	70	-	18	20	15	11	3	-	-	3
OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA - (762.2)	54	66.3			-	5	17	15	9	6	-	-	2
			W	35	-	3	14	10	4	4	-	-	-
			NW	19	-	2	3	5	5	2	-	-	2
PLACENTAL TRANSFUSION SYNDROMES - (762.3)	1	1.2			-	-	1	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
PROLAPSED CORD - (762.4)	11	13.5			-	2	4	2	2	1	-	-	-
			W	5	-	-	1	2	2	-	-	-	-
			NW	6	-	2	3	-	-	1	-	-	-
OTHER COMPRESSION OF UMBILICAL CORD - (762.5)	57	70.0			1	3	20	15	12	2	3	-	1
			W	40	-	3	16	9	7	1	3	-	1
			NW	17	1	-	4	6	5	1	-	-	-
OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD - (762.6)	29	35.6			2	5	12	4	3	2	1	-	-
			W	20	-	3	10	4	1	1	1	-	-
			NW	9	2	2	2	-	2	1	-	-	-
ABNORMALITIES OF CHORION AND AMNION - (762.7 - 762.9)	14	17.2			-	6	2	5	1	-	-	-	-
			W	4	-	-	1	3	-	-	-	-	-
			NW	10	-	6	1	2	1	-	-	-	-
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY - (763)	2	2.5			-	1	1	-	-	-	-	-	-
			W	1	-	-	1	-	-	-	-	-	-
			NW	1	-	1	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION - (764)	2	2.5			-	-	-	1	1	-	-	-	-
			W	2	-	-	-	1	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1984

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT - (765)	43	52.8			2	10	19	5	4	1	-	-	2
			W	13	-	4	5	3	-	-	-	-	1
			NW	30	2	6	14	2	4	1	-	-	1
BIRTH TRAUMA - (767)	3	3.7			-	-	2	1	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	3	-	-	2	1	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA - (768)	26	31.9			1	7	10	4	3	1	-	-	-
			W	9	-	1	5	1	2	-	-	-	-
			NW	17	1	6	5	3	1	1	-	-	-
HAEMOLYTIC DISEASE OF FETUS DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE - (773 - 774)	3	3.7			-	-	1	1	1	-	-	-	-
			W	1	-	-	1	-	-	-	-	-	-
			NW	2	-	-	-	1	1	-	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS - (775.0 - 775.1)	8	9.8			-	1	4	3	-	-	-	-	-
			W	2	-	-	1	1	-	-	-	-	-
			NW	6	-	1	3	2	-	-	-	-	-
UNSPECIFIED CAUSE - (779.9, 799.9)	152	186.7			-	32	49	29	25	10	1	-	6
			W	64	-	9	21	14	12	6	-	-	2
			NW	88	-	23	28	15	13	4	1	-	4
ALL OTHER CAUSES - (RESIDUAL)	57	70.0			1	13	15	17	7	3	1	-	-
			W	21	-	4	5	8	3	1	-	-	-
			NW	36	1	9	10	9	4	2	1	-	-

* RATIO PER 100,000 LIVE BIRTHS

TABLE XIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION, RACE, AGE AND MARITAL STATUS OCCURRING IN LOUISIANA, 1984

WEEKS OF GESTATION	TOTAL	RACE	TOTAL BY RACE	AGE									MARITAL STATUS		
				UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN	MARRIED	UNMARRIED	UNKNOWN
TOTAL	19111			203	3866	5762	3728	1946	955	241	13	2397	3300	10920	4891
		W	10994	73	2286	3406	2138	1015	519	119	6	1432	1974	6180	2840
		NW	7678	123	1504	2239	1520	869	416	115	7	885	1249	4568	1861
		U	439	7	76	117	70	62	20	7	-	80	77	172	190
8 AND UNDER	8916			63	1563	2757	1933	974	477	122	5	1022	1662	5133	2121
		W	5848	25	1037	1830	1258	602	303	72	3	718	1057	3210	1581
		NW	2915	38	498	877	648	346	163	47	2	296	574	1848	493
		U	153	-	28	50	27	26	11	3	-	8	31	75	47
9	2509			21	462	740	479	258	123	36	3	387	447	1416	646
		W	1559	8	318	461	295	164	75	20	-	218	274	895	390
		NW	905	12	136	266	171	88	46	16	3	167	161	500	244
		U	45	1	8	13	13	6	2	-	-	2	12	21	12
10	2106			16	452	597	368	218	112	26	2	315	418	1159	529
		W	1182	4	286	322	215	99	56	10	2	188	234	627	321
		NW	884	11	158	266	146	112	54	14	-	123	168	519	197
		U	40	1	8	9	7	7	2	2	-	4	16	13	11
11	1120			18	240	378	182	93	40	9	-	160	185	671	264
		W	638	9	143	229	94	46	18	6	-	93	113	361	164
		NW	468	8	95	142	85	46	22	3	-	67	70	301	97
		U	14	1	2	7	3	1	-	-	-	-	2	9	3
12	924			17	231	273	163	62	43	7	1	127	154	569	201
		W	447	10	112	136	74	26	24	1	1	63	84	258	105
		NW	456	7	112	130	86	33	19	5	-	64	64	301	91
		U	21	-	7	7	3	3	-	1	-	-	6	10	5
13	590			16	153	179	101	42	23	6	-	70	98	383	109
		W	328	6	90	111	53	18	10	3	-	37	58	209	61
		NW	251	10	62	63	46	23	12	3	-	32	37	167	47
		U	11	-	1	5	2	1	1	-	-	1	3	7	1
14	450			5	115	133	77	47	19	9	1	44	82	304	64
		W	214	4	59	66	40	14	9	1	-	21	37	144	33
		NW	227	1	54	63	37	31	10	7	1	23	42	155	30
		U	9	-	2	4	-	2	-	1	-	-	3	5	1
15	250			3	56	82	38	16	7	1	-	47	51	145	54
		W	131	-	29	44	20	10	-	1	-	27	29	68	34
		NW	114	2	25	37	17	6	7	-	-	20	22	72	20
		U	5	1	2	1	1	-	-	-	-	-	-	5	-
16	315			7	86	93	48	14	14	3	-	50	36	216	63
		W	167	1	48	50	25	5	8	1	-	29	22	111	34
		NW	146	6	38	42	22	9	6	2	-	21	14	103	29
		U	2	-	-	1	1	-	-	-	-	-	-	2	-
17	258			8	76	69	36	19	5	3	-	42	36	166	56
		W	129	3	40	45	13	5	2	1	-	20	25	77	27
		NW	127	5	36	23	23	13	3	2	-	22	10	88	29
		U	2	-	-	1	-	1	-	-	-	-	1	1	-
18	223			7	74	71	24	13	6	-	-	28	19	164	40
		W	102	1	34	41	10	2	1	-	-	13	9	76	17
		NW	119	5	40	30	13	11	5	-	-	15	10	86	23
		U	2	1	-	-	1	-	-	-	-	-	-	2	-
19	65			3	36	12	6	3	1	-	-	4	3	50	12
		W	32	-	20	8	2	-	1	-	-	1	2	24	6
		NW	30	3	15	2	4	3	-	-	-	3	1	24	5
		U	3	-	1	2	-	-	-	-	-	-	-	2	1
20	29			2	10	8	6	1	1	1	-	-	2	24	3
		W	15	1	5	5	2	1	-	1	-	-	1	13	1
		NW	13	1	4	3	4	-	1	-	-	-	1	10	2
		U	1	-	1	-	-	-	-	-	-	-	-	1	-
21 AND OVER	6			-	4	1	-	-	-	-	1	-	-	6	-
		W	3	-	3	-	-	-	-	-	-	-	-	3	-
		NW	3	-	1	1	-	-	-	-	1	-	-	3	-
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1350			17	308	369	267	186	84	18	-	101	107	514	729
		W	199	1	62	58	37	23	12	2	-	4	29	104	66
		NW	1020	14	230	294	218	148	68	16	-	32	75	391	554
		U	131	2	16	17	12	15	4	-	-	65	3	19	109

TABLE XIV
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY TYPE OF PROCEDURE AND WEEKS OF GESTATION OCCURRING IN LOUISIANA, 1984

WEEKS OF GESTATION	TOTAL	TYPE OF PROCEDURE								
		CURETTAGE		INTRAUTERINE INSTILLATION						
		SUCTION	SHARP	SALINE	PROSTAGLANDIN	HYSTEROTOMY	HYSTERECTOMY	DILATION AND EVACUATION	OTHER	UNKNOWN
TOTAL	19111	17234	11	1	-	-	2	604	12	1247
8 AND UNDER	8916	8242	3	-	-	-	1	8	-	662
9	2509	2376	2	-	-	-	-	1	-	130
10	2106	2037	-	-	-	-	-	6	-	63
11	1120	1088	2	-	-	-	-	4	1	25
12	924	861	1	-	-	-	-	10	1	51
13	590	381	-	-	-	-	1	159	2	47
14	450	276	2	-	-	-	-	123	4	45
15	250	163	-	-	-	-	-	57	-	30
16	315	219	-	-	-	-	-	59	1	36
17	258	159	-	-	-	-	-	73	2	24
18	223	133	-	-	-	-	-	76	1	13
19	65	36	-	-	-	-	-	18	-	11
20	29	15	-	-	-	-	-	7	-	7
21 AND OVER	6	6	-	-	-	-	-	-	-	-
UNKNOWN	1350	1242	1	1	-	-	-	3	-	103

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36329	35865	8.0			984	214	71	121	952	1151	1376	2470	5614	22907	5
				MW	13164	254	60	21	41	468	501	508	1002	2368	7938	3
				FW	11315	186	42	15	24	155	170	304	508	1383	8528	-
				MNW	6136	297	67	22	41	228	326	341	569	1086	3157	2
				FNW	5250	247	45	13	15	101	154	223	391	777	3284	-
ACADIA	421	564	9.5			15	5	-	2	14	18	19	36	86	369	-
				MW	257	5	2	-	2	8	10	9	19	43	159	-
				FW	208	7	2	-	-	3	5	3	8	30	150	-
				MNW	47	1	1	-	-	2	3	4	3	10	23	-
				FNW	52	2	-	-	-	1	-	3	6	3	37	-
CROWLEY*	202	196	12.1			5	-	-	1	3	4	6	13	33	131	-
				MW	65	-	-	-	1	1	2	1	4	12	44	-
				FW	74	3	-	-	-	-	-	-	3	13	55	-
				MNW	28	1	-	-	-	2	2	4	1	7	11	-
				FNW	29	1	-	-	-	-	-	1	5	1	21	-
ALLEN	188	228	10.6			6	3	1	-	2	5	9	21	30	151	-
				MW	97	2	1	1	-	1	5	7	10	12	58	-
				FW	76	1	-	-	-	-	-	2	4	7	62	-
				MNW	30	2	1	-	-	1	-	-	5	7	14	-
				FNW	25	1	1	-	-	-	-	-	2	4	17	-
ASCENSION	263	350	6.2			17	3	-	3	10	12	17	20	45	223	-
				MW	148	5	1	-	2	4	7	8	7	26	88	-
				FW	109	4	1	-	1	4	2	3	6	9	79	-
				MNW	40	4	-	-	-	2	2	3	1	2	26	-
				FNW	53	4	1	-	-	-	1	3	6	8	30	-
ASSUMPTION	102	163	6.9			6	-	1	-	1	9	5	15	23	103	-
				MW	53	-	-	-	-	-	2	1	4	9	37	-
				FW	47	2	-	1	-	-	-	1	4	3	36	-
				MNW	39	4	-	-	-	1	4	1	4	5	20	-
				FNW	24	-	-	-	-	-	3	2	3	6	10	-
AVOYELLES	347	431	10.0			6	2	-	1	4	11	16	20	58	313	-
				MW	176	3	-	-	-	2	4	6	12	25	124	-
				FW	155	-	-	-	-	2	2	2	1	17	131	-
				MNW	51	2	-	-	1	-	1	3	5	12	27	-
				FNW	49	1	2	-	-	-	4	5	2	4	31	-
BEAUREGARD	244	274	8.6			6	2	-	2	7	8	6	19	41	183	-
				MW	120	2	2	-	2	5	2	-	6	23	78	-
				FW	109	2	-	-	-	1	2	3	6	12	83	-
				MNW	25	1	-	-	-	1	3	2	4	2	12	-
				FNW	20	1	-	-	-	-	1	1	3	4	10	-
DE RIDDER*	195	131	11.6			5	1	-	1	2	5	3	11	16	87	-
				MW	45	2	1	-	1	2	2	-	2	8	27	-
				FW	48	2	-	-	-	-	-	-	2	2	42	-
				MNW	22	-	-	-	-	-	2	2	4	2	12	-
				FNW	16	1	-	-	-	-	1	1	3	4	6	-
BIENVILLE	95	190	11.5			2	-	-	-	3	2	1	12	24	146	-
				MW	67	-	-	-	-	2	-	-	5	8	52	-
				FW	54	-	-	-	-	1	-	-	2	4	47	-
				MNW	42	2	-	-	-	-	2	-	5	9	24	-
				FNW	27	-	-	-	-	-	-	1	-	3	23	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
BOSSIER	463	518	5.8			19	4	1	1	19	18	15	48	81	312	-
				MW	211	6	3	-	-	9	9	4	17	43	120	-
				FW	186	4	-	1	1	5	4	5	18	24	124	-
				MNW	73	3	1	-	-	5	3	5	8	10	38	-
				FNW	48	6	-	-	-	-	2	1	5	4	30	-
BOSSIER CITY*	395	305	5.6			12	1	-	1	7	10	6	35	46	187	-
				MW	139	5	-	-	-	4	7	2	13	28	80	-
				FW	120	2	-	-	1	1	3	1	14	11	87	-
				MNW	30	1	1	-	-	2	-	3	4	6	13	-
				FNW	16	4	-	-	-	-	-	-	4	1	7	-
CADDO	3426	2494	9.4			68	20	2	4	41	74	88	144	369	1684	-
				MW	802	17	4	1	1	21	27	25	41	135	530	-
				FW	760	10	5	-	1	9	8	18	28	81	600	-
				MNW	476	18	7	-	2	8	21	24	46	88	262	-
				FNW	456	23	4	1	-	3	18	21	29	65	292	-
SHREVEPORT*	3255	2111	10.1			57	12	2	2	31	64	73	117	311	1442	-
				MW	644	13	2	1	-	16	22	18	33	103	436	-
				FW	652	7	1	-	-	6	6	14	23	73	522	-
				MNW	411	15	5	-	2	6	18	22	37	81	225	-
				FNW	404	22	4	1	-	3	18	19	24	54	259	-
CALCASIEU	1487	1340	7.5			34	5	3	7	33	39	44	91	207	877	-
				MW	564	6	1	1	4	17	22	16	44	99	354	-
				FW	467	12	1	1	2	5	9	10	19	60	348	-
				MNW	164	9	1	-	-	8	7	12	16	26	85	-
				FNW	145	7	2	1	1	3	1	6	12	22	90	-
LAKE CHARLES*	1049	709	9.2			21	2	3	2	17	21	25	45	113	460	-
				MW	237	2	-	1	1	7	11	7	13	45	150	-
				FW	226	5	1	1	-	1	4	3	7	29	175	-
				MNW	131	8	-	-	-	6	6	9	14	23	65	-
				FNW	115	6	1	1	1	3	-	6	11	16	70	-
SULPHUR*	278	194	9.5			2	-	-	1	4	4	6	19	21	137	-
				MW	97	-	-	-	1	2	3	4	12	13	62	-
				FW	85	1	-	-	-	1	1	2	5	7	68	-
				MNW	8	-	-	-	-	1	-	-	1	-	6	-
				FNW	4	1	-	-	-	-	-	-	1	1	1	-
CALDWELL	91	109	10.0			1	-	-	-	2	4	4	9	16	73	-
				MW	48	-	-	-	-	2	3	3	6	9	25	-
				FW	46	1	-	-	-	-	1	-	2	5	37	-
				MNW	6	-	-	-	-	-	-	-	1	1	4	-
				FNW	9	-	-	-	-	-	-	1	-	1	7	-
CAMERON	41	72	7.1			4	-	-	-	4	2	3	6	11	42	-
				MW	39	2	-	-	-	3	2	2	3	8	19	-
				FW	27	2	-	-	-	-	-	1	3	2	19	-
				MNW	3	-	-	-	-	1	-	-	-	-	2	-
				FNW	3	-	-	-	-	-	-	-	-	1	2	-
CATAHOULA	104	117	9.4			4	-	2	-	1	4	4	14	16	72	-
				MW	49	-	-	1	-	-	1	3	7	7	30	-
				FW	29	-	-	-	-	-	1	-	5	3	20	-
				MNW	16	2	-	1	-	-	2	-	1	1	9	-
				FNW	23	2	-	-	-	1	-	1	1	5	13	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
CLAIBORNE	131	209	11.3			4	1	-	-	4	7	8	15	30	140	-
				MW	72	-	1	-	-	2	3	1	6	10	49	-
				FW	46	2	-	-	-	-	2	1	4	4	33	-
				MNW	46	-	-	-	-	2	1	4	2	8	29	-
				FNW	45	2	-	-	-	-	1	2	3	8	29	-
CONCORDIA	149	216	9.2			5	-	1	1	7	11	8	10	32	141	-
				MW	77	2	-	1	1	5	4	7	4	11	42	-
				FW	49	1	-	-	-	-	3	1	1	9	34	-
				MNW	53	2	-	-	-	2	1	-	4	6	38	-
				FNW	37	-	-	-	-	-	3	-	1	6	27	-
DESOTO	200	308	11.3			3	-	-	2	7	3	10	24	38	221	-
				MW	86	1	-	-	-	1	2	4	7	14	57	-
				FW	77	-	-	-	1	1	-	3	4	7	61	-
				MNW	71	1	-	-	1	4	-	3	9	6	47	-
				FNW	74	1	-	-	-	1	1	-	4	11	56	-
E BATON ROUGE	2838	2299	5.9			83	18	6	11	76	87	94	154	389	1381	-
				MW	768	14	7	2	1	23	37	28	48	156	452	-
				FW	692	10	1	1	3	13	9	23	38	88	506	-
				MNW	463	32	9	2	5	27	30	21	47	97	193	-
				FNW	376	27	1	1	2	13	11	22	21	48	230	-
BATON ROUGE*	2580	1941	7.9			73	14	6	10	64	69	78	129	330	1168	-
				MW	598	10	5	2	1	15	24	18	33	128	362	-
				FW	576	9	-	1	3	12	6	20	30	68	427	-
				MNW	434	30	8	2	5	26	29	21	45	90	178	-
				FNW	333	24	1	1	1	11	10	19	21	44	201	-
BAKER*	22	69	4.9			2	-	-	-	2	3	3	8	11	40	-
				MW	31	-	-	-	-	-	3	2	5	4	17	-
				FW	23	-	-	-	-	-	-	1	2	4	16	-
				MNW	6	1	-	-	-	1	-	-	1	2	1	-
				FNW	9	1	-	-	-	1	-	-	-	1	6	-
EAST CARROLL	98	119	10.3			4	-	1	1	1	8	5	1	16	82	-
				MW	14	-	-	-	-	-	-	-	-	5	9	-
				FW	16	-	-	-	-	-	-	1	-	2	13	-
				MNW	49	1	-	1	1	1	3	3	1	3	35	-
				FNW	40	3	-	-	-	-	5	1	-	6	25	-
E FELICIANA	191	152	7.6			1	1	-	-	5	-	4	9	25	107	-
				MW	38	1	1	-	-	2	-	1	2	6	25	-
				FW	44	-	-	-	-	2	-	1	2	7	32	-
				MNW	35	-	-	-	-	-	-	1	4	8	22	-
				FNW	35	-	-	-	-	1	-	1	1	4	28	-
EVANGELINE	311	364	10.5			6	2	1	3	11	5	8	26	58	244	-
				MW	163	2	-	-	1	6	2	3	12	34	103	-
				FW	141	-	2	1	1	2	-	3	7	15	110	-
				MNW	37	3	-	-	1	2	-	2	5	3	21	-
				FNW	23	1	-	-	-	1	3	-	2	6	10	-
FRANKLIN	174	267	11.0			3	3	2	3	2	6	6	14	30	198	-
				MW	118	-	1	-	-	1	1	1	10	17	87	-
				FW	83	2	-	-	-	-	1	1	3	9	67	-
				MNW	28	1	1	1	1	1	2	2	1	3	15	-
				FNW	38	-	1	1	2	-	2	2	-	1	29	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
GRANT	80	181	10.2			1	1	-	1	5	3	12	8	22	128	-
				MW	91	-	-	-	-	5	2	4	5	13	62	-
				FW	60	-	1	-	-	-	-	5	1	6	47	-
				MNW	14	1	-	-	1	-	-	-	2	3	7	-
				FNW	16	-	-	-	-	-	1	3	-	-	12	-
IBERIA	477	548	7.9			17	3	2	1	13	16	19	36	72	368	1
				MW	195	8	-	-	-	8	7	5	16	28	123	-
				FW	170	4	-	-	-	2	2	4	8	20	130	-
				MNW	100	2	-	1	1	3	7	6	8	13	58	1
				FNW	83	3	3	1	-	-	-	4	4	11	57	-
NEW IBERIA*	408	313	9.1			10	3	2	1	4	10	12	19	43	208	1
				MW	101	3	-	-	-	2	3	3	11	16	63	-
				FW	113	3	-	-	-	1	1	3	4	15	86	-
				MNW	57	1	-	1	1	1	6	4	3	7	32	1
				FNW	42	3	3	1	-	-	-	2	1	5	27	-
IBERVILLE	206	307	9.2			10	1	-	2	6	7	7	15	66	193	-
				MW	92	3	1	-	1	3	2	1	4	21	56	-
				FW	76	2	-	-	-	2	3	1	4	9	55	-
				MNW	63	1	-	-	1	1	1	4	4	16	35	-
				FNW	76	4	-	-	-	-	1	1	3	20	47	-
JACKSON	142	177	10.0			4	3	-	-	5	4	5	7	18	131	-
				MW	66	1	2	-	-	2	2	2	5	11	41	-
				FW	60	1	1	-	-	2	1	2	1	4	48	-
				MNW	32	2	-	-	-	-	1	1	1	2	25	-
				FNW	19	-	-	-	-	1	-	-	-	1	17	-
JEFFERSON	3137	3207	6.7			72	12	4	7	106	112	145	247	568	1934	-
				MW	1443	28	2	-	2	57	66	66	124	290	808	-
				FW	1268	13	3	2	3	21	15	38	70	177	926	-
				MNW	284	16	4	1	1	22	21	29	26	64	100	-
				FNW	212	15	3	1	1	6	10	12	27	37	100	-
KENNER*	112	331	4.6			8	2	-	1	21	18	20	36	54	171	-
				MW	143	4	-	-	1	8	11	11	15	25	68	-
				FW	115	1	-	-	-	5	4	4	10	19	72	-
				MNW	38	1	1	-	-	5	3	4	3	7	14	-
				FNW	35	2	1	-	-	3	-	1	8	3	17	-
GRETNA*	256	368	18.1			11	5	2	1	7	19	16	26	76	205	-
				MW	160	5	-	-	-	4	10	6	12	40	83	-
				FW	130	3	2	2	1	3	2	4	8	20	85	-
				MNW	46	3	2	-	-	-	5	6	3	11	16	-
				FNW	32	-	1	-	-	-	2	-	3	5	21	-
HARAHAN*	13	76	6.7			1	-	-	-	1	2	1	4	12	55	-
				MW	48	1	-	-	-	1	2	1	2	9	32	-
				FW	28	-	-	-	-	-	-	-	2	3	23	-
				MNW	-	-	-	-	-	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	15	150	11.6			2	-	-	-	9	8	8	14	26	83	-
				MW	78	2	-	-	-	5	6	6	4	12	43	-
				FW	46	-	-	-	-	2	-	2	6	10	26	-
				MNW	16	-	-	-	-	2	1	-	3	2	8	-
				FNW	10	-	-	-	-	-	1	-	1	2	6	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
JEFF DAVIS	252	315	9.4			4	3	1	2	9	10	7	28	40	211	-
				MW	142	-	1	1	-	5	4	3	16	17	95	-
				FW	119	-	-	-	1	3	5	3	6	16	85	-
				MNW	32	1	-	-	1	1	1	1	4	4	19	-
				FNW	22	3	2	-	-	-	-	-	2	3	12	-
JENNINGS*	164	129	10.1			3	1	-	-	1	1	3	13	18	89	-
				MW	52	-	-	-	-	1	-	2	8	9	32	-
				FW	50	-	-	-	-	-	1	1	2	7	39	-
				MNW	12	1	-	-	-	-	-	-	1	1	9	-
				FNW	15	2	1	-	-	-	-	-	2	1	9	-
LAFAYETTE	1482	925	5.4			36	4	2	4	33	31	47	72	143	553	-
				MW	382	13	1	1	1	23	16	18	32	73	204	-
				FW	322	9	1	1	-	7	7	13	24	34	226	-
				MNW	130	9	2	-	3	2	7	13	9	23	62	-
				FNW	91	5	-	-	-	1	1	3	7	13	61	-
LAFAYETTE*	1391	615	6.7			17	2	2	3	22	20	34	32	108	375	-
				MW	232	6	-	1	-	15	12	12	11	51	124	-
				FW	212	3	-	1	-	4	2	9	11	25	157	-
				MNW	99	5	2	-	3	2	5	10	8	19	45	-
				FNW	72	3	-	-	-	1	1	3	2	13	49	-
LAFOURCHE	521	593	6.7			20	4	3	5	27	19	29	38	107	341	-
				MW	303	9	1	-	2	17	13	17	18	59	167	-
				FW	203	6	2	2	1	6	5	7	11	34	129	-
				MNW	55	5	1	1	2	-	1	2	5	9	29	-
				FNW	32	-	-	-	-	4	-	3	4	5	16	-
THIBODAUX*	229	148	9.2			4	-	-	-	5	1	8	15	27	88	-
				MW	56	1	-	-	-	1	-	4	5	10	35	-
				FW	47	-	-	-	-	2	-	2	4	9	30	-
				MNW	29	3	-	-	-	-	1	2	3	5	15	-
				FNW	16	-	-	-	-	2	-	-	3	3	8	-
LASALLE	148	190	10.9			2	-	-	-	5	-	5	4	24	150	-
				MW	98	2	-	-	-	5	-	2	1	13	75	-
				FW	67	-	-	-	-	-	-	-	3	8	56	-
				MNW	13	-	-	-	-	-	-	-	-	2	11	-
				FNW	12	-	-	-	-	-	-	3	-	1	8	-
LINCOLN	337	323	7.6			11	5	-	-	1	7	12	9	38	240	-
				MW	76	2	-	-	-	-	-	1	2	16	55	-
				FW	117	3	-	-	-	1	1	4	2	11	95	-
				MNW	70	3	3	-	-	-	4	3	4	7	46	-
				FNW	60	3	2	-	-	-	2	4	1	4	44	-
RUSTON*	271	148	6.8			3	-	-	-	-	1	1	4	26	113	-
				MW	35	-	-	-	-	-	-	-	-	11	24	-
				FW	60	-	-	-	-	-	-	-	1	8	51	-
				MNW	26	1	-	-	-	-	-	1	3	4	17	-
				FNW	27	2	-	-	-	-	1	-	-	3	21	-
LIVINGSTON	270	417	6.1			15	4	1	1	15	19	21	29	64	248	-
				MW	221	6	2	1	-	10	14	10	20	44	114	-
				FW	164	8	1	-	1	3	2	9	7	18	115	-
				MNW	18	-	1	-	-	1	1	2	1	1	11	-
				FNW	14	1	-	-	-	1	2	-	1	1	8	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
MADISON	123	170	10.8			3	1	2	2	1	3	4	12	21	120	1
				MW	30	-	-	-	-	-	-	2	3	9	16	-
				FW	28	-	-	-	-	-	-	1	3	2	22	-
				MNW	60	-	1	2	1	-	2	1	4	4	44	1
				FNW	52	3	-	-	1	1	1	-	2	6	38	-
TALLULAH*	112	136	11.9			3	1	2	2	1	1	1	10	14	101	-
				MW	18	-	-	-	-	-	-	-	3	5	10	-
				FW	19	-	-	-	-	-	-	-	2	-	17	-
				MNW	52	-	1	2	1	-	1	1	3	3	40	-
				FNW	47	3	-	-	1	1	-	-	2	6	34	-
MOREHOUSE	310	346	9.8			12	2	1	1	5	6	9	25	44	241	-
				MW	96	3	-	-	1	3	1	3	7	21	57	-
				FW	94	4	-	-	-	-	-	3	3	6	78	-
				MNW	89	2	2	1	-	2	2	2	11	10	57	-
				FNW	67	3	-	-	-	-	3	1	4	7	49	-
BASTROP*	255	180	11.8			4	1	1	-	1	3	3	13	18	136	-
				MW	51	1	-	-	-	-	-	2	1	8	39	-
				FW	42	1	-	-	-	-	-	-	1	4	36	-
				MNW	46	1	1	1	-	1	1	1	7	4	29	-
				FNW	41	1	-	-	-	-	2	-	4	2	32	-
NATCHITOCHES	239	337	8.4			9	2	1	1	6	6	12	26	47	227	-
				MW	123	2	-	-	-	2	4	4	12	20	79	-
				FW	96	1	-	1	1	1	-	5	4	12	71	-
				MNW	60	3	2	-	-	2	-	1	7	13	32	-
				FNW	58	3	-	-	-	1	2	2	3	2	45	-
NATCHITOCHES*	177	115	6.7			6	1	-	-	-	1	1	10	14	82	-
				MW	29	-	-	-	-	-	-	-	3	5	21	-
				FW	19	-	-	-	-	-	-	-	1	3	15	-
				MNW	32	3	1	-	-	-	-	1	4	5	18	-
				FNW	35	3	-	-	-	-	1	-	2	1	28	-
ORLEANS	6699	5782	10.2			170	26	12	20	125	218	243	397	926	3643	2
				MW	1393	13	2	2	-	32	49	51	98	246	898	2
				FW	1491	19	1	-	-	11	22	33	37	135	1233	-
				MNW	1538	82	12	5	13	56	106	101	150	336	677	-
				FNW	1360	56	11	5	7	26	41	58	112	209	835	-
OUACHITA	1383	1145	8.0			29	9	3	4	23	23	32	77	174	771	-
				MW	413	10	4	1	2	14	11	16	21	74	260	-
				FW	362	2	4	-	1	4	2	8	21	48	272	-
				MNW	172	8	1	1	1	4	9	4	17	18	109	-
				FNW	198	9	-	1	-	1	1	4	18	34	130	-
MONROE*	986	612	10.4			18	2	2	1	7	10	13	46	89	424	-
				MW	159	4	1	-	-	3	2	6	6	24	113	-
				FW	151	-	1	-	-	-	1	1	10	21	117	-
				MNW	139	7	-	1	1	3	6	4	16	14	87	-
				FNW	163	7	-	1	-	1	1	2	14	30	107	-
WEST MONROE*	273	224	14.8			1	1	-	1	8	3	4	10	33	163	-
				MW	98	-	1	-	-	6	2	2	5	18	64	-
				FW	104	1	-	-	1	1	-	2	4	13	82	-
				MNW	9	-	-	-	-	1	1	-	-	-	7	-
				FNW	13	-	-	-	-	-	-	-	1	2	10	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
PLAQUEMINES	109	194	7.3			9	-	1	-	14	11	8	9	33	109	-
				MW	83	3	-	-	-	7	4	1	6	16	46	-
				FW	56	2	-	1	-	2	-	3	2	6	40	-
				MNW	37	3	-	-	-	4	5	3	1	7	14	-
				FNW	18	1	-	-	-	1	2	1	-	4	9	-
POINTE COUPEE	182	230	9.1			8	-	-	1	6	6	6	14	32	157	-
				MW	79	4	-	-	1	3	2	-	5	8	56	-
				FW	56	-	-	-	-	1	2	3	1	8	41	-
				MNW	56	1	-	-	-	1	-	1	4	12	37	-
				FNW	39	3	-	-	-	1	2	2	4	4	23	-
RAPIDES	1716	1243	9.0			32	7	4	5	34	46	49	84	184	798	-
				MW	463	6	2	2	2	18	21	21	46	71	274	-
				FW	389	5	-	1	2	5	11	6	10	50	299	-
				MNW	200	10	2	1	1	5	12	14	18	30	107	-
				FNW	191	11	3	-	-	6	2	8	10	33	118	-
ALEXANDRIA*	956	595	11.2			16	3	2	1	15	14	26	35	88	395	-
				MW	164	3	-	1	-	7	3	9	12	23	106	-
				FW	171	-	-	-	-	1	3	2	4	18	143	-
				MNW	128	6	1	1	1	4	7	8	12	24	64	-
				FNW	132	7	2	-	-	3	1	7	7	23	82	-
PINEVILLE*	256	184	14.5			5	-	1	1	4	7	5	14	30	117	-
				MW	79	1	-	1	-	3	3	3	10	13	45	-
				FW	67	2	-	-	1	1	3	-	1	9	50	-
				MNW	18	1	-	-	-	-	1	2	1	3	10	-
				FNW	20	1	-	-	-	-	-	-	2	5	12	-
RED RIVER	142	121	11.0			1	-	-	-	2	4	4	9	13	88	-
				MW	35	-	-	-	-	2	1	1	4	5	22	-
				FW	44	1	-	-	-	-	1	1	1	2	38	-
				MNW	26	-	-	-	-	-	1	1	1	5	18	-
				FNW	16	-	-	-	-	-	1	1	3	1	10	-
RICHLAND	273	234	10.2			4	2	-	-	-	5	6	17	21	179	-
				MW	74	-	-	-	-	-	1	1	7	8	57	-
				FW	70	1	-	-	-	-	2	-	1	10	56	-
				MNW	46	1	2	-	-	-	2	4	4	-	33	-
				FNW	44	2	-	-	-	-	-	1	5	3	33	-
SABINE	227	269	9.8			2	1	-	-	6	5	11	8	44	192	-
				MW	119	1	-	-	-	3	2	6	4	24	79	-
				FW	96	1	1	-	-	1	1	2	2	6	82	-
				MNW	28	-	-	-	-	2	1	2	2	7	14	-
				FNW	26	-	-	-	-	-	1	1	-	7	17	-
ST BERNARD	441	542	8.0			9	1	1	2	13	19	29	44	115	309	-
				MW	277	4	-	1	2	11	12	17	27	65	138	-
				FW	237	4	-	-	-	-	6	10	14	46	157	-
				MNW	14	1	-	-	-	2	1	-	2	3	5	-
				FNW	14	-	1	-	-	-	-	2	1	1	9	-
ST CHARLES	154	222	5.3			11	3	-	1	14	12	9	15	37	120	-
				MW	94	8	1	-	1	5	8	5	7	17	42	-
				FW	60	2	1	-	-	3	1	-	4	10	39	-
				MNW	42	1	-	-	-	3	2	3	2	6	25	-
				FNW	26	-	1	-	-	3	1	1	2	4	14	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
ST HELENA	53	70	6.7			2	1	-	1	-	2	2	5	11	46	-
				MW	23	-	-	-	1	-	1	1	3	4	13	-
				FW	18	-	-	-	-	-	-	-	-	4	14	-
				MNW	15	1	1	-	-	-	-	1	2	2	8	-
				FNW	14	1	-	-	-	-	1	-	-	1	11	-
ST JAMES	102	163	7.3			4	3	-	-	6	9	6	13	23	99	-
				MW	39	-	-	-	-	2	4	1	3	11	18	-
				FW	37	1	1	-	-	2	-	2	2	4	25	-
				MNW	46	1	1	-	-	1	4	1	6	5	27	-
				FNW	41	2	1	-	-	1	1	2	2	3	29	-
ST JOHN	199	247	6.3			7	1	1	1	5	14	15	22	45	136	-
				MW	78	1	1	1	1	1	7	7	7	17	35	-
				FW	69	1	-	-	-	1	1	4	4	11	47	-
				MNW	57	2	-	-	-	1	4	3	4	14	29	-
				FNW	43	3	-	-	-	2	2	1	7	3	25	-
ST LANDRY	674	814	9.2			18	5	1	2	18	15	26	56	137	536	-
				MW	279	7	2	-	1	6	7	8	23	53	172	-
				FW	235	4	-	1	-	1	1	3	6	31	188	-
				MNW	177	4	2	-	1	8	6	12	17	30	97	-
				FNW	123	3	1	-	-	3	1	3	10	23	79	-
OPELOUSAS*	359	219	11.3			5	2	-	-	4	6	9	14	34	145	-
				MW	54	1	-	-	-	-	3	2	3	9	36	-
				FW	52	-	-	-	-	-	-	1	-	7	44	-
				MNW	66	3	1	-	-	3	3	5	3	11	37	-
				FNW	47	1	1	-	-	1	-	1	8	7	28	-
EUNICE*	154	146	11.7			2	-	-	-	3	1	4	8	33	95	-
				MW	60	2	-	-	-	1	-	2	4	16	35	-
				FW	60	-	-	-	-	1	-	-	2	8	49	-
				MNW	12	-	-	-	-	-	1	1	1	4	5	-
				FNW	14	-	-	-	-	1	-	1	1	5	6	-
ST MARTIN	190	333	7.4			7	3	-	-	7	11	13	27	57	208	-
				MW	132	-	2	-	-	4	7	5	11	29	74	-
				FW	103	-	-	-	-	-	3	2	7	12	79	-
				MNW	57	5	-	-	-	2	1	3	4	12	30	-
				FNW	41	2	1	-	-	1	-	3	5	4	25	-
ST MARY	373	476	7.2			12	1	-	1	14	22	10	42	97	277	-
				MW	185	3	-	-	1	6	13	2	19	43	98	-
				FW	118	-	1	-	-	2	4	3	3	16	89	-
				MNW	104	4	-	-	-	6	3	3	13	20	55	-
				FNW	69	5	-	-	-	-	2	2	7	18	35	-
MORGAN CITY*	137	143	8.9			7	-	-	-	4	5	2	5	36	84	-
				MW	67	3	-	-	-	2	2	-	4	20	36	-
				FW	47	-	-	-	-	1	1	1	1	8	35	-
				MNW	17	1	-	-	-	1	1	1	-	6	7	-
				FNW	12	3	-	-	-	-	1	-	-	2	6	-
ST TAMMANY	813	867	6.6			29	10	1	2	32	33	52	69	148	491	-
				MW	413	12	3	1	2	22	26	32	36	69	210	-
				FW	333	12	3	-	-	6	4	16	22	53	217	-
				MNW	70	2	3	-	-	3	3	1	5	16	37	-
				FNW	51	3	1	-	-	1	-	3	6	10	27	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
SLIDELL*	359	215	7.8			9	3	-	1	8	9	17	17	39	112	-
				MW	101	3	2	-	1	7	8	11	10	17	42	-
				FW	92	4	1	-	-	1	-	5	5	17	59	-
				MNW	11	1	-	-	-	-	1	-	1	2	6	-
				FNW	11	1	-	-	-	-	-	1	1	3	5	-
TANGIPAHOA	743	763	8.6			25	4	1	2	26	21	23	53	115	493	-
				MW	276	5	1	-	-	12	7	8	23	40	180	-
				FW	230	4	1	-	-	2	3	6	14	31	169	-
				MNW	137	14	1	-	1	9	5	7	9	23	68	-
				FNW	120	2	1	1	1	3	6	2	7	21	76	-
HAMMOND*	87	126	7.8			5	-	-	-	6	3	2	6	21	83	-
				MW	37	-	-	-	-	2	1	-	1	5	28	-
				FW	32	-	-	-	-	-	-	1	3	5	23	-
				MNW	22	4	-	-	-	3	1	1	-	4	9	-
				FNW	35	1	-	-	-	1	1	-	2	7	23	-
TENSAS	95	115	14.0			1	2	-	-	1	3	5	7	18	78	-
				MW	27	1	-	-	-	1	3	1	1	6	14	-
				FW	18	-	-	-	-	-	-	1	-	4	13	-
				MNW	26	-	1	-	-	-	-	-	2	2	21	-
				FNW	44	-	1	-	-	-	-	3	4	6	30	-
TERREBONNE	737	662	6.5			12	7	2	3	40	30	37	58	107	366	-
				MW	332	6	3	1	1	25	15	22	35	58	166	-
				FW	187	3	2	1	2	6	4	6	11	29	123	-
				MNW	86	2	2	-	-	3	8	7	12	13	39	-
				FNW	57	1	-	-	-	6	3	2	-	7	38	-
HOUMA*	323	302	8.8			4	4	1	1	21	9	18	24	43	177	-
				MW	137	1	-	1	-	13	3	9	10	25	75	-
				FW	87	-	2	-	1	5	1	4	4	9	61	-
				MNW	43	2	2	-	-	2	3	4	10	4	16	-
				FNW	35	1	-	-	-	1	2	1	-	5	25	-
UNION	173	255	11.6			6	1	-	1	3	2	3	21	33	185	-
				MW	98	2	-	-	1	3	2	1	10	12	67	-
				FW	91	-	-	-	-	-	-	1	3	9	78	-
				MNW	37	4	-	-	-	-	-	1	5	5	22	-
				FNW	29	-	1	-	-	-	-	-	3	7	18	-
VERMILION	364	438	8.3			12	3	1	-	14	10	15	28	74	281	-
				MW	194	4	2	-	-	7	3	8	13	39	118	-
				FW	177	2	-	-	-	2	2	4	12	25	130	-
				MNW	37	2	1	1	-	2	4	1	1	3	22	-
				FNW	30	4	-	-	-	3	1	2	2	7	11	-
ABBEVILLE*	160	134	10.6			5	-	1	-	3	4	5	6	24	86	-
				MW	45	1	-	-	-	-	1	4	3	10	26	-
				FW	52	-	-	-	-	-	2	-	-	7	43	-
				MNW	16	1	-	1	-	1	1	-	1	2	9	-
				FNW	21	3	-	-	-	2	-	1	2	5	8	-
VERNON	224	320	5.3			29	2	3	2	18	9	11	31	43	172	-
				MW	180	14	1	2	2	12	5	6	18	28	92	-
				FW	106	4	1	-	-	2	3	3	12	12	69	-
				MNW	23	6	-	1	-	4	-	2	-	3	7	-
				FNW	11	5	-	-	-	-	1	-	1	-	4	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
WASHINGTON	404	469	9.9			8	4	2	-	12	19	20	32	83	289	-
				MW	158	-	-	-	-	5	6	5	13	29	100	-
				FW	151	2	3	-	-	6	3	8	2	27	100	-
				MNW	91	1	1	2	-	-	6	3	11	13	54	-
				FNW	69	5	-	-	-	1	4	4	6	14	35	-
BOGALUSA*	244	209	12.4			4	3	-	-	10	6	7	14	36	129	-
				MW	64	-	-	-	-	3	1	2	4	11	43	-
				FW	65	1	2	-	-	6	2	1	2	8	43	-
				MNW	49	1	1	-	-	-	2	1	7	7	30	-
				FNW	31	2	-	-	-	1	1	3	1	10	13	-
WEBSTER	420	535	11.8			12	4	-	2	8	15	12	30	69	383	-
				MW	199	3	2	-	2	3	4	5	12	28	140	-
				FW	170	4	2	-	-	1	4	-	3	24	132	-
				MNW	89	4	-	-	-	3	5	4	9	6	58	-
				FNW	77	1	-	-	-	1	2	3	6	11	53	-
MINDEN*	220	210	13.9			7	-	-	-	3	8	5	13	23	151	-
				MW	55	2	-	-	-	1	2	2	1	8	39	-
				FW	60	2	-	-	-	-	-	-	1	3	54	-
				MNW	47	2	-	-	-	2	4	1	7	4	27	-
				FNW	48	1	-	-	-	-	2	2	4	8	31	-
W BATON ROUGE	82	143	7.0			5	-	-	2	3	3	5	12	23	90	-
				MW	33	-	-	-	-	1	-	1	3	6	22	-
				FW	33	1	-	-	1	-	-	-	1	3	27	-
				MNW	39	3	-	-	1	2	3	1	3	8	18	-
				FNW	38	1	-	-	-	-	-	3	5	6	23	-
WEST CARROLL	70	125	9.5			2	-	-	-	3	-	3	8	16	93	-
				MW	65	1	-	-	-	2	-	2	2	13	45	-
				FW	39	-	-	-	-	-	-	1	1	2	35	-
				MNW	15	-	-	-	-	1	-	-	4	1	9	-
				FNW	6	1	-	-	-	-	-	-	1	-	4	-
W FELICIANA	63	62	4.5			1	-	-	-	3	1	3	4	9	41	-
				MW	14	-	-	-	-	-	1	1	1	2	9	-
				FW	15	-	-	-	-	-	-	-	-	3	12	-
				MNW	23	1	-	-	-	3	-	2	-	3	14	-
				FNW	10	-	-	-	-	-	-	-	3	1	6	-
WINN	136	177	10.2			4	-	-	1	3	3	7	9	25	125	-
				MW	61	1	-	-	-	2	2	3	5	9	39	-
				FW	58	-	-	-	1	-	-	1	-	7	49	-
				MNW	30	1	-	-	-	-	1	1	2	5	20	-
				FNW	28	2	-	-	-	1	-	2	2	4	17	-
UNKNOWN***	-	29				-	-	-	-	8	4	3	5	3	5	1
				MW	23	-	-	-	-	5	3	3	4	3	4	1
				FW	1	-	-	-	-	1	-	-	-	-	-	-
				MNW	4	-	-	-	-	1	1	-	1	-	1	-
				FNW	1	-	-	-	-	1	-	-	-	-	-	-
OUT OF STATE**	683	1147				29	12	3	5	68	96	75	96	215	548	-
				MW	643	13	1	1	3	43	69	53	67	133	260	-
				FW	301	7	6	1	1	8	8	10	8	42	210	-
				MNW	149	7	5	1	1	15	18	7	14	29	52	-
				FNW	54	2	-	-	-	2	1	5	7	11	26	-

* CITIES INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENCE

TABLE XV-B
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1984

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36329	35865	8.0			984	214	71	121	952	1151	1376	2470	5614	22907	5
				MW	13164	254	60	21	41	468	501	508	1002	2368	7938	3
				FW	11315	186	42	15	24	155	176	304	508	1383	8528	-
				MNW	6136	297	67	22	41	228	326	341	569	1086	3157	2
				FNW	5250	247	45	13	15	101	154	223	391	777	3284	-
SPD 1	11199	10592	8.3			289	49	19	31	290	393	477	766	1790	6486	2
				MW	3609	60	7	4	6	129	157	167	291	686	2100	2
				FW	3385	50	7	3	3	40	47	100	145	417	2573	-
				MNW	1943	104	19	6	14	87	136	134	184	426	833	-
				FNW	1655	75	16	6	8	34	53	76	146	261	980	-
SPD 2	5295	5262	6.8			175	36	10	23	162	177	202	347	862	3268	-
				MW	1850	38	13	3	6	63	77	64	129	342	1115	-
				FW	1588	31	7	1	6	33	24	54	75	207	1150	-
				MNW	980	58	13	4	8	46	48	46	86	185	486	-
				FNW	844	48	3	2	3	20	28	38	57	128	517	-
SPD 3	1815	2050	6.5			60	18	7	10	93	93	101	161	342	1165	-
				MW	907	24	6	2	5	58	49	53	74	171	465	-
				FW	595	15	6	4	3	10	11	20	36	91	399	-
				MNW	325	15	4	1	2	9	23	17	33	52	169	-
				FNW	223	6	2	-	-	16	10	11	18	28	132	-
SPD 4	4292	4462	7.6			123	26	7	13	124	128	157	323	724	2836	1
				MW	1787	42	9	1	6	68	65	58	145	342	1051	-
				FW	1474	26	6	3	1	19	24	35	75	183	1102	-
				MNW	689	30	6	2	6	27	31	44	60	114	368	1
				FNW	512	25	5	1	-	10	8	20	43	85	315	-
SPD 5	2212	2229	8.1			54	13	5	11	55	64	69	165	329	1464	-
				MW	962	12	5	3	6	31	35	28	79	159	604	-
				FW	798	17	1	1	3	9	16	19	38	97	597	-
				MNW	254	13	2	-	1	12	11	15	29	39	132	-
				FNW	215	12	5	1	1	3	2	7	19	34	131	-
SPD 6	2904	2875	8.7			83	12	10	11	77	87	112	180	404	1899	-
				MW	1179	20	3	6	5	49	39	52	98	177	730	-
				FW	921	18	2	1	3	9	20	18	33	112	705	-
				MNW	400	24	2	3	3	11	17	20	32	62	226	-
				FNW	375	21	5	-	-	8	11	22	17	53	238	-
SPD 7	5600	5364	9.1			121	37	4	10	97	140	173	325	753	3633	-
				MW	1990	32	12	1	3	45	51	51	118	303	1183	-
				FW	1646	25	8	2	4	20	21	39	60	175	1283	-
				MNW	921	34	13	-	3	26	38	47	93	159	568	-
				FNW	807	30	4	1	-	6	30	36	54	116	599	-
SPD 8	2932	2662	9.4			69	23	8	12	46	64	87	198	467	2151	1
				MW	1049	18	7	1	4	28	24	37	72	165	678	-
				FW	957	11	5	-	1	6	7	19	38	181	858	-
				MNW	548	19	8	5	4	9	21	18	51	49	324	1
				FNW	546	21	3	2	3	3	12	13	37	72	300	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN SPD RESIDENCE DATA

TABLE XV-C
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, 1984

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36329	35865	8.0			984	214	71	121	952	1151	1376	2470	5614	22907	5
				MW	13164	254	60	21	41	468	501	508	1002	2368	7938	3
				FW	11315	186	42	15	24	155	170	304	508	1383	8528	-
				MNW	6136	297	67	22	41	228	326	341	569	1086	3157	2
				FNW	5250	247	45	13	15	101	154	223	391	777	3284	-
HSA 1	13014	12642	8.0			349	67	26	41	383	486	578	927	2132	7651	2
				MW	4508	84	13	6	11	179	206	220	365	857	2565	2
				FW	3988	65	13	7	6	58	58	120	181	508	2972	-
				MNW	2268	119	23	7	16	96	159	151	217	478	1002	-
				FNW	1878	81	18	6	8	50	63	87	164	289	1112	-
HSA 2	11799	11953	7.3			352	75	22	47	341	369	428	835	1915	7568	1
				MW	4599	92	27	7	18	162	177	150	353	843	2770	-
				FW	3860	74	14	5	10	61	64	108	188	487	2849	-
				MNW	1923	101	21	6	15	85	90	105	175	338	986	1
				FNW	1571	85	13	4	4	33	38	65	119	247	963	-
HSA 3	11516	11241	9.1			283	72	23	33	220	292	367	703	1564	7683	1
				MW	4634	78	20	8	12	122	115	135	280	665	2599	-
				FW	3466	47	15	3	8	35	48	76	139	388	2707	-
				MNW	1941	77	23	9	10	46	76	85	176	270	1168	1
				FNW	1200	81	14	3	3	17	53	71	108	241	1209	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN HSA RESIDENCE DATA

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TOTAL	36329	1005	218	64	121	390	584	1191	1402	2513	5715	23122	4
ACADIA	421	3	4	-	2	7	3	15	12	20	56	299	-
ACADIA-ST. LANDRY HOSPITAL	19	-	-	-	-	-	-	-	1	-	3	15	-
AMERICAN LEGION HOSPITAL	91	-	-	-	-	-	-	-	2	5	11	73	-
RAYNE BRANCH HOSPITAL	66	-	-	-	-	-	-	2	-	2	8	54	-
NURSING HOME	62	-	-	-	-	-	-	-	-	-	2	60	-
OUT OF HOSPITAL	183	3	4	-	2	7	3	13	9	13	32	97	-
ALLEN	188	4	3	1	-	1	1	4	5	15	25	129	-
ALLEN PARISH HOSPITAL	35	-	-	-	-	-	-	-	-	3	5	27	-
HUMANA HOSPITAL, OAKDALE	77	1	1	1	-	-	-	-	1	4	10	59	-
NURSING HOME	17	-	-	-	-	-	-	-	1	-	1	15	-
OUT OF HOSPITAL	59	3	2	-	-	1	1	4	3	8	9	28	-
ASCENSION	263	5	4	-	2	4	2	10	8	17	29	182	-
EAST ASCENSION GENERAL HOSPITAL	38	1	-	-	-	-	-	-	-	1	6	30	-
PREVOST MEMORIAL HOSPITAL	50	-	-	-	-	-	-	-	-	2	3	45	-
NURSING HOME	38	-	-	-	-	-	-	-	-	1	4	33	-
OUT OF HOSPITAL	137	4	4	-	2	4	2	10	8	13	16	74	-
ASSUMPTION	102	1	-	-	-	1	-	4	4	10	10	72	-
ASSUMPTION GENERAL HOSPITAL	39	-	-	-	-	-	-	-	-	2	4	33	-
NURSING HOME	5	-	-	-	-	-	-	-	-	-	-	5	-
OUT OF HOSPITAL	58	1	-	-	-	1	-	4	4	8	6	34	-
AVOYELLES	347	4	2	-	1	1	2	8	11	15	35	268	-
BUNKIE GENERAL HOSPITAL	69	1	-	-	-	-	-	-	1	1	3	63	-
HUMANA HOSPITAL-MARKSVILLE	54	-	-	-	-	-	-	1	2	2	3	46	-
NURSING HOME	97	-	-	-	-	-	-	-	-	-	5	92	-
OUT OF HOSPITAL	127	3	2	-	1	1	2	7	8	12	24	67	-
BEAUREGARD	244	4	2	-	2	1	3	8	4	11	30	179	-
BEAUREGARD MEMORIAL HOSPITAL	127	2	-	-	1	-	1	2	1	5	12	103	-
MERRYVILLE GENERAL HOSPITAL	13	-	-	-	-	-	-	-	-	-	2	11	-
NURSING HOME	29	-	-	-	-	-	-	-	-	-	1	28	-
OUT OF HOSPITAL	75	2	2	-	1	1	2	6	3	6	15	37	-
BIENVILLE	95	-	-	-	1	1	1	-	1	2	6	83	-
BIENVILLE GENERAL HOSPITAL	34	-	-	-	-	-	-	-	1	-	2	31	-
NURSING HOME	13	-	-	-	-	-	-	-	-	-	-	13	-
OUT OF HOSPITAL	48	-	-	-	1	1	1	-	-	2	4	39	-
BOSSIER	463	6	3	-	1	5	9	14	14	42	64	305	-
U S AIR FORCE BASE HOSPITAL	18	2	-	-	-	-	-	-	1	5	6	4	-
BOSSIER MEDICAL CENTER	133	2	2	-	-	-	-	1	2	12	21	93	-
RIVERSIDE COMMUNITY HOSPITAL	55	-	-	-	-	-	-	-	-	2	3	50	-
NURSING HOME	82	-	-	-	-	-	-	-	1	1	2	78	-
OUT OF HOSPITAL	175	2	1	-	1	5	9	13	10	22	32	80	-
CADDO	3436	122	24	3	8	23	39	108	122	238	606	2131	-
BRENTWOOD HOSPITAL	1	-	-	-	-	-	1	-	-	-	-	-	-
L.S.U. MEDICAL CENTER	595	60	10	1	3	8	16	19	38	69	138	232	-
HIGHLAND HOSPITAL	119	1	-	-	-	-	-	2	9	5	20	82	-
NORTH CADDO MEMORIAL HOSPITAL	24	-	-	-	-	-	-	-	-	-	1	23	-
DOCTORS HOSPITAL OF CADDO	75	1	-	-	-	-	-	-	-	3	12	59	-
PHYSICIANS AND SURGEONS HOSPITAL	122	-	-	1	-	-	-	-	3	8	15	100	-
T. E. SCHUMPERT HOSPITAL	520	24	8	-	1	-	3	12	14	42	88	353	-
SOUTH PARK HOSPITAL	38	-	-	-	-	-	-	-	1	1	8	28	-
VETERANS ADMINISTRATION MEDICAL CENTER	408	-	-	-	-	-	-	6	8	80	151	163	-
WILLIS KNIGHTON MEDICAL CENTER	388	10	1	-	-	3	3	3	17	18	66	268	-
NURSING HOME	256	-	-	-	-	-	-	-	1	3	12	240	-
OUT OF HOSPITAL	860	18	14	1	4	12	16	59	34	62	136	520	-

-CONTINUED-

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
CALCASIEU......................	1487	39	8	1	7	15	20	43	51	110	236	956	1
DEQUINCY GENERAL HOSPTAL	19	-	-	-	-	1	-	-	-	-	2	16	-
HUMANA WOMENS HOSPIAL-LAKE CHARLES	1	1	-	-	-	-	-	-	-	-	-	-	-
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	114	16	-	-	1	2	2	1	8	18	25	41	-
LAKE CHARLES MEMORIALHOSPITAL	240	16	2	1	1	1	3	5	6	9	37	159	-
ST. PATRICKS HOSPITAL	335	1	-	-	-	1	2	6	6	28	57	234	-
WEST CALCASIEU-CAMERN HOSPITAL	160	1	1	-	1	1	2	1	5	4	19	125	-
NURSING HOME	164	-	-	-	-	1	2	2	1	5	10	143	-
OUT OF HOSPITAL	454	4	5	-	4	8	9	28	25	46	86	238	1
CALDWELL......................	91	-	-	-	-	1	1	2	1	5	9	72	-
CALDWELL MEMORIAL HOPITAL	29	-	-	-	-	-	-	-	-	-	2	27	-
CITIZENS MEDICAL HOSITAL	26	-	-	-	-	-	-	-	-	2	3	21	-
NURSING HOME	14	-	-	-	-	-	-	-	-	-	2	12	-
OUT OF HOSPITAL	22	-	-	-	-	1	1	2	1	3	2	12	-
CAMERON......................	41	1	-	-	-	1	2	5	4	5	7	16	-
SOUTH CAMERON MEMORIL HOSPITAL	6	-	-	-	-	-	-	-	-	1	1	4	-
OUT OF HOSPITAL	35	1	-	-	-	1	2	5	4	4	6	12	-
CATAHOULA......................	104	1	-	2	-	-	1	3	3	9	13	72	-
CATAHOULA PARISH HOPITAL	62	-	-	-	-	-	-	2	1	5	8	46	-
NURSING HOME	9	-	-	-	-	-	-	-	-	1	-	8	-
OUT OF HOSPITAL	33	1	-	2	-	-	1	1	2	3	5	18	-
CLAIBORNE......................	131	-	-	-	-	1	2	4	5	10	13	96	-
HOMER MEMORIAL HOSITAL	43	-	-	-	-	-	-	1	1	1	1	39	-
NORTH CLAIBORNE HOITAL	17	-	-	-	-	-	-	-	-	2	1	14	-
NURSING HOME	9	-	-	-	-	-	-	-	-	-	-	9	-
OUT OF HOSPITAL	62	-	-	-	-	1	2	3	4	7	11	34	-
CONCORDIA......................	149	2	-	-	-	3	-	5	6	6	21	106	-
CONCORDIA PARISH HPITAL	67	-	-	-	-	-	-	1	1	1	6	58	-
NURSING HOME	19	-	-	-	-	-	-	-	-	-	1	18	-
OUT OF HOSPITAL	63	2	-	-	-	3	-	4	5	5	14	30	-
DESOTO......................	200	1	-	-	2	2	3	5	6	14	22	145	-
DESOTO GENERAL HOSITAL	74	-	-	-	-	-	-	-	2	3	8	61	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	-	16	-
OUT OF HOSPITAL	110	1	-	-	2	2	3	5	4	11	14	68	-
EAST BATON ROUGE......................	2838	114	19	5	14	32	55	103	117	183	468	1728	-
BATON ROUGE GENER HOSPITAL	569	-	1	-	1	6	5	8	29	29	87	403	-
DOCTORS MEMORIAL SPITAL	10	-	-	-	-	-	-	-	-	-	2	8	-
EARL K. LONG MEMRIAL HOSPITAL	278	32	1	1	1	2	6	16	28	34	61	96	-
LANE MEMORIAL HOSITAL	128	2	-	-	-	-	-	1	2	5	14	104	-
OUR LADY OF THE LK MEDICAL CENTER	455	6	4	1	3	1	7	11	17	43	118	244	-
WOMANS HOSPITAL	58	57	-	-	-	-	-	-	-	1	-	-	-
NURSING HOME	227	-	-	-	-	-	-	-	-	6	13	208	-
OUT OF HOSPITAL	1113	17	13	3	9	23	37	67	41	65	173	665	-
EAST CARROLL......................	98	3	-	1	1	-	1	5	4	3	9	71	-
EAST CARROLL PARH HOSPITAL	39	1	-	-	-	-	1	-	-	1	4	32	-
NURSING HOME	14	-	-	-	-	-	-	-	1	-	1	12	-
OUT OF HOSPITAL	45	2	-	1	1	-	-	5	3	2	4	27	-
EAST FELICIANA......................	191	-	-	-	-	-	-	2	8	18	20	143	-
EAST FELICIANA MICAL CENTER	28	-	-	-	-	-	-	-	2	1	2	23	-
EAST LOUISIANA STE HOSPITAL	3	-	-	-	-	-	-	-	-	1	2	-	-
NURSING HOME	133	-	-	-	-	-	-	1	3	8	14	107	-
OUT OF HOSPITAL	27	-	-	-	-	-	-	1	3	8	2	13	-
EVANGELINE......................	311	5	2	-	2	4	4	2	8	18	58	208	-
HUMANA HOSPITALVILLE PLATTE	88	-	-	-	-	-	-	-	1	4	12	71	-
SAVOY MEMORIAL SPITAL	83	-	-	-	-	-	-	-	2	8	14	59	-
NURSING HOME	46	-	-	-	-	-	-	-	-	-	3	43	-
OUT OF HOSPITAL	94	5	2	-	2	4	4	2	5	6	29	35	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
FRANKLIN..................................	174	-	1	-	-	-	1	2	3	8	15	144	-
FRANKLIN PARISH HOSPITAL	73	-	-	-	-	-	-	-	-	1	3	69	-
NURSING HOME	34	-	-	-	-	-	-	-	-	-	1	33	-
OUT OF HOSPITAL	67	-	1	-	-	-	1	2	3	7	11	42	-
GRANT..................................	80	-	-	-	1	1	-	5	7	4	9	53	-
NURSING HOME	25	-	-	-	-	-	-	-	-	-	1	24	-
OUT OF HOSPITAL	55	-	-	-	1	1	-	5	7	4	8	29	-
IBERIA..................................	477	8	2	1	-	7	3	10	12	28	52	353	1
DAUTERIVE HOSPITAL INC.	103	1	1	-	-	-	-	2	-	3	8	88	-
IBERIA GENERAL HOSP AND MEDICAL CENTER	109	3	1	-	-	-	1	1	5	7	12	79	-
NURSING HOME	62	-	-	-	-	-	-	-	-	1	2	59	-
OUT OF HOSPITAL	203	4	-	1	-	7	2	7	7	17	30	127	1
IBERVILLE..................................	206	3	-	-	1	1	3	7	9	10	42	130	-
RHODES SPEDALE GENERAL HOSPITAL	40	-	-	-	-	-	-	-	1	-	11	28	-
RIVER WEST MEDICAL CENTER	41	-	-	-	-	-	1	-	-	1	5	34	-
NURSING HOME	13	-	-	-	-	-	-	-	-	-	-	13	-
OUT OF HOSPITAL	112	3	-	-	1	1	2	7	8	9	26	55	-
JACKSON..................................	142	3	3	-	1	2	-	3	4	6	15	105	-
JACKSON PARISH HOSPITAL	52	-	-	-	-	-	-	-	2	1	7	42	-
NURSING HOME	37	-	-	-	-	-	-	-	-	1	3	33	-
OUT OF HOSPITAL	53	3	3	-	1	2	-	3	2	4	5	30	-
JEFFERSON..................................	3137	130	12	3	6	35	54	111	150	229	516	1891	-
EAST JEFFERSON GENERAL HOSPITAL	544	1	-	1	-	3	5	11	23	37	105	358	-
OCHSNER FOUNDATION HOSPITAL	481	82	5	2	1	4	4	11	18	33	60	261	-
LAKESIDE HOSPITAL	45	29	-	-	-	-	-	1	-	3	5	7	-
BONNABEL HOSPITAL	83	-	-	-	-	-	-	1	-	1	6	75	-
MEADOWCREST HOSPITAL	135	6	-	-	-	-	-	1	5	8	21	94	-
WEST JEFFERSON GENERAL HOSPITAL	406	1	1	-	-	2	2	7	23	37	84	249	-
NURSING HOME	245	-	-	-	-	-	-	1	1	4	15	224	-
OUT OF HOSPITAL	1198	11	6	-	5	26	43	78	80	106	220	623	-
JEFFERSON DAVIS..................................	252	1	1	1	-	5	6	5	5	19	27	182	-
JENNINGS AMERICAN LEGION HOSPITAL	69	1	-	1	-	-	-	-	1	5	12	49	-
WELSH GENERAL HOSPITAL	28	-	-	-	-	-	-	-	-	1	3	24	-
NURSING HOME	59	-	-	-	-	-	-	-	-	-	4	55	-
OUT OF HOSPITAL	96	-	1	-	-	5	6	5	4	13	8	54	-
LAFAYETTE..................................	1482	63	11	2	4	15	29	39	79	137	267	836	-
UNIVERSITY MEDICAL CENTER	237	25	3	-	-	-	1	4	25	48	51	80	-
LAFAYETTE GENERAL HOSPITAL	294	8	-	1	-	4	3	4	13	22	57	182	-
OUR LADY OF LOURDES HOSPITAL	422	6	3	1	-	-	7	6	11	32	71	285	-
ST. ANNS INFIRMARY	1	-	-	-	-	-	-	-	-	-	-	1	-
WOMANS HOSPITAL OF ACADIANA	19	19	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	102	-	-	-	-	-	-	-	-	1	4	97	-
OUT OF HOSPITAL	407	5	5	-	4	11	18	25	30	34	84	191	-
LAFOURCHE..................................	521	6	3	5	5	10	13	20	17	28	79	335	-
LADY OF THE SEA HOSPITAL	41	-	-	-	-	1	-	-	2	1	3	34	-
ST. ANNE HOSPITAL	78	-	1	-	-	-	-	-	-	4	11	62	-
THIBODAUX GENERAL HOSPITAL	132	4	-	1	-	-	-	3	4	3	20	97	-
NURSING HOME	27	-	-	-	-	-	-	-	-	-	1	26	-
OUT OF HOSPITAL	243	2	2	4	5	9	13	17	11	20	44	116	-
LASALLE..................................	188	-	-	-	-	3	2	-	4	3	10	166	-
HARDTNER MEDICAL CENTER	34	-	-	-	-	-	-	-	-	2	4	28	-
LASALLE GENERAL HOSPITAL	48	-	-	-	-	-	-	-	1	-	2	45	-
NURSING HOME	56	-	-	-	-	-	-	-	-	-	-	56	-
OUT OF HOSPITAL	50	-	-	-	-	3	2	-	3	1	4	37	-
LINCOLN..................................	337	4	3	-	-	1	3	7	9	9	34	267	-
LINCOLN GENERAL HOSPITAL	185	1	-	-	-	-	-	2	3	7	19	153	-
NURSING HOME	52	-	-	-	-	-	-	-	-	-	3	49	-
OUT OF HOSPITAL	100	3	3	-	-	1	3	5	6	2	12	65	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LIVINGSTON............................	270	3	1	-	-	4	7	9	7	16	38	185	-
DIXON MEMORIAL HOSPITAL	122	-	-	-	-	-	-	-	2	4	12	104	-
NURSING HOME	26	-	-	-	-	-	-	-	-	3	3	20	-
OUT OF HOSPITAL	122	3	1	-	-	4	7	9	5	9	23	61	-
MADISON...............................	123	1	-	1	2	-	1	3	3	1	11	100	-
MADISON PARISH HOSPITAL	45	-	-	-	1	-	-	1	-	-	2	41	-
NURSING HOME	27	-	-	-	-	-	-	-	-	-	1	26	-
OUT OF HOSPITAL	51	1	-	1	1	-	1	2	3	1	8	33	-
MOREHOUSE.............................	310	1	1	1	-	1	6	4	2	16	45	233	-
MOREHOUSE GENERAL HOSPITAL	155	-	1	-	-	-	-	1	-	6	19	128	-
NURSING HOME	69	-	-	-	-	-	-	-	-	1	9	59	-
OUT OF HOSPITAL	86	1	-	1	-	1	6	3	2	9	17	46	-
NATCHITOCHES..........................	239	2	-	2	1	6	3	7	12	17	30	159	-
NATCHITOCHES PARISH HOSPITAL	94	2	-	-	-	-	-	1	3	2	13	73	-
NURSING HOME	35	-	-	-	-	-	-	-	-	2	2	31	-
OUT OF HOSPITAL	110	-	-	2	1	6	3	6	9	13	15	55	-
ORLEANS...............................	6699	245	40	16	26	60	118	265	299	529	1229	3870	2
JO ELLEN SMITH MEMORIAL HOSPITAL	189	1	-	-	-	3	2	2	6	12	35	128	-
SOUTHERN BAPTIST HOSPITAL	460	33	4	-	-	3	3	4	16	30	70	297	-
CHARITY HOSPITAL OF NEW ORLEANS	987	118	9	4	6	12	32	59	76	125	216	330	-
CHILDRENS HOSPITAL	19	8	6	4	1	-	-	-	-	-	-	-	-
UNITED MEDICAL CENTER	84	1	-	-	-	-	-	-	4	8	19	52	-
F. EDWARD HEBERT HOSPITAL	77	2	-	-	-	-	-	-	1	2	5	67	-
FLINT GOODRIDGE HOSP OF DILLARD UNIV	58	1	-	-	1	-	-	2	3	2	6	43	-
HUMANA WOMENS HOSPITAL	3	3	-	-	-	-	-	-	-	-	-	-	-
HOTEL DIEU HOSPITAL	312	8	-	-	-	2	1	8	8	15	46	224	-
PENDLETON MEMORIAL METHODIST HOSPITAL	258	17	1	-	-	3	1	5	8	14	34	175	-
MERCY HOSPITAL	337	-	-	-	-	-	-	3	6	17	34	277	-
MONTELEPRE MEMORIAL HOSPITAL	31	-	-	-	-	-	-	-	-	2	6	23	-
NEW ORLEANS GENERAL HOSPITAL	35	-	-	-	-	-	-	-	3	6	5	21	-
ST. CHARLES GENERAL HOSPITAL	107	-	-	-	-	-	-	-	2	7	14	84	-
TOURO INFIRMARY	443	2	-	-	1	-	1	5	14	20	69	331	-
TULANE MEDICAL CENTER HOSPITAL	226	27	9	3	4	-	2	4	10	9	46	112	-
VETERANS ADMINISTRATION HOSPITAL	518	-	-	-	-	-	-	5	7	38	227	241	-
NURSING HOME	321	-	-	-	-	-	-	1	1	3	10	306	-
OUT OF HOSPITAL	2234	24	11	5	13	37	76	167	134	219	387	1159	2
OUACHITA..............................	1383	64	8	3	6	13	12	27	40	98	213	899	-
E. A. CONWAY HOSPITAL	196	18	1	-	-	1	1	5	9	32	41	88	-
GLENWOOD HOSPITAL	181	2	1	-	1	2	1	3	4	12	29	126	-
NORTH MONROE COMMUNITY HOSPITAL	71	1	-	-	-	-	-	-	1	5	8	56	-
ST. FRANCIS HOSPITAL	381	30	3	1	1	1	1	3	8	21	60	252	-
STERLINGTON GENERAL HOSPITAL	29	-	-	-	-	-	-	-	-	-	2	27	-
NURSING HOME	160	-	-	-	-	-	-	1	-	2	13	144	-
OUT OF HOSPITAL	365	13	3	2	4	9	9	15	18	26	60	206	-
PLAQUEMINES...........................	109	1	-	1	-	4	16	10	11	13	14	39	-
PLAQUEMINES PARISH GENERAL HOSPITAL	19	-	-	-	-	-	-	1	2	-	1	15	-
OUT OF HOSPITAL	90	1	-	1	-	4	16	9	9	13	13	24	-
POINTE COUPEE.........................	182	-	-	-	-	4	2	2	4	6	22	142	-
POINTE COUPEE GENERAL HOSPITAL	94	-	-	-	-	-	-	1	2	1	12	78	-
NURSING HOME	29	-	-	-	-	-	-	-	-	-	-	29	-
OUT OF HOSPITAL	59	-	-	-	-	4	2	1	2	5	10	35	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAPIDES................................	1716	37	9	4	5	18	16	54	63	119	288	1103	-
RAPIDES GENERAL HOSPITAL	371	2	1	1	-	1	1	6	12	22	48	277	-
HAIR, CARLTON AND LUKE CLINIC	1	-	1	-	-	-	-	-	-	-	-	-	-
CENTRAL LOUISIANA STATE HOSPITAL	1	-	-	-	-	-	-	-	-	-	1	-	-
WOODVIEW REGIONAL HOSPITAL	24	-	-	-	-	-	-	-	1	1	-	22	-
ENGLAND AIR FORCE BASE HOSPITAL	5	-	-	-	-	-	-	-	-	1	3	1	-
HUEY P. LONG CHARITY HOSPITAL	172	13	1	-	1	2	4	10	12	20	41	68	-
ST. FRANCIS CABRINI HOSPITAL	292	13	-	-	-	3	2	4	7	11	32	220	-
PINECREST STATE SCHOOL	22	3	1	1	2	3	-	5	1	2	1	3	-
VETERANS ADMINISTRATION MEDICAL CENTER	287	-	-	-	-	-	-	2	3	27	93	162	-
NURSING HOME	161	-	-	-	-	-	-	-	1	2	10	148	-
OUT OF HOSPITAL	380	6	5	2	2	9	9	27	26	33	59	202	-
RED RIVER..............................	142	1	-	-	-	-	2	3	8	9	19	100	-
L. S. HUCKABAY MEMORIAL HOSPITAL	70	-	-	-	-	-	1	-	2	3	11	53	-
NURSING HOME	29	-	-	-	-	-	-	-	1	1	3	24	-
OUT OF HOSPITAL	43	1	-	-	-	-	1	3	5	5	5	23	-
RICHLAND...............................	273	1	1	-	-	-	1	5	7	12	24	222	-
RICHLAND PARISH HOSPITAL - URBAN	45	-	-	-	-	-	-	1	1	1	3	39	-
RICHLAND PARISH HOSPITAL - RURAL	99	-	-	-	-	-	-	1	2	-	13	83	-
NURSING HOME	62	-	-	-	-	-	-	-	-	1	-	61	-
OUT OF HOSPITAL	67	1	1	-	-	-	1	3	4	10	8	39	-
SABINE.................................	227	1	-	-	-	-	3	2	4	6	36	175	-
SABINE MEDICAL CENTER	65	-	-	-	-	-	-	1	-	1	7	56	-
PLEASANT HILL GENERAL HOSPITAL	31	-	-	-	-	-	-	1	-	-	3	27	-
NURSING HOME	50	-	-	-	-	-	-	-	-	1	4	45	-
OUT OF HOSPITAL	81	1	-	-	-	-	3	-	4	4	22	47	-
ST.BERNARD..............................	441	2	-	-	2	5	5	15	24	26	81	281	-
CHALMETTE GENERAL HOSPITAL	100	2	-	-	-	2	1	3	2	4	16	70	-
DE LA RONDE HOSPITAL	116	-	-	-	-	-	-	1	5	4	16	90	-
NURSING HOME	43	-	-	-	-	-	-	-	-	1	1	41	-
OUT OF HOSPITAL	182	-	-	-	2	3	4	11	17	17	48	80	-
ST.CHARLES..............................	154	-	2	-	1	2	8	16	5	7	18	95	-
ST. CHARLES PARISH HOSPITAL	48	-	1	-	-	2	-	-	-	3	5	37	-
NURSING HOME	24	-	-	-	-	-	-	-	-	-	1	23	-
OUT OF HOSPITAL	82	-	1	-	1	-	8	16	5	4	12	35	-
ST. HELENA..............................	53	1	-	-	1	-	-	3	2	6	9	31	-
ST. HELENA PARISH HOSPITAL	21	-	-	-	-	-	-	-	-	1	4	16	-
OUT OF HOSPITAL	32	1	-	-	1	-	-	3	2	5	5	15	-
ST. JAMES...............................	102	1	1	-	-	2	6	7	4	5	18	58	-
ST. JAMES PARISH HOSPITAL	25	1	-	-	-	-	-	1	1	-	2	20	-
WEST ST. JAMES PARISH HOSPITAL	5	-	-	-	-	-	-	-	-	1	1	3	-
NURSING HOME	8	-	-	-	-	-	-	-	-	-	-	8	-
OUT OF HOSPITAL	64	-	1	-	-	2	6	6	3	4	15	27	-
ST. JOHN................................	199	4	-	-	1	2	6	12	13	8	26	127	-
RIVER PARISHES MEDICAL CENTER	79	-	-	-	1	-	1	1	4	5	11	56	-
NURSING HOME	37	-	-	-	-	-	-	-	-	-	-	37	-
OUT OF HOSPITAL	83	4	-	-	-	2	5	11	9	3	15	34	-
ST. LANDRY..............................	654	11	6	1	3	7	10	19	17	43	99	438	-
MOOSA MEMORIAL HOSPITAL	63	1	-	-	1	-	-	1	-	3	12	45	-
OPELOUSAS GENERAL HOSPITAL	132	3	-	-	-	-	-	2	4	6	15	102	-
DOCTORS HOSPITAL OF ST. LANDRY	65	-	-	-	-	-	-	1	1	4	10	49	-
ST. LUKE HOSPITAL OF ST. LANDRY	28	-	-	-	-	-	-	-	-	-	5	23	-
NURSING HOME	62	-	-	-	-	-	-	1	-	-	3	58	-
OUT OF HOSPITAL	304	7	6	1	2	7	10	14	12	30	54	161	-
ST. MARTIN..............................	190	2	1	-	-	7	3	7	5	16	27	122	-
[illegible] MEMORIAL HOSPITAL	25	-	-	-	-	-	-	-	-	3	2	20	-
ST. MARTIN INFIRMARY	37	-	-	-	-	-	-	1	-	1	3	32	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	-	16	-
OUT OF HOSPITAL	112	2	1	-	-	7	3	6	5	12	22	54	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ST. MARY..............................	373	6	-	-	1	6	6	20	11	30	57	236	-
FAIRVIEW HOSPITAL	22	-	-	-	-	-	-	-	-	1	3	18	-
FRANKLIN FOUNDATION HOSPITAL	76	1	-	-	-	-	1	1	1	6	7	59	-
LAKEWOOD HOSPITAL	76	1	-	-	-	-	1	1	1	3	10	59	-
NURSING HOME	23	-	-	-	-	-	-	-	-	-	1	22	-
OUT OF HOSPITAL	176	4	-	-	1	6	4	18	9	20	36	78	-
ST. TAMMANY...........................	813	9	6	-	1	16	16	28	42	62	118	515	-
HIGHLAND PARK HOSPITAL	35	-	-	-	-	-	-	1	2	1	4	27	-
ST. TAMMANY PARISH HOSPITAL	188	3	-	-	-	1	1	-	4	14	22	143	-
SLIDELL MEMORIAL HOSPITAL	204	1	-	-	-	1	1	3	6	10	37	145	-
SOUTHEAST LOUISIANA STATE HOSPITAL	1	-	-	-	-	-	1	-	-	-	-	-	-
NURSING HOME	67	-	-	-	-	-	-	-	-	2	2	63	-
OUT OF HOSPITAL	318	5	6	-	1	14	13	24	30	35	53	137	-
TANGIPAHOA............................	743	18	8	2	1	9	17	22	16	41	104	505	-
HAMMOND STATE HOSPITAL	4	-	1	-	-	1	1	1	-	-	-	-	-
HOOD MEMORIAL HOSPITAL	56	-	-	-	-	1	-	-	-	1	6	48	-
LALLIE KEMP CHARITY HOSPITAL	86	3	1	-	-	1	1	2	3	11	24	40	-
E. S. PIKE MEMORIAL HOSPITAL	31	-	-	-	-	-	-	-	-	1	-	30	-
SEVENTH WARD GENERAL HOSPITAL	197	4	-	-	-	-	1	2	1	8	22	159	-
WEST PARK HOSPITAL	24	1	-	-	-	-	-	-	-	-	4	19	-
NURSING HOME	61	-	-	-	-	-	-	-	-	-	3	58	-
OUT OF HOSPITAL	284	10	6	2	1	6	14	17	12	20	45	151	-
TENSAS................................	95	1	4	1	3	-	-	3	4	7	15	57	-
TENSAS MEMORIAL HOSPITAL	48	-	-	-	-	-	-	-	1	2	4	41	-
NURSING HOME	1	-	-	-	-	-	-	-	-	-	-	1	-
OUT OF HOSPITAL	46	1	4	1	3	-	-	3	3	5	11	15	-
TERREBONNE............................	737	22	6	1	3	16	26	40	43	65	138	377	-
SOUTH LOUISIANA MEDICAL CENTER	207	14	2	-	-	1	-	6	14	21	61	88	-
TERREBONNE PARISH GENERAL HOSPITAL	184	6	1	-	1	1	-	4	10	12	30	119	-
NURSING HOME	44	-	-	-	-	-	-	1	-	-	1	42	-
OUT OF HOSPITAL	302	2	3	1	2	14	26	29	19	32	46	128	-
UNION.................................	173	2	1	-	-	1	2	-	2	13	16	136	-
TRI-WARD GENERAL HOSPITAL	23	-	-	-	-	-	-	-	-	2	2	19	-
UNION GENERAL HOSPITAL	36	-	-	-	-	-	-	-	-	5	2	29	-
NURSING HOME	42	-	-	-	-	-	-	-	1	-	-	41	-
OUT OF HOSPITAL	72	2	1	-	-	1	2	-	1	6	12	47	-
VERMILION.............................	364	9	3	1	-	3	7	9	10	23	46	253	-
ABROM KAPLAN MEMORIAL HOSPITAL	51	1	1	-	-	-	1	1	2	2	7	36	-
ABBEVILLE GENERAL HOSPITAL	103	4	-	-	-	1	-	-	1	2	12	83	-
ERATH GENERAL HOSPITAL	26	-	-	-	-	-	-	-	1	-	3	22	-
GUEYDAN MEMORIAL HOSPITAL	12	-	-	-	-	-	1	-	-	-	1	10	-
NURSING HOME	23	-	-	-	-	-	-	-	-	1	1	21	-
OUT OF HOSPITAL	149	4	2	1	-	2	5	8	6	18	22	81	-
VERNON................................	224	16	-	3	2	7	7	9	8	23	31	118	-
LEESVILLE GENERAL HOSPITAL	4	-	-	-	-	-	-	-	-	-	2	2	-
BAYNE JONES ARMY COMMUNITY HOSPITAL	34	7	-	1	-	-	1	-	3	9	5	8	-
BYRD MEMORIAL HOSPITAL	70	1	-	-	-	-	-	-	2	3	5	59	-
NURSING HOME	14	-	-	-	-	-	-	-	-	-	1	13	-
OUT OF HOSPITAL	102	8	-	2	2	7	6	9	3	11	18	36	-
WASHINGTON............................	404	6	3	2	-	5	5	17	20	28	61	257	-
BOGALUSA COMMUNITY MEDICAL CENTER	83	-	-	-	-	-	-	-	1	3	5	74	-
RIVERSIDE MEDICAL CENTER	51	-	-	-	-	-	-	-	5	1	7	38	-
WASHINGTON-ST. TAMMANY HOSPITAL	57	4	-	-	-	-	1	3	2	4	11	32	-
NURSING HOME	29	-	-	-	-	-	-	-	-	-	-	29	-
OUT OF HOSPITAL	184	2	3	2	-	5	4	14	12	20	38	84	-
WEBSTER...............................	420	5	2	-	-	2	4	11	10	18	39	329	-
HUMANA HOSPITAL-MINDEN	94	-	-	-	-	-	-	-	1	1	2	90	-
HUMANA HOSPITAL-SPRINGHILL	109	-	-	-	-	1	-	-	-	1	10	97	-
NURSING HOME	71	-	-	-	-	-	-	-	-	-	5	66	-
OUT OF HOSPITAL	146	5	2	-	-	1	4	11	9	16	22	76	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1984

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
WEST BATON ROUGE......................	82	-	-	-	1	5	1	2	-	7	8	58	-
NURSING HOME	36	-	-	-	-	-	-	-	-	2	1	33	-
OUT OF HOSPITAL	46	-	-	-	1	5	1	2	-	5	7	25	-
WEST CARROLL..........................	70	-	-	-	-	-	1	-	1	6	8	54	-
WEST CARROLL PARISH HOSPITAL	29	-	-	-	-	-	-	-	-	-	3	26	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	-	15	-
OUT OF HOSPITAL	26	-	-	-	-	-	1	-	1	6	5	13	-
WEST FELICIANA........................	63	-	-	-	-	1	4	5	9	5	7	32	-
ANGOLA GENERAL HOSPITAL	3	-	-	-	-	-	1	-	-	2	-	-	-
WEST FELICIANA PARISH HOSPITAL	14	-	-	-	-	-	-	-	-	1	1	12	-
NURSING HOME	9	-	-	-	-	-	-	-	-	-	1	8	-
OUT OF HOSPITAL	37	-	-	-	-	1	3	5	9	2	5	12	-
WINN..................................	136	-	-	-	-	1	-	4	3	8	17	103	-
HUMANA HOSPITAL-WINN PARISH	87	-	-	-	-	-	-	-	1	3	9	74	-
NURSING HOME	13	-	-	-	-	-	-	-	-	1	2	10	-
OUT OF HOSPITAL	36	-	-	-	-	1	-	4	2	4	6	19	-

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH	TOTAL		Disease of Heart (390-398, 402, 404-429)		Malignant Neoplasms (140-208)		Cerebrovascular Disease (430-438)		Accidents and Adverse Effects (800-949)		Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	
	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*
TOTAL	35865	803.7	13147	294.6	7851	175.9	2620	58.7	2045	45.8	937	21.0
ACADIA	564	949.1	194	326.5	137	230.6	45	75.7	43	72.4	10	16.8
ALLEN	228	1059.8	81	376.5	48	223.1	24	111.6	11	51.1	11	51.1
ASCENSION	350	621.8	125	222.1	67	119.0	32	56.8	24	42.6	3	5.3
ASSUMPTION	163	686.1	48	202.0	42	176.8	12	50.5	8	33.7	3	12.6
AVOYELLES	431	1002.3	185	430.2	76	176.7	21	48.8	21	48.8	10	23.3
BEAUREGARD	274	860.9	106	333.0	49	153.9	19	59.7	20	62.8	4	12.6
BIENVILLE	190	1149.6	70	423.5	41	248.1	16	96.8	8	48.4	7	42.4
BOSSIER	518	579.2	183	204.6	126	140.9	28	31.3	31	34.7	14	15.7
CADDO	2494	942.0	999	377.3	558	210.8	168	63.5	105	39.7	68	25.7
CALCASIEU	1340	754.6	499	281.0	287	161.6	113	63.6	70	39.4	40	22.5
CALDWELL	109	999.0	57	522.4	21	192.5	5	45.8	5	45.8	3	27.5
CAMERON	72	706.9	19	186.5	17	166.9	3	29.5	11	108.0	-	-
CATAHOULA	117	937.2	53	424.5	26	208.3	6	48.1	9	72.1	-	-
CLAIBORNE	209	1128.3	76	410.3	45	242.9	23	124.2	13	70.2	3	16.2
CONCORDIA	216	916.0	81	343.5	60	254.4	13	55.1	16	67.8	3	12.7
DESOTO	308	1131.5	114	418.8	70	257.2	42	154.3	16	58.8	7	25.7
E BATON ROUGE	2299	586.5	874	223.0	518	132.2	145	37.0	132	33.7	54	13.8
EAST CARROLL	119	1028.7	26	224.8	24	207.5	12	103.7	6	51.9	-	-
E FELICIANA	152	764.3	66	331.9	35	176.0	13	65.4	9	45.3	2	10.1
EVANGELINE	364	1051.9	137	395.9	61	176.3	30	86.7	30	86.7	15	43.3
FRANKLIN	267	1102.9	96	396.5	54	223.0	42	173.5	14	57.8	9	37.2
GRANT	181	1018.1	58	326.2	37	208.1	14	78.7	15	84.4	3	16.9
IBERIA	548	793.6	192	278.0	134	194.0	34	49.2	36	52.1	11	15.9
IBERVILLE	307	920.9	102	306.0	66	198.0	24	72.0	18	54.0	7	21.0
JACKSON	177	1001.1	70	395.9	35	198.0	19	107.5	9	50.9	1	5.7
JEFFERSON	3207	672.0	1113	233.2	795	166.6	207	43.4	173	36.3	90	18.9
JEFF DAVIS	315	939.3	103	307.1	73	217.7	36	107.3	25	74.5	10	29.8
LAFAYETTE	925	542.9	291	170.8	218	128.0	66	38.7	61	35.8	27	15.8
LAFOURCHE	593	673.0	212	240.6	131	148.7	34	38.6	57	64.7	10	11.3
LASALLE	190	1092.1	83	477.1	31	178.2	24	137.9	9	51.7	3	17.2
LINCOLN	323	758.5	108	253.6	65	152.6	41	96.3	13	30.5	9	21.1
LIVINGSTON	417	606.4	138	200.7	94	136.7	23	33.4	34	49.4	21	30.5
MADISON	170	1077.6	69	437.4	41	259.9	15	95.1	6	38.0	9	57.0
MOREHOUSE	346	983.6	117	332.6	58	164.9	30	85.3	11	31.3	13	37.0
NATCHITOCHES	337	837.2	112	278.2	80	198.7	41	101.9	14	34.8	15	37.3
ORLEANS	5782	1020.7	1978	349.2	1264	223.1	409	72.2	247	43.6	134	23.7
OUACHITA	1145	801.7	492	344.5	255	178.5	67	46.9	52	36.4	21	14.7
PLAQUEMINES	194	725.1	69	257.9	30	112.1	10	37.4	28	104.7	4	15.0
POINTE COUPEE	230	910.3	85	336.4	52	205.8	26	102.9	13	51.5	3	11.9
RAPIDES	1243	896.2	514	370.6	223	160.8	84	60.6	57	41.1	43	31.0
RED RIVER	121	1099.5	69	627.0	15	136.3	10	90.9	4	36.3	2	18.2
RICHLAND	236	1031.7	90	393.4	59	257.9	18	78.7	10	43.7	6	26.2
SABINE	269	984.1	122	446.3	38	139.0	25	91.5	13	47.6	5	18.3
ST BERNARD	542	799.5	200	295.0	132	194.7	27	39.8	25	36.9	18	26.6
ST CHARLES	222	527.6	69	164.0	62	147.4	9	21.4	21	49.9	4	9.5
ST HELENA	70	673.3	18	173.1	12	115.4	8	76.9	6	57.7	2	19.2
ST JAMES	163	729.8	64	286.6	38	170.1	9	40.3	13	58.2	3	13.4
ST JOHN	247	632.5	85	217.7	56	143.4	15	38.4	16	41.0	5	12.8
ST LANDRY	814	917.5	310	349.4	205	231.1	51	57.5	37	41.7	33	37.2
ST MARTIN	333	739.4	141	313.1	86	191.0	20	44.4	21	46.6	7	15.5
ST MARY	476	718.8	169	255.2	96	145.0	34	51.3	35	52.9	16	24.2
ST TAMMANY	867	656.6	281	212.8	187	141.6	73	55.3	76	57.6	26	19.7
TANGIPAHOA	763	857.7	312	350.7	160	179.9	57	64.1	44	49.5	24	27.0
TENSAS	115	1399.5	58	705.9	15	182.5	10	121.7	6	73.0	3	36.5
TERREBONNE	662	653.4	218	215.2	156	154.0	42	41.5	81	79.9	12	11.8
UNION	255	1160.1	105	477.7	43	195.6	20	91.0	9	40.9	4	18.2
VERMILION	458	836.6	154	281.3	104	190.0	30	54.8	30	54.8	15	27.4
VERNON	436	716.3	113	186.2	49	80.6	19	31.2	26	42.8	5	8.2
WASHINGTON	464	983.2	177	375.0	70	148.3	45	95.4	37	78.4	17	36.0
WEBSTER	525	1158.1	184	405.9	122	269.1	40	88.2	23	50.7	17	37.5
W BATON ROUGE	153	750.0	45	220.6	27	132.4	13	63.7	3	14.7	5	24.5
WEST CARROLL	125	956.2	53	405.4	21	160.6	11	84.1	4	30.6	5	38.3
W FELICIANA	62	449.5	28	203.0	14	101.5	2	14.5	4	29.0	-	-
WINN	177	1019.5	74	426.2	27	155.5	15	86.4	12	69.1	3	17.3
UNKNOWN***	29		3		2		1		8		-	
OUT OF STATE**	1147		391		207		88		193		28	

(CONTINUED)
* RATE PER 100,000 POPULATION
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH	Pneumonia and Influenza (480-487)	Diabetes Mellitus (250)	Homicide and Legal Intervention (E960-E978)	Suicide (E950-E959)	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	Certain Conditions Originating in Perinatal Period (760-779)	Atherosclerosis (440)	Septicemia (038)	Chronic Liver Disease and Cirrhosis (571)	Congenital Anomalies (740-759)	Hypertension with or without Renal Disease (without Mention of Heart Disease) (401, 403)	All Other Causes
	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.
TOTAL	840	756	597	593	497	484	449	431	396	275	125	3822
ACADIA	19	13	2	7	3	8	13	6	4	3	5	52
ALLEN	6	6	2	1	1	1	2	1	6	4	-	23
ASCENSION	11	9	6	6	7	5	9	1	1	16	1	33
ASSUMPTION	2	7	6	2	4	3	6	2	1	-	-	17
AVOYELLES	14	10	1	7	11	1	27	6	3	-	-	38
BEAUREGARD	12	3	1	2	2	3	13	2	3	1	-	34
BIENVILLE	5	1	-	-	-	1	4	1	-	1	-	35
BOSSIER	13	6	9	12	1	10	2	13	4	6	-	60
CADDO	55	34	16	42	38	41	5	41	23	15	14	252
CALCASIEU	23	32	5	29	11	20	22	13	10	9	1	146
CALDWELL	3	1	2	1	1	-	-	1	-	-	-	9
CAMERON	2	1	1	2	1	1	-	1	1	3	-	9
CATAHOULA	3	1	1	1	2	-	-	2	-	-	-	13
CLAIBORNE	6	4	4	2	1	4	2	2	1	-	2	21
CONCORDIA	3	4	2	6	5	1	1	-	-	3	1	17
DESOTO	6	2	3	3	4	2	13	3	3	-	-	20
E BATON ROUGE	51	40	42	30	32	51	33	21	27	26	9	214
EAST CARROLL	3	4	6	2	4	1	20	1	-	1	1	8
E FELICIANA	6	1	1	1	4	1	-	1	-	1	2	9
EVANGELINE	10	5	2	7	12	2	7	6	1	1	-	38
FRANKLIN	10	1	4	3	4	-	-	1	1	1	-	27
GRANT	6	6	1	4	1	-	1	4	3	1	1	28
IBERIA	8	7	4	3	7	8	25	7	4	5	1	62
IBERVILLE	14	10	1	1	4	5	13	7	2	4	1	28
JACKSON	3	2	1	1	5	-	3	6	2	2	1	17
JEFFERSON	62	74	63	77	46	36	15	36	42	18	13	347
JEFF DAVIS	5	11	1	4	3	4	7	3	2	1	-	27
LAFAYETTE	21	23	14	26	10	15	9	19	5	12	2	106
LAFOURCHE	12	18	7	14	7	7	13	9	5	9	4	52
LASALLE	6	1	1	2	3	1	3	-	2	1	-	20
LINCOLN	14	7	2	6	18	2	3	2	1	6	3	35
LIVINGSTON	12	7	7	5	6	6	5	3	4	1	-	51
MADISON	-	2	2	3	-	1	-	3	1	-	-	18
MOREHOUSE	20	17	6	3	9	6	4	3	6	2	2	39
NATCHITOCHES	5	4	4	5	2	4	3	4	3	6	-	35
ORLEANS	118	170	199	91	91	184	44	79	99	29	22	764
OUACHITA	35	19	10	12	8	10	8	25	12	18	3	106
PLAQUEMINES	5	3	2	1	5	5	1	1	-	2	-	28
POINTE COUPEE	7	8	-	3	3	4	2	2	7	5	-	18
RAPIDES	33	12	18	18	22	19	9	8	18	9	6	139
RED RIVER	1	-	1	2	2	-	4	-	1	-	-	16
RICHLAND	12	8	1	2	1	2	6	5	-	1	-	15
SABINE	6	5	4	5	2	-	2	8	2	2	-	30
ST BERNARD	9	10	5	17	5	6	6	1	15	2	4	62
ST CHARLES	6	3	4	6	-	5	1	1	1	5	-	25
ST HELENA	2	6	1	2	1	1	1	-	2	-	-	8
ST JAMES	3	2	-	2	2	3	2	2	1	1	-	18
ST JOHN	5	4	6	7	3	2	-	3	4	4	3	31
ST LANDRY	18	19	3	18	8	5	5	6	9	7	1	79
ST MARTIN	5	3	2	7	-	2	4	4	1	1	-	29
ST MARY	9	8	8	8	12	4	7	7	4	2	1	56
ST TAMMANY	25	19	14	18	10	16	9	7	14	4	3	85
TANGIPAHOA	13	17	12	9	13	10	-	5	4	4	2	75
TENSAS	3	7	-	2	4	1	-	2	-	-	-	6
TERREBONNE	7	8	18	13	3	5	15	6	9	4	1	70
UNION	12	11	-	1	3	2	4	6	1	2	3	29
VERMILION	18	8	4	4	11	5	8	6	4	4	-	38
VERNON	8	4	4	4	3	11	7	1	-	9	-	54
WASHINGTON	2	12	4	5	12	3	13	4	5	4	2	53
WEBSTER	21	13	17	8	4	1	1	5	4	7	8	60
W BATON ROUGE	-	4	2	3	2	3	5	-	1	3	-	17
WEST CARROLL	5	3	-	1	-	1	2	-	1	-	1	17
W FELICIANA	4	-	-	1	1	-	2	1	-	1	-	4
WINN	7	4	3	-	2	3	2	2	1	-	1	18
UNKNOWN***	-	-	5	1	-	-	-	1	1	-	-	8
OUT OF STATE**	26	7	27	8	11	18	5	15	23	14	-	123

** NOT INCLUDED IN STATE TOTALS

*** PARISH OF RESIDENCE UNKNOWN-ASSUMED LOUISIANA RESIDENT

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
TOTAL	35865	803.7			984	214	192	952	1151	1376	2470	5614	8535	9159	5213	5
			WM	13164	254	60	62	468	501	508	1002	2368	3579	3144	1215	3
			WF	11315	186	42	39	155	170	304	508	1383	2383	3497	2648	-
			NWM	6136	297	67	63	228	326	341	569	1086	1404	1220	533	2
			NWF	5250	247	45	28	101	154	223	391	777	1169	1298	817	-
SHIGELLOSIS AND AMEBIASIS-(004,006)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS-(007-009)	7	0.2			5	-	1	-	-	-	-	-	-	-	1	-
			WM	1	1	-	-	-	-	-	-	-	-	-	-	-
			WF	2	1	-	-	-	-	-	-	-	-	-	1	-
			NWM	3	2	-	1	-	-	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS-(010-018)	51	1.1			-	-	-	1	3	2	12	6	16	9	2	-
			WM	18	-	-	-	-	-	1	4	1	6	6	-	-
			WF	4	-	-	-	-	1	-	-	1	1	1	-	-
			NWM	21	-	-	-	1	2	1	6	3	5	2	1	-
			NWF	8	-	-	-	-	-	-	2	1	4	-	1	-
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS-(034-035)	1	0.0			-	-	-	-	-	-	-	1	-	-	-	-
			WM	1	-	-	-	-	-	-	-	1	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	8	0.2			2	3	-	-	-	-	-	-	2	-	1	-
			WM	1	-	1	-	-	-	-	-	-	-	-	-	-
			WF	4	2	-	-	-	-	-	-	-	2	-	-	-
			NWM	1	-	1	-	-	-	-	-	-	-	-	-	-
			NWF	2	-	1	-	-	-	-	-	-	-	-	1	-
SEPTICEMIA-(038)	431	9.7			15	2	3	1	4	15	26	54	87	140	84	-
			WM	95	4	-	1	-	-	4	6	13	23	34	10	-
			WF	136	-	1	-	-	1	5	6	12	23	52	36	-
			NWM	97	3	1	2	1	1	3	10	17	22	21	16	-
			NWF	103	8	-	-	-	2	3	4	12	19	33	22	-
ACUTE POLIOMYELITIS-(045)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-(055)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS-(070)	21	0.5			-	-	-	2	1	3	3	6	5	-	1	-
			WM	8	-	-	-	-	-	-	2	3	3	-	-	-
			WF	4	-	-	-	-	-	-	-	2	1	-	1	-
			NWM	6	-	-	-	2	-	1	1	1	1	-	-	-
			NWF	3	-	-	-	-	1	2	-	-	-	-	-	-
SYPHILIS-(090-097)	4	0.1			1	-	-	-	-	-	-	-	-	1	2	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	1	-	-	-	-	-	-	-	-	1	1	-
			NWF	1	-	-	-	-	-	-	-	-	-	-	1	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ALL OTHER INFECTIOUS AND PARASITIC DISEASES- (REMAINDER OF 001-139)	97	2.2			9	4	3	4	7	10	11	12	17	12	8	-
			WM	34	1	-	2	1	6	3	2	8	5	3	3	-
			WF	17	3	-	-	1	-	1	1	-	6	3	2	-
			NWM	18	4	1	1	-	-	1	3	2	2	4	-	-
			NWF	28	1	3	-	2	1	5	5	2	4	2	3	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES- (140-208)	7851	175.9			2	14	19	44	100	312	722	1824	2363	1856	595	-
			WM	3012	-	7	5	15	37	71	236	732	1029	703	177	-
			WF	2521	-	5	4	10	32	129	227	546	686	643	239	-
			NWM	1336	2	2	4	9	12	41	137	330	404	299	98	-
			NWF	982	-	-	6	10	19	65	122	216	244	211	81	-
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX- (140-149)	171	3.8			-	-	-	1	1	6	16	60	49	28	10	-
			WM	72	-	-	-	-	1	1	7	28	24	11	-	-
			WF	42	-	-	-	-	-	1	3	12	8	9	9	-
			NWM	50	-	-	-	1	-	4	6	17	16	6	-	-
			NWF	7	-	-	-	-	-	-	-	3	1	2	1	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-(150-159)	1897	42.5			-	1	1	1	11	40	148	374	595	539	187	-
			WM	667	-	1	1	1	3	10	53	148	216	185	49	-
			WF	611	-	-	-	-	2	16	33	103	173	207	77	-
			NWM	347	-	-	-	-	3	10	40	77	123	71	23	-
			NWF	272	-	-	-	-	3	4	22	46	83	76	38	-
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS- (160-165)	2261	50.7			-	1	-	1	4	51	209	683	804	442	66	-
			WM	1163	-	1	-	-	1	22	92	333	454	229	31	-
			WF	507	-	-	-	-	3	12	45	156	160	104	19	-
			NWM	451	-	-	-	1	-	14	52	146	148	85	13	-
			NWF	140	-	-	-	-	-	3	20	48	42	24	3	-
MALIGNANT NEOPLASM OF BREAST-(174-175)	610	13.7			-	-	-	-	9	79	93	149	133	114	33	-
			WM	2	-	-	-	-	-	-	1	1	-	-	-	-
			WF	423	-	-	-	-	5	50	56	103	105	81	23	-
			NWM	3	-	-	-	-	-	-	1	-	1	1	-	-
			NWF	182	-	-	-	-	4	29	35	45	27	32	10	-
MALIGNANT NEOPLASMS OF GENITAL ORGANS-(179-187)	834	18.7			-	-	-	4	12	39	62	123	220	267	108	-
			WM	256	-	-	-	-	1	2	4	20	88	100	41	-
			WF	229	-	-	-	2	5	20	33	52	57	45	16	-
			NWM	198	-	-	-	-	-	1	4	15	51	88	39	-
			NWF	151	-	-	-	2	6	16	21	28	32	34	12	-
MALIGNANT NEOPLASMS OF URINARY ORGANS-(188-189)	306	6.9			-	1	2	2	6	4	22	38	105	78	48	-
			WM	146	-	-	1	-	2	3	13	17	52	38	20	-
			WF	94	-	1	-	-	4	1	3	9	29	27	20	-
			NWM	39	-	-	1	1	-	-	2	7	17	8	3	-
			NWF	27	-	-	-	1	-	-	4	5	7	5	5	-
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-(170-172,190-199)	1092	24.5			1	7	7	16	34	47	122	258	287	224	89	-
			WM	438	-	3	-	7	17	18	44	118	123	82	18	-
			WF	351	-	3	2	3	8	12	35	65	87	82	49	-
			NWM	176	1	1	1	3	7	11	26	48	46	33	9	-
			NWF	127	-	-	4	4	2	6	17	27	32	27	13	-
LEUKEMIA-(204-208)	290	6.5			1	3	9	11	10	23	14	40	75	67	25	-
			WM	122	-	1	3	5	6	6	8	21	26	29	7	-
			WF	111	-	1	3	3	3	9	6	17	38	30	12	-
			NWM	28	1	1	2	2	-	5	6	3	6	8	2	-
			NWF	29	-	-	1	1	1	3	-	5	5	-	3	-
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATO- POIETIC TISSUES-(200-203)	390	8.7			-	1	-	8	12	23	34	91	95	97	29	-
			WM	154	-	1	-	2	6	9	14	38	44	29	11	-
			WF	147	-	-	-	4	1	8	15	29	29	48	13	-
			NWM	44	-	-	-	1	2	2	3	15	12	8	1	-
			NWF	45	-	-	-	1	3	4	2	9	10	11	4	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE -(210-239)	117	2.6			1	-	-	6	8	8	12	17	28	22	15	-
			WM	32	-	-	-	3	1	3	6	5	8	7	3	-
			WF	48	-	-	-	-	5	3	1	7	8	11	10	-
			NWM	13	1	-	-	1	1	1	3	1	4	3	-	-
			NWF	24	-	-	-	2	3	-	2	4	8	4	2	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1994

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
DIABETES MELLITUS-(250)	756	16.9			-	-	2	3	4	26	45	135	237	219	85	-
			WM	148	-	-	1	1	-	7	9	30	45	44	11	-
			WF	262	-	-	1	-	3	7	14	36	74	82	45	-
			NWM	112	-	-	-	-	1	6	11	27	32	30	5	-
			NWF	234	-	-	-	2	-	6	11	42	86	63	24	-
NUTRITIONAL DEFICIENCIES-(260-269)	52	1.2			1	2	-	-	2	-	3	5	6	14	19	-
			WM	9	1	1	-	-	-	-	2	1	-	3	1	-
			WF	15	-	-	-	-	-	-	-	1	1	4	9	-
			NWM	8	-	1	-	-	2	-	-	1	1	1	2	-
			NWF	20	-	-	-	-	-	-	1	2	4	6	7	-
ANEMIAS-(280-285)	75	1.7			-	1	5	4	4	2	6	7	16	15	15	-
			WM	13	-	-	1	1	-	-	1	1	3	5	1	-
			WF	29	-	-	1	-	1	1	2	5	6	6	7	-
			NWM	18	-	-	2	2	2	-	3	1	2	4	2	-
			NWF	15	-	1	1	1	1	1	-	-	5	-	5	-
MENINGITIS-(320-322)	30	0.7			10	5	1	1	-	-	2	4	4	2	1	-
			WM	7	2	2	-	-	-	-	-	-	1	1	1	-
			WF	5	2	1	-	-	-	-	1	1	-	-	-	-
			NWM	9	3	-	-	1	-	-	1	2	2	-	-	-
			NWF	9	3	2	1	-	-	-	-	1	1	1	-	-
MAJOR CARDIOVASCULAR DISEASES (390-448)	16653	373.2			35	9	11	56	112	353	972	2433	4217	5105	3349	1
			WM	5955	6	3	1	19	24	141	450	1114	1779	1687	731	-
			WF	5666	8	-	3	10	25	55	120	468	1138	2048	1791	-
			NWM	2466	14	3	6	14	36	96	234	470	681	616	295	1
			NWF	2566	7	3	1	13	27	61	168	381	619	754	532	-
DISEASES OF HEART (390-398,402,404-429)	13147	294.6			29	7	8	46	88	274	863	2094	3490	3942	2453	1
			WM	4982	5	3	1	16	22	120	481	1010	1583	1357	543	-
			WF	4296	7	-	2	8	28	33	99	386	912	1544	1288	-
			NWM	1958	11	1	4	11	24	77	163	389	531	489	237	1
			NWF	1911	6	3	-	11	13	40	120	309	464	552	393	-
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE-(390-398)	65	1.5			-	-	1	4	3	3	2	20	16	13	3	-
			WM	25	-	-	-	-	-	2	2	7	5	9	-	-
			WF	21	-	-	-	3	-	-	-	6	8	3	1	-
			NWM	6	-	-	1	-	1	-	-	2	-	1	1	-
			NWF	13	-	-	-	1	2	1	-	5	3	-	1	-
HYPERTENSIVE HEART DISEASE-(402)	572	12.8			-	-	-	1	2	9	29	109	162	177	86	-
			WM	105	-	-	-	-	-	1	3	25	28	24	8	-
			WF	167	-	-	-	-	-	1	1	13	37	78	44	-
			NWM	133	-	-	-	-	1	5	12	36	43	24	12	-
			NWF	168	-	-	-	1	1	-	12	35	48	49	22	-
HYPERTENSIVE HEART AND RENAL DISEASE-(404)	58	1.3			-	-	-	-	1	1	1	4	21	22	8	-
			WM	14	-	-	-	-	-	-	-	1	8	4	1	-
			WF	17	-	-	-	-	-	-	-	-	1	10	6	-
			NWM	12	-	-	-	-	1	-	1	1	6	3	-	-
			NWF	15	-	-	-	-	-	1	-	2	6	5	1	-
ISCHEMIC HEART DISEASE-(410-414)	8304	186.1			-	-	1	7	26	181	565	1413	2268	2516	1431	-
			WM	3534	-	-	1	3	9	98	319	764	1098	911	247	-
			WF	2733	-	-	-	1	3	21	64	268	616	1074	704	-
			NWM	1125	-	-	-	2	7	42	122	333	388	205	121	-
			NWF	912	-	-	-	1	4	23	68	156	296	296	209	-
ACUTE MYOCARDIAL INFARCTION-(410)	4965	111.3			-	-	1	5	17	136	420	988	1409	1337	562	-
			WM	2279	-	-	1	3	6	78	248	556	737	561	143	-
			WF	1434	-	-	-	-	3	16	44	173	388	525	287	-
			NWM	726	-	-	-	1	7	36	92	159	272	162	55	-
			NWF	526	-	-	-	1	1	16	46	108	152	139	73	-
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-(411)	152	3.4			-	-	-	-	-	-	3	25	33	51	40	-
			WM	45	-	-	-	-	-	-	2	10	11	15	7	-
			WF	47	-	-	-	-	-	-	-	7	8	13	19	-
			NWM	31	-	-	-	-	-	-	1	4	7	14	5	-
			NWF	29	-	-	-	-	-	-	-	4	7	9	9	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ANGINA PECTORIS-(413)	28	0.6			-	-	-	-	-	-	4	4	7	8	5	-
			WM	14	-	-	-	-	-	-	2	2	5	4	1	-
			WF	10	-	-	-	-	-	-	-	2	1	3	4	-
			NWM	4	-	-	-	-	-	-	2	-	1	1	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE-(412,414)	3249	72.8			-	-	-	2	3	45	128	396	731	1120	824	-
			WM	1192	-	-	-	-	3	20	67	196	337	377	192	-
			WF	1240	-	-	-	1	-	5	20	78	219	483	434	-
			NWM	380	-	-	-	1	-	11	27	70	88	112	71	-
			NWF	437	-	-	-	-	-	9	14	52	87	148	127	-
OTHER DISEASES OF ENDOCARDIUM-(424)	144	3.2			1	-	-	-	2	2	16	14	28	60	21	-
			WM	56	-	-	-	-	1	2	8	4	12	21	8	-
			WF	60	-	-	-	-	1	-	2	5	10	30	12	-
			NWM	15	1	-	-	-	-	-	4	2	4	3	1	-
			NWF	13	-	-	-	-	-	-	2	3	2	6	-	-
ALL OTHER FORMS OF HEART DISEASE-(415-423,425-429)	3913	87.7			28	7	6	34	52	80	190	534	923	1154	904	1
			WM	1248	5	3	-	13	13	25	69	209	354	378	179	-
			WF	1298	7	-	3	4	16	15	31	102	240	407	473	-
			NWM	657	10	1	3	9	14	25	44	115	170	173	92	1
			NWF	710	6	3	-	8	9	15	46	108	159	196	160	-
HYPERTENSION WITH OR WITHOUT RENAL DISEASE-(401,403)	125	2.8			-	-	-	-	5	4	9	16	31	33	27	-
			WM	21	-	-	-	-	-	1	3	3	4	6	4	-
			WF	31	-	-	-	-	-	1	1	4	5	10	10	-
			NWM	31	-	-	-	-	3	2	3	4	9	7	3	-
			NWF	42	-	-	-	-	2	-	2	5	13	10	10	-
CEREBROVASCULAR DISEASE-(430-438)	2620	58.7			4	2	3	9	25	63	143	256	583	903	629	-
			WM	670	1	-	-	3	1	16	41	68	175	243	122	-
			WF	1024	-	-	-	1	5	14	18	59	171	398	358	-
			NWM	403	3	2	2	3	9	16	42	69	112	96	49	-
			NWF	523	-	-	1	2	10	17	42	60	125	166	100	-
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE-(431-432)	314	7.0			4	-	1	6	6	25	39	55	79	66	33	-
			WM	76	1	-	-	2	-	8	12	10	19	17	7	-
			WF	101	-	-	-	-	1	4	5	16	29	33	13	-
			NWM	62	3	-	-	3	3	7	12	14	12	4	4	-
			NWF	75	-	-	1	1	2	6	10	15	19	12	9	-
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES-(434.0,434.9)	358	8.0			-	-	-	-	-	7	17	26	75	133	100	-
			WM	93	-	-	-	-	-	2	3	8	25	38	17	-
			WF	160	-	-	-	-	-	-	2	10	20	60	68	-
			NWM	41	-	-	-	-	-	3	9	4	13	9	3	-
			NWF	64	-	-	-	-	-	2	3	4	17	26	12	-
CEREBRAL EMBOLISM-(434.1)	12	0.3			-	-	-	-	-	1	-	3	3	3	2	-
			WM	4	-	-	-	-	-	1	-	1	1	1	-	-
			WF	6	-	-	-	-	-	-	-	1	1	2	2	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	1	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER AND LATE EFFECTS OF CEREBROVASULAR DISEASE-(430,433,435-438)	1936	43.4			-	2	2	3	19	30	87	172	426	701	494	-
			WM	497	-	-	-	1	1	5	26	49	130	187	98	-
			WF	757	-	-	-	1	4	10	11	32	121	303	275	-
			NWM	299	-	2	2	-	6	6	21	51	86	83	42	-
			NWF	383	-	-	-	1	8	9	29	40	89	128	79	-
ATHEROSCLEROSIS-(440)	449	10.1			-	-	-	-	-	6	4	20	65	152	202	-
			WM	137	-	-	-	-	-	1	-	10	22	51	53	-
			WF	213	-	-	-	-	-	2	-	6	20	67	118	-
			NWM	37	-	-	-	-	-	-	1	3	13	15	5	-
			NWF	62	-	-	-	-	-	3	3	1	10	19	26	-
OTHER DISEASES OF ARTERIES ARTERIOLES, AND CAPILLARIES-(441-448)	312	7.0			2	-	-	1	2	6	13	47	128	75	38	-
			WM	145	-	-	-	-	-	3	5	23	75	30	9	-
			WF	102	1	-	-	1	-	1	2	13	30	29	25	-
			NWM	37	-	-	-	-	-	1	5	5	16	9	1	-
			NWF	28	1	-	-	-	2	1	1	6	7	7	3	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACUTE BRONCHITIS, AND BRONCHIOLITIS-(466)	23	0.5			2	2	-	2	-	1	4	3	5	-	4	-
			WM	10	-	-	-	1	-	-	3	2	1	-	3	-
			WF	6	-	1	-	1	-	-	1	1	2	-	-	-
			NWM	3	-	-	-	-	-	1	-	-	2	-	-	-
			NWF	4	2	1	-	-	-	-	-	-	-	-	1	-
PNEUMONIA AND INFLUENZA-(480-487)	840	18.8			22	10	1	3	25	15	24	73	146	270	251	-
			WM	300	4	1	-	1	7	5	7	28	64	106	77	-
			WF	295	1	3	1	-	6	4	5	16	33	104	122	-
			NWM	151	11	2	-	-	6	1	8	24	34	34	31	-
			NWF	94	6	4	-	2	6	5	4	5	15	26	21	-
PNEUMONIA-(480-486)	824	18.5			21	9	1	3	23	15	23	73	143	267	246	-
			WM	295	4	1	-	1	6	5	6	28	64	105	75	-
			WF	288	1	3	1	-	5	4	5	16	30	104	119	-
			NWM	149	11	1	-	-	6	1	8	24	34	33	31	-
			NWF	92	5	4	-	2	6	5	4	5	15	25	21	-
INFLUENZA (487)	16	0.4			1	1	-	-	2	-	1	-	3	3	5	-
			WM	5	-	-	-	-	1	-	1	-	-	1	2	-
			WF	7	-	-	-	-	1	-	-	-	3	-	3	-
			NWM	2	-	1	-	-	-	-	-	-	-	1	-	-
			NWF	2	1	-	-	-	-	-	-	-	-	1	-	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(490-496)	937	21.0			5	-	1	4	9	14	42	152	304	305	101	-
			WM	503	-	-	-	1	2	1	20	82	164	186	47	-
			WF	233	-	-	-	-	-	5	9	36	84	62	37	-
			NWM	131	1	-	-	2	3	4	10	23	37	41	10	-
			NWF	70	4	-	1	1	4	4	3	11	19	16	7	-
BRONCHITIS, CHRONIC AND UNSPECIFIED-(490-491)	39	0.9			3	-	-	-	-	-	1	5	9	11	10	-
			WM	18	-	-	-	-	-	-	1	4	7	5	1	-
			WF	11	-	-	-	-	-	-	-	-	1	3	7	-
			NWM	7	1	-	-	-	-	-	-	1	1	2	2	-
			NWF	3	2	-	-	-	-	-	-	-	-	1	-	-
EMPHYSEMA-(492)	198	4.4			-	-	-	-	3	2	9	37	66	67	14	-
			WM	117	-	-	-	-	-	-	6	22	37	44	8	-
			WF	42	-	-	-	-	-	-	1	8	17	10	6	-
			NWM	30	-	-	-	-	2	2	1	7	9	9	-	-
			NWF	9	-	-	-	-	1	-	1	-	3	4	-	-
ASTHMA-(493)	64	1.4			2	-	1	3	5	9	6	11	16	9	2	-
			WM	12	-	-	-	1	2	-	3	3	2	1	-	-
			WF	17	-	-	-	-	-	4	2	3	4	3	1	-
			NWM	15	-	-	-	2	1	2	-	4	5	1	-	-
			NWF	20	2	-	1	-	2	3	1	1	5	4	1	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(494-496)	636	14.3			-	-	-	1	1	3	26	99	213	218	75	-
			WM	356	-	-	-	-	-	1	10	53	118	136	38	-
			WF	163	-	-	-	-	-	1	6	25	62	46	23	-
			NWM	79	-	-	-	-	-	-	9	11	22	29	8	-
			NWF	38	-	-	-	1	1	1	1	10	11	7	6	-
ULCER OF STOMACH AND DUODENUM-(531-533)	84	1.9			-	-	-	-	-	3	4	14	20	26	17	-
			WM	25	-	-	-	-	-	-	3	6	5	9	2	-
			WF	39	-	-	-	-	-	-	-	4	9	14	12	-
			NWM	9	-	-	-	-	-	2	-	2	3	1	1	-
			NWF	11	-	-	-	-	-	1	1	2	3	2	2	-
APPENDICITIS-(540-543)	16	0.4			-	-	1	-	-	1	2	-	3	7	2	-
			WM	4	-	-	-	-	-	-	-	-	1	3	-	-
			WF	4	-	-	-	-	-	-	1	-	1	1	1	-
			NWM	2	-	-	-	-	-	1	-	-	-	-	1	-
			NWF	6	-	-	1	-	-	-	1	-	1	3	-	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	74	1.7			6	1	-	-	2	1	-	5	18	24	17	-
			WM	17	2	-	-	-	2	-	-	1	5	3	4	-
			WF	30	-	-	-	-	-	-	-	3	9	13	5	-
			NWM	13	2	1	-	-	-	-	-	-	2	4	4	-
			NWF	14	2	-	-	-	-	1	-	1	2	4	4	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
CHRONIC LIVER DISEASE AND CIRRHOSIS-(571)	396	8.9			3	-	1	1	17	41	80	115	96	38	4	-
			WM	180	-	-	-	1	6	12	35	62	50	13	1	-
			WF	112	-	-	-	-	3	9	24	25	30	19	2	-
			NWM	70	2	-	1	-	5	15	15	20	8	4	-	-
			NWF	34	1	-	-	-	3	5	6	8	8	2	1	-
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER-(574-575)	51	1.1			-	-	-	-	-	3	2	4	7	25	10	-
			WM	23	-	-	-	-	-	1	1	3	4	10	4	-
			WF	19	-	-	-	-	-	1	-	1	3	8	6	-
			NWM	2	-	-	-	-	-	-	-	-	-	2	-	-
			NWF	7	-	-	-	-	-	1	1	-	-	5	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-589)	497	11.1			7	1	-	2	5	11	22	65	129	170	85	-
			WM	132	3	-	-	-	1	2	3	16	42	45	20	-
			WF	144	1	1	-	-	1	3	6	15	32	58	27	-
			NWM	108	2	-	-	1	2	5	7	21	24	32	14	-
			NWF	113	1	-	-	1	1	1	6	13	31	35	24	-
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE-(584-586, 588-589)	442	9.9			7	1	-	1	5	11	19	56	116	153	73	-
			WM	116	3	-	-	-	1	2	3	13	35	42	17	-
			WF	126	1	1	-	-	1	3	5	14	31	48	22	-
			NWM	101	2	-	-	1	2	5	7	18	23	31	12	-
			NWF	99	1	-	-	-	1	1	4	11	27	32	22	-
OTHER NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-583,587)	55	1.2			-	-	-	1	-	-	3	9	13	17	12	-
			WM	16	-	-	-	-	-	-	-	3	7	3	3	-
			WF	18	-	-	-	-	-	-	1	1	1	10	5	-
			NWM	7	-	-	-	-	-	-	-	3	1	1	2	-
			NWF	14	-	-	-	1	-	-	2	2	4	3	2	-
INFECTIONS OF KIDNEY-(590)	46	1.0			-	-	-	-	-	-	1	4	6	19	16	-
			WM	11	-	-	-	-	-	-	-	2	3	3	3	-
			WF	26	-	-	-	-	-	-	1	1	3	11	10	-
			NWM	5	-	-	-	-	-	-	-	1	-	3	1	-
			NWF	4	-	-	-	-	-	-	-	-	-	2	2	-
HYPERPLASIA OF PROSTATE-(600)	5	0.1			-	-	-	-	-	-	-	1	-	3	1	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	5	-	-	-	-	-	-	-	1	-	3	1	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM-(630-676)	6	0.1			-	-	-	3	1	2	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	3	-	-	-	2	1	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	3	-	-	-	1	-	2	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	275	6.2			203	16	7	14	8	9	5	4	5	4	-	-
			WM	96	75	5	2	4	1	4	1	1	2	1	-	-
			WF	78	49	4	2	4	5	4	3	3	1	3	-	-
			NWM	45	37	2	-	3	1	1	-	-	1	-	-	-
			NWF	56	42	5	3	3	1	-	1	-	1	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(760-779)	484	10.8			482	2	-	-	-	-	-	-	-	-	-	-
			WM	104	103	1	-	-	-	-	-	-	-	-	-	-
			WF	86	86	-	-	-	-	-	-	-	-	-	-	-
			NWM	163	163	-	-	-	-	-	-	-	-	-	-	-
			NWF	131	130	1	-	-	-	-	-	-	-	-	-	-
SYMPTOMS,SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	306	6.9			80	4	-	4	13	9	8	38	53	49	48	-
			WM	114	32	1	-	1	4	6	4	10	24	17	15	-
			WF	75	10	1	-	-	2	2	2	12	13	16	17	-
			NWM	67	22	-	-	1	4	-	2	13	8	8	9	-
			NWF	50	16	2	-	2	3	1	-	3	8	8	7	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	2045	45.8			27	100	97	498	375	214	164	175	147	161	86	1
			WM	1019	7	28	41	299	225	123	90	82	64	43	16	1
			WF	405	6	19	15	88	32	29	25	41	35	69	46	-
			NWM	462	6	40	34	84	97	46	40	38	33	33	11	-
			NWF	159	8	13	7	27	21	16	9	14	15	16	13	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
RAILWAY ACCIDENTS-(E800-E807)	10	0.2			-	-	-	7	1	2	-	-	-	-	-	-
			WM	5	-	-	-	4	1	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	5	-	-	-	3	-	2	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS-(E810-E825)	965	21.6			6	40	43	344	206	106	68	59	49	40	4	-
			WM	518	2	10	15	199	125	59	38	34	22	12	2	-
			WF	203	2	8	8	81	20	20	13	15	13	22	1	-
			NWM	182	1	16	14	45	50	16	15	8	11	5	1	-
			NWF	62	1	6	6	19	11	11	2	2	3	1	-	-
WATER TRANSPORT ACCIDENTS-(E830-E838)	69	1.5			-	2	2	14	25	7	8	7	4	-	-	-
			WM	53	-	2	1	13	19	3	6	5	4	-	-	-
			WF	3	-	-	1	-	2	-	-	-	-	-	-	-
			NWM	13	-	-	-	1	4	4	2	2	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION IN WATER TRANSPORT ACCIDENT-(E830-E832)	55	1.2			-	1	1	12	21	5	7	5	3	-	-	-
			WM	43	-	1	1	11	16	2	5	4	3	-	-	-
			WF	2	-	-	-	-	2	-	-	-	-	-	-	-
			NWM	10	-	-	-	1	3	3	2	1	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER WATER TRANSPORT ACCIDENT-(E831, E833-E838)	14	0.3			-	1	1	2	4	2	1	2	1	-	-	-
			WM	10	-	1	-	2	3	1	1	1	1	-	-	-
			WF	1	-	-	1	-	-	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	1	1	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
AIR AND SPACE TRANSPORT ACCIDENTS-(E840-E845)	31	0.7			-	-	1	6	6	8	5	3	1	1	-	-
			WM	27	-	-	-	6	4	8	4	3	1	1	-	-
			WF	4	-	-	1	-	2	-	1	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING-(E850-E869)	74	1.7			-	7	1	11	19	12	8	6	3	5	2	-
			WM	31	-	1	1	7	13	7	1	1	-	-	-	-
			WF	17	-	1	-	1	1	3	3	5	-	1	2	-
			NWM	17	-	5	-	3	2	1	2	-	1	3	-	-
			NWF	9	-	-	-	-	3	1	2	-	2	1	-	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-(E850-E866)	53	1.2			-	4	-	8	15	8	7	5	2	3	1	-
			WM	22	-	1	-	6	10	3	1	1	-	-	-	-
			WF	14	-	1	-	-	1	3	3	4	-	1	1	-
			NWM	9	-	2	-	2	1	1	1	-	1	1	-	-
			NWF	8	-	-	-	-	3	1	2	-	1	1	-	-
ACCIDENTAL POISONING BY GASES AND VAPOURS-(E867-E869)	21	0.5			-	3	1	3	4	4	1	1	1	2	1	-
			WM	9	-	-	1	1	3	4	-	-	-	-	-	-
			WF	3	-	-	-	1	-	-	-	1	-	-	1	-
			NWM	8	-	3	-	1	1	-	1	-	-	2	-	-
			NWF	1	-	-	-	-	-	-	-	-	1	-	-	-
MISADVENTURE DURING MEDICAL CARE, ABNORMAL REACTION, AND LATE COMPLICATIONS-(E870-E879)	56	1.3			-	-	1	2	3	1	5	8	13	16	7	-
			WM	14	-	-	-	-	2	-	2	3	4	3	-	-
			WF	23	-	-	-	-	1	-	1	3	4	8	6	-
			NWM	9	-	-	1	1	-	-	1	-	2	4	-	-
			NWF	10	-	-	-	1	-	1	1	2	3	1	1	-
ACCIDENTAL FALLS-(E880-E888)	149	3.3			-	-	-	7	8	9	10	17	17	35	46	-
			WM	53	-	-	-	6	6	4	4	9	5	8	11	-
			WF	56	-	-	-	-	-	1	2	2	6	17	28	-
			NWM	29	-	-	-	1	2	3	3	5	5	8	2	-
			NWF	11	-	-	-	-	-	1	1	1	1	2	5	-
ACCIDENTS CAUSED BY FIRES AND FLAMES-(E890-E899)	156	3.5			4	33	7	10	24	9	10	25	15	13	5	1
			WM	45	1	6	3	5	8	3	5	6	5	2	-	1
			WF	24	-	6	2	1	2	1	2	4	3	2	1	-
			NWM	58	1	16	2	2	11	5	2	9	4	4	2	-
			NWF	29	2	5	-	2	3	-	1	6	3	5	2	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACCIDENTAL DROWNING AND SUBMERSION (EXCLUDING IN TRANSPORT)-(E910)	139	3.1			1	10	17	40	33	15	9	8	1	2	3	-
			WM	64	-	7	5	18	13	9	5	6	-	-	1	-
			WF	7	-	1	1	1	1	-	-	-	-	1	2	-
			NWM	60	-	1	11	19	18	5	3	1	1	1	-	-
			NWF	8	1	1	-	2	1	1	1	1	-	-	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	100	2.2			10	2	3	3	3	8	4	19	18	21	9	-
			WM	32	3	-	1	1	1	3	2	6	9	5	1	-
			WF	30	3	-	1	-	-	2	-	9	3	7	5	-
			NWM	20	1	1	-	1	-	2	1	2	4	6	2	-
			NWF	18	3	1	1	1	2	1	1	2	2	3	1	-
ACCIDENT CAUSED BY FIREARM MISSILE-(E922)	67	1.5			-	3	12	22	12	7	6	3	2	-	-	-
			WM	47	-	1	8	17	7	4	5	3	2	-	-	-
			WF	3	-	1	-	1	-	1	-	-	-	-	-	-
			NWM	16	-	1	4	3	5	2	1	-	-	-	-	-
			NWF	1	-	-	-	1	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-(E923)	3	0.1			-	-	-	2	-	-	1	-	-	-	-	-
			WM	3	-	-	-	2	-	-	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT-(E925)	29	0.6			-	-	2	2	12	6	6	-	1	-	-	-
			WM	21	-	-	2	-	9	6	4	-	-	-	-	-
			WF	2	-	-	-	1	1	-	-	-	-	-	-	-
			NWM	6	-	-	-	1	2	-	2	-	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E826-E829, E846-E848,E900-E909,E913-E921,E924, E926-E929)	197	4.4			6	3	8	28	23	24	24	20	23	28	10	-
			WM	106	1	1	5	21	17	17	13	6	12	12	1	-
			WF	33	1	2	1	2	2	1	3	3	6	11	1	-
			NWM	47	3	-	2	4	3	6	8	11	4	2	4	-
			NWF	11	1	-	-	1	1	-	-	-	1	3	4	-
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE-(E930-E949)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE-(E950-E959)	593	13.3			-	-	1	106	160	86	66	82	57	27	8	-
			WM	390	-	-	-	72	101	52	39	50	50	22	4	-
			WF	118	-	-	1	13	31	20	17	25	5	3	3	-
			NWM	72	-	-	-	16	22	14	9	7	1	2	1	-
			NWF	13	-	-	-	5	6	-	1	-	1	-	-	-
SUICIDE BY POISONING BY SOLID AND LIQUID SUBSTANCES-(E950)	58	1.3			-	-	-	7	22	9	9	8	3	-	-	-
			WM	23	-	-	-	2	12	5	2	1	1	-	-	-
			WF	29	-	-	-	3	8	4	5	7	2	-	-	-
			NWM	2	-	-	-	-	1	-	1	-	-	-	-	-
			NWF	4	-	-	-	2	1	-	1	-	-	-	-	-
SUICIDE BY POISONING BY GASES AND VAPORS-(E951-E952)	13	0.3			-	-	-	1	4	4	2	2	-	-	-	-
			WM	10	-	-	-	1	4	2	2	1	-	-	-	-
			WF	3	-	-	-	-	-	2	-	1	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-(E953)	48	1.1			-	-	-	15	12	9	4	1	2	2	3	-
			WM	33	-	-	-	12	8	8	2	-	2	-	1	-
			WF	7	-	-	-	1	1	-	2	-	-	1	2	-
			NWM	8	-	-	-	2	3	1	-	1	-	1	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY FIREARMS AND EXPLOSIVES-(E955)	449	10.1			-	-	1	79	118	61	46	66	48	25	5	-
			WM	313	-	-	-	56	75	36	33	45	43	22	3	-
			WF	72	-	-	1	9	21	13	6	16	3	2	1	-
			NWM	55	-	-	-	11	17	12	7	5	1	1	1	-
			NWF	9	-	-	-	3	5	-	-	-	1	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELFINFLICTED INJURY-(E954, E956-E959)	25	0.6			-	-	-	4	4	3	5	5	4	-	-	-
			WM	11	-	-	-	1	2	1	-	3	4	-	-	-
			WF	7	-	-	-	-	1	1	4	1	-	-	-	-
			NWM	7	-	-	-	3	1	1	1	1	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION-(E960-E978)	597	13.4			8	3	13	133	206	111	53	33	19	12	5	1
			WM	159	1	1	1	29	52	37	20	11	3	3	-	1
			WF	60	1	-	2	16	11	6	7	8	5	3	1	-
			NWM	291	1	-	5	72	108	56	22	12	8	3	4	-
			NWF	87	5	2	5	16	35	12	4	2	3	3	-	-
ASSAULT BY FIREARMS AND EXPLOSIVES-(E965)	410	9.2			-	1	6	93	148	88	38	19	11	4	1	1
			WM	115	-	-	-	24	39	30	14	3	3	1	-	1
			WF	33	-	-	2	9	6	4	4	5	2	1	-	-
			NWM	219	-	-	2	54	83	46	18	10	4	1	1	-
			NWF	43	-	1	2	6	20	8	2	1	2	1	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENT-(E966)	104	2.3			-	-	4	27	38	17	6	5	2	4	1	-
			WM	24	-	-	1	4	6	4	3	5	-	1	-	-
			WF	7	-	-	-	1	2	2	-	-	-	1	1	-
			NWM	54	-	-	1	16	23	8	3	-	2	1	-	-
			NWF	19	-	-	2	6	7	3	-	-	-	1	-	-
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY ANOTHER PERSON-(E960-E964, E967-E969)	76	1.7			8	2	3	13	18	4	6	9	6	4	3	-
			WM	15	1	1	-	1	5	2	1	3	-	1	-	-
			WF	20	1	-	-	6	3	-	3	3	3	1	-	-
			NWM	16	1	-	2	2	2	1	-	2	2	1	3	-
			NWF	25	5	1	1	4	8	1	2	1	1	1	-	-
LEGAL INTERVENTION-(E970-E978)	7	0.2			-	-	-	-	2	2	3	-	-	-	-	-
			WM	5	-	-	-	-	2	1	2	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	1	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER EXTERNAL CAUSES-(E980-E999)	23	0.5			-	2	1	5	4	3	3	1	3	1	-	-
			WM	12	-	-	-	5	2	-	2	1	1	1	-	-
			WF	4	-	-	-	-	1	1	1	-	1	-	-	-
			NWM	7	-	2	1	-	1	2	-	-	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES-(RESIDUAL)	2411	54.0			58	33	24	55	83	125	175	341	517	618	380	2
			WM	731	12	9	7	15	30	36	56	104	194	186	81	1
			WF	871	16	6	9	10	13	21	33	113	169	263	218	-
			NWM	413	20	11	6	18	20	37	47	69	82	69	33	1
			NWF	396	10	7	2	12	20	31	39	55	72	100	48	-

* RATE PER 100,000 POPULATION

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2109	974	27	310	136	301	361
ACADIA	42	23	-	10	-	4	5
CROWLEY*	7	4	-	2	-	-	1
ALLEN	14	8	-	2	2	1	1
ASCENSION	25	13	-	4	3	2	3
ASSUMPTION	9	6	-	1	-	2	-
AVOYELLES	18	5	1	-	-	4	8
BEAUREGARD	20	4	-	4	3	5	4
DE RIDDER*	7	1	-	1	2	-	3
BIENVILLE	4	3	-	-	-	1	-
BOSSIER	40	17	-	5	2	12	4
BOSSIER CITY*	17	7	-	1	1	5	3
CADDO	112	48	1	17	7	15	24
SHREVEPORT*	79	31	1	12	4	10	21
CALCASIEU	72	30	-	12	4	10	16
LAKE CHARLES*	33	13	-	7	-	1	12
SULPHUR*	10	3	-	2	2	-	3
CALDWELL	1	-	-	-	-	1	-
CAMERON	20	6	-	1	9	4	-
CATAHOULA	4	3	-	-	-	1	-
CLAIBORNE	10	4	-	4	-	1	1
CONCORDIA	13	6	1	1	-	3	2
DESOTO	16	4	2	2	2	1	5
E BATON ROUGE	125	65	1	21	6	8	24
BATON ROUGE*	111	58	-	18	6	7	22
BAKER*	-	-	-	-	-	-	-
EAST CARROLL	9	2	-	1	1	2	3
E FELICIANA	7	3	-	2	-	1	1
EVANGELINE	26	12	-	8	2	-	4
FRANKLIN	3	2	-	-	-	-	1
GRANT	18	10	-	4	-	3	1
IBERIA	29	8	-	4	5	8	4
NEW IBERIA*	14	5	-	4	-	1	4
IBERVILLE	23	8	1	2	2	5	5
JACKSON	8	-	-	7	-	1	-
JEFFERSON	135	67	2	20	8	17	21
KENNER*	19	10	-	7	-	2	-
GRETNA*	14	7	1	3	1	-	2
HARAHAN*	2	2	-	-	-	-	-
WESTWEGO*	4	-	-	-	-	2	2
JEFF DAVIS	25	15	-	4	1	2	3
JENNINGS*	6	2	-	2	-	-	2
LAFAYETTE	62	33	1	5	1	5	17
LAFAYETTE*	39	14	1	3	1	5	15
LAFOURCHE	56	31	-	7	5	6	7
THIBODAUX*	7	2	-	1	-	2	2
LASALLE	10	4	1	-	3	1	1
LINCOLN	17	5	1	7	-	1	3
RUSTON*	8	3	1	1	-	-	3
LIVINGSTON	28	12	-	1	2	7	6
MADISON	8	5	-	2	-	1	-
TALLULAH*	4	2	-	2	-	-	-
MOREHOUSE	10	6	-	3	1	-	-
BASTROP*	4	1	-	2	1	-	-
NATCHITOCHES	25	13	2	5	-	3	2
NATCHITOCHES*	9	2	-	4	-	1	2
ORLEANS	273	76	-	50	3	43	101
OUACHITA	53	27	3	14	2	4	3
MONROE*	25	8	2	10	2	1	2
WEST MONROE*	8	6	-	1	-	-	1
PLAQUEMINES	40	20	-	2	7	9	2
POINTE COUPEE	16	8	-	1	2	3	2
RAPIDES	63	26	-	15	2	6	14
ALEXANDRIA*	21	4	-	9	-	1	7
PINEVILLE*	6	4	-	-	-	1	1
RED RIVER	8	7	-	1	-	-	-

(CONTINUED)

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
RICHLAND	10	1	1	3	1	3	1
SABINE	8	6	1	-	-	1	-
ST BERNARD	24	6	-	5	5	6	2
ST CHARLES	33	22	-	2	1	5	3
ST HELENA	7	4	-	2	-	1	-
ST JAMES	18	11	-	-	-	6	1
ST JOHN	16	6	-	1	4	3	2
ST LANDRY	41	22	1	5	-	6	7
OPELOUSAS*	8	3	-	-	-	-	5
EUNICE*	6	-	-	2	-	3	1
ST MARTIN	27	15	-	3	1	6	2
ST MARY	41	19	1	-	9	9	3
MORGAN CITY*	2	-	1	-	-	1	-
ST TAMMANY	76	48	1	-	1	12	14
SLIDELL*	19	12	1	-	1	1	4
TANGIPAHOA	47	27	-	4	-	10	6
HAMMOND*	7	7	-	-	-	-	-
TENSAS	14	11	-	3	-	-	-
TERREBONNE	89	41	2	12	11	15	8
HOUMA*	19	5	-	6	1	3	4
UNION	8	3	-	3	-	-	2
VERMILION	29	15	2	2	7	3	-
ABBEVILLE*	5	2	1	1	-	1	-
VERNON	29	22	-	2	1	1	3
WASHINGTON	34	21	1	5	-	4	3
BOGALUSA*	11	5	1	2	-	-	3
WEBSTER	27	11	-	6	3	5	2
MINDEN*	5	3	-	1	-	1	-
W BATON ROUGE	10	9	-	-	1	-	-
WEST CARROLL	2	2	-	-	-	-	-
W FELICIANA	12	3	-	1	6	2	-
WINN	9	4	-	2	-	-	3
UNKNOWN***	1	-	-	-	-	-	1
OUT OF STATE**	29	8	-	2	14	1	4

* NOT INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF ACCIDENT UNKNOWN, ASSUMED LOUISIANA
NOTE: 1 DEATHS DUE TO DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES
CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949) EXCLUDED

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1005	984	12.1			381	175	38	30	29	331
				MW	254	93	48	14	8	8	83
				FW	186	63	38	8	10	3	64
				MNW	297	124	47	9	6	10	101
				FNW	247	101	42	7	6	8	83
ACADIA	3	15	12.4			7	2	-	-	-	6
				MW	5	2	-	-	-	-	3
				FW	7	5	-	-	-	-	2
				MNW	1	-	-	-	-	-	1
				FNW	2	-	2	-	-	-	-
CROWLEY*	-	5	15.2			3	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	3	3	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
ALLEN	4	6	15.5			3	1	-	1	-	1
				MW	2	2	-	-	-	-	-
				FW	1	-	-	-	1	-	-
				MNW	2	-	1	-	-	-	1
				FNW	1	1	-	-	-	-	-
ASCENSION	5	17	13.7			6	6	1	-	-	4
				MW	5	3	1	-	-	-	1
				FW	4	2	2	-	-	-	-
				MNW	4	-	2	1	-	-	1
				FNW	4	1	1	-	-	-	2
ASSUMPTION	1	6	13.3			4	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	4	3	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
AVOYELLES	4	6	8.2			-	1	-	1	-	4
				MW	3	-	1	-	1	-	1
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	1	-	-	-	-	-	1
BEAUREGARD	4	6	11.5			2	2	-	-	-	2
				MW	2	-	-	-	-	-	2
				FW	2	-	2	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
DE RIDDER*	4	5	21.6			1	2	-	-	-	2
				MW	2	-	-	-	-	-	2
				FW	2	-	2	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
BIENVILLE	-	2	7.4			2	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	2	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
BOSSIER	6	19	11.3			10	2	-	-	1	6
				MW	6	2	1	-	-	1	2
				FW	4	2	-	-	-	-	2
				MNW	3	3	-	-	-	-	-
				FNW	6	3	1	-	-	-	2
BOSSIER CITY*	5	12	11.2			6	2	-	-	-	4
				MW	5	2	1	-	-	-	2
				FW	2	1	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	4	2	1	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
CADDO	122	68	13.8			29	15	2	2	3	17
				MW	17	7	4	1	-	-	5
				FW	10	6	1	-	1	-	2
				MNW	18	7	4	-	-	2	5
				FNW	23	9	6	1	1	1	5
SHREVEPORT*	120	57	14.1			25	14	2	2	3	11
				MW	13	5	4	1	-	-	3
				FW	7	4	-	-	1	-	2
				MNW	15	7	4	-	-	2	2
				FNW	22	9	6	1	1	1	4
CALCASIEU	39	34	10.5			12	7	1	1	1	12
				MW	6	3	-	-	-	1	2
				FW	12	5	1	1	1	-	4
				MNW	9	3	2	-	-	-	4
				FNW	7	1	4	-	-	-	2
LAKE CHARLES*	36	21	15.3			8	5	1	-	1	6
				MW	2	1	-	-	-	1	-
				FW	5	3	-	1	-	-	1
				MNW	8	3	2	-	-	-	3
				FNW	6	1	3	-	-	-	2
SULPHUR*	2	2	5.4			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
CALDWELL	-	1	6.5			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CAMERON	1	4	23.3			1	1	-	-	-	2
				MW	2	1	-	-	-	-	1
				FW	2	-	1	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CATAHOULA	1	4	19.1			-	-	-	-	-	4
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	2	-	-	-	-	-	2
CLAIBORNE	-	4	13.8			3	-	1	-	-	-
				MW	-	-	-	-	-	-	-
				FW	2	2	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	1	-	1	-	-	-
CONCORDIA	2	5	12.4			1	2	-	-	-	2
				MW	2	-	1	-	-	-	1
				FW	1	-	1	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
DESOTO	1	3	5.8			-	2	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
E BATON ROUGE	114	83	11.7			42	16	2	4	1	18
				MW	14	8	3	-	1	-	2
				FW	10	2	4	-	1	-	3
				MNW	32	17	3	1	1	1	9
				FNW	27	15	6	1	1	-	4

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
BATON ROUGE*	112	73	14.0			36	15	2	1	1	18
				MW	10	5	3	-	-	-	2
				FW	9	2	3	-	1	-	3
				MNW	30	16	3	1	-	1	9
				FNW	24	13	6	1	-	-	4
BAKER*	-	2	7.7			1	-	-	1	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	1	-	-
				FNW	1	1	-	-	-	-	-
EAST CARROLL	3	4	15.7			-	1	-	-	-	3
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	3	-	1	-	-	-	2
E FELICIANA	-	1	2.6			-	1	-	-	-	-
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
EVANGELINE	5	6	9.6			1	1	-	-	-	4
				MW	2	-	-	-	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	3	-	1	-	-	-	2
				FNW	1	1	-	-	-	-	-
FRANKLIN	-	3	7.4			1	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
GRANT	-	1	3.8			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
IBERIA	8	17	12.1			5	3	1	1	1	6
				MW	8	1	3	1	1	1	1
				FW	4	1	-	-	-	-	3
				MNW	2	2	-	-	-	-	-
				FNW	3	1	-	-	-	-	2
NEW IBERIA*	8	10	13.8			3	-	1	-	1	5
				MW	3	-	-	1	-	1	1
				FW	3	1	-	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	3	1	-	-	-	-	2
IBERVILLE	3	10	15.2			1	4	1	-	-	4
				MW	3	-	2	1	-	-	-
				FW	2	-	1	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	4	1	1	-	-	-	2
JACKSON	3	4	15.3			-	-	-	-	1	3
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	2	-	-	-	-	1	1
				FNW	-	-	-	-	-	-	-
JEFFERSON	130	72	9.3			26	13	5	5	-	23
				MW	28	11	5	3	-	-	9
				FW	13	2	6	-	3	-	2
				MNW	16	7	2	1	1	-	5
				FNW	15	6	-	1	1	-	7

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
KENNER*	1	8	6.8			2	1	-	2	-	3
				MW	4	2	1	-	-	-	1
				FW	1	-	-	-	1	-	-
				MNW	1	-	-	-	1	-	-
				FNW	2	-	-	-	-	-	2
GRETNA*	7	11	16.6			2	2	-	1	-	6
				MW	5	-	1	-	-	-	4
				FW	3	-	1	-	1	-	1
				MNW	3	2	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
HARAHAN*	-	1	11.4			-	1	-	-	-	-
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WESTWEGO*	-	2	6.1			1	1	-	-	-	-
				MW	2	1	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
JEFF DAVIS	1	4	7.2			-	3	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	3	-	2	-	-	-	1
JENNINGS*	1	3	14.9			-	2	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	2	-	1	-	-	-	1
LAFAYETTE	63	36	10.9			15	8	1	-	-	12
				MW	13	4	3	-	-	-	6
				FW	9	3	2	1	-	-	3
				MNW	9	5	2	-	-	-	2
				FNW	5	3	1	-	-	-	1
LAFAYETTE*	62	17	10.2			8	4	1	-	-	4
				MW	6	2	2	-	-	-	2
				FW	3	1	-	1	-	-	1
				MNW	5	3	1	-	-	-	1
				FNW	3	2	1	-	-	-	-
LAFOURCHE	6	20	13.0			8	3	1	2	-	6
				MW	9	3	2	1	1	-	2
				FW	6	1	1	-	1	-	3
				MNW	5	4	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
THIBODAUX*	5	4	12.7			3	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
LASALLE	-	2	7.7			1	1	-	-	-	-
				MW	2	1	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
LINCOLN	4	11	17.7			2	3	-	-	1	5
				MW	2	1	1	-	-	-	-
				FW	3	-	2	-	-	-	1
				MNW	3	-	-	-	-	-	3
				FNW	3	1	-	-	-	1	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
RUSTON*	3	3	9.9			1	-	-	-	1	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	2	1	-	-	-	1	-
LIVINGSTON	3	15	11.1			3	4	-	2	2	4
				MW	6	3	-	-	1	1	1
				FW	8	-	4	-	1	1	2
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
MADISON	1	3	11.3			-	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	3	-	1	-	-	-	2
TALLULAH*	1	3	17.2			-	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	3	-	1	-	-	-	2
MOREHOUSE	1	12	20.3			5	1	1	-	-	5
				MW	3	1	1	-	-	-	1
				FW	4	2	-	-	-	-	2
				MNW	2	1	-	-	-	-	1
				FNW	3	1	-	1	-	-	1
BASTROP*	1	4	13.7			1	-	-	-	-	3
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	1	1	-	-	-	-	-
NATCHITOCHES	2	9	13.4			3	2	-	-	-	4
				MW	2	-	1	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	3	2	-	-	-	-	1
				FNW	3	1	1	-	-	-	1
NATCHITOCHES*	2	6	18.0			3	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	3	1	1	-	-	-	1
ORLEANS	245	170	16.3			79	30	8	4	5	44
				MW	13	4	3	1	-	1	4
				FW	19	7	4	2	1	1	4
				MNW	82	39	17	4	2	1	19
				FNW	56	29	6	1	1	2	17
OUACHITA	64	29	11.4			10	2	1	-	1	15
				MW	10	2	1	1	-	-	6
				FW	2	1	-	-	-	-	1
				MNW	8	3	1	-	-	1	3
				FNW	9	4	-	-	-	-	5
MONROE*	58	18	14.3			8	2	-	-	-	8
				MW	4	1	1	-	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	7	3	1	-	-	-	3
				FNW	7	4	-	-	-	-	3
WEST MONROE*	3	1	3.4			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
PLAQUEMINES	1	9	16.2			4	2	-	-	1	2
				MW	3	1	1	-	-	-	1
				FW	2	1	-	-	-	-	1
				MNW	3	1	1	-	-	1	-
				FNW	1	1	-	-	-	-	-
POINTE COUPEE	-	8	16.9			2	2	-	-	1	3
				MW	4	1	1	-	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	3	-	1	-	-	1	1
RAPIDES	37	32	13.1			11	6	3	2	1	9
				MW	6	2	1	1	1	-	1
				FW	5	2	1	1	-	-	1
				MNW	10	4	2	-	-	-	4
				FNW	11	3	2	1	1	1	3
ALEXANDRIA*	19	16	14.2			5	4	2	-	1	4
				MW	3	1	1	1	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	6	2	2	-	-	-	2
				FNW	7	2	1	1	-	1	2
PINEVILLE*	13	5	16.7			3	-	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	2	1	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
RED RIVER	1	1	4.7			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
RICHLAND	1	4	9.8			2	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	2	-	1	-	-	-	1
SABINE	1	2	5.3			-	1	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST BERNARD	2	9	8.4			6	1	-	-	-	2
				MW	4	3	1	-	-	-	-
				FW	4	2	-	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST CHARLES	-	11	12.1			4	2	-	1	1	3
				MW	8	4	2	-	1	-	1
				FW	2	-	-	-	-	1	1
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
ST HELENA	1	2	11.9			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
ST JAMES	1	4	9.0			2	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	2	1	1	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ST JOHN	4	7	7.2			1	-	1	-	-	5
				MW	1	-	-	1	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	-	-	-	-	-	2
				FNW	3	1	-	-	-	-	2
ST LANDRY	11	18	10.6			5	-	1	-	-	12
				MW	7	3	-	-	-	-	4
				FW	4	1	-	-	-	-	3
				MNW	4	-	-	1	-	-	3
				FNW	3	1	-	-	-	-	2
OPELOUSAS*	8	5	10.3			2	-	1	-	-	2
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	-	-	1	-	-	2
				FNW	1	1	-	-	-	-	-
EUNICE*	2	2	7.7			1	-	-	-	-	1
				MW	2	1	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST MARTIN	2	7	7.7			2	-	-	-	-	5
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	5	-	-	-	-	-	5
				FNW	2	2	-	-	-	-	-
ST MARY	6	12	8.9			4	-	-	1	1	6
				MW	3	-	-	-	-	-	3
				FW	-	-	-	-	-	-	-
				MNW	4	2	-	-	1	-	1
				FNW	5	2	-	-	-	1	2
MORGAN CITY*	5	7	10.8			1	-	-	-	1	5
				MW	3	-	-	-	-	-	3
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	3	1	-	-	-	1	1
ST TAMMANY	9	29	12.3			12	5	1	-	2	9
				MW	12	5	1	-	-	2	4
				FW	12	4	3	1	-	-	4
				MNW	2	1	1	-	-	-	-
				FNW	3	2	-	-	-	-	1
SLIDELL*	3	9	16.7			4	3	-	-	1	1
				MW	3	1	-	-	-	1	1
				FW	4	1	3	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
TANGIPAHOA	18	25	14.1			4	3	3	-	3	12
				MW	5	-	1	1	-	1	2
				FW	4	1	-	1	-	-	2
				MNW	14	3	2	1	-	2	6
				FNW	2	-	-	-	-	-	2
HAMMOND*	1	5	14.2			-	2	-	-	1	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	4	-	2	-	-	1	1
				FNW	1	-	-	-	-	-	1
TENSAS	1	1	6.6			1	-	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TERREBONNE	22	12	5.7			7	1	2	-	-	2
				MW	6	5	-	1	-	-	-
				FW	3	1	-	1	-	-	1
				MNW	2	1	1	-	-	-	-
				FNW	1	-	-	-	-	-	1
HOUMA*	8	4	5.0			2	1	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	1	-	-	-	-
				FNW	1	-	-	-	-	-	1
UNION	2	6	18.3			1	2	-	-	-	3
				MW	2	1	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	4	-	2	-	-	-	2
				FNW	-	-	-	-	-	-	-
VERMILION	9	12	12.5			5	2	-	1	-	4
				MW	4	-	2	-	-	-	2
				FW	2	2	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	4	2	-	-	1	-	1
ABBEVILLE*	5	5	17.3			3	-	-	1	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	3	2	-	-	1	-	-
VERNON	16	29	18.9			14	1	-	2	1	11
				MW	14	5	1	-	1	-	7
				FW	4	2	-	-	-	-	2
				MNW	6	3	-	-	1	1	1
				FNW	5	4	-	-	-	-	1
WASHINGTON	6	8	10.6			3	2	-	-	-	3
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	5	1	2	-	-	-	2
BOGALUSA*	5	4	15.7			1	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	2	-	1	-	-	-	1
WEBSTER	5	12	16.2			2	2	1	-	-	7
				MW	3	1	-	1	-	-	1
				FW	4	1	1	-	-	-	2
				MNW	4	-	1	-	-	-	3
				FNW	1	-	-	-	-	-	1
MINDEN*	3	7	25.5			2	1	-	-	-	4
				MW	2	1	-	-	-	-	1
				FW	2	1	-	-	-	-	1
				MNW	2	-	1	-	-	-	1
				FNW	1	-	-	-	-	-	1
W BATON ROUGE	-	5	11.0			2	2	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	3	2	1	-	-	-	-
				FNW	1	-	-	-	-	-	1
WEST CARROLL	-	2	9.8			1	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
W FELICIANA	-	1	5.6			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
WINN	-	4	14.8			3	-	-	-	1	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	2	1	-	-	-	1	-
OUT OF STATE**	8	29				4	7	-	1	1	16
				MW	13	3	4	-	-	1	5
				FW	7	1	1	-	1	-	4
				MNW	7	-	1	-	-	-	6
				FNW	2	-	1	-	-	-	1

*CITIES INCLUDED IN PARISH TOTALS

**NOT INCLUDED IN STATE TOTALS

TABLE XX-B
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1984

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1005	984	12.1			381	175	38	30	29	331
				MW	254	93	48	14	8	8	83
				FW	186	63	38	8	10	3	64
				MNW	297	124	47	9	6	10	101
				FNW	247	101	42	7	6	8	83
SPD 1	387	289	13.0			127	51	14	9	8	80
				MW	60	24	11	4	-	3	18
				FW	50	16	13	3	4	1	13
				MNW	104	49	21	5	3	2	24
				FNW	75	38	6	2	2	2	25
SPD 2	150	175	12.0			63	41	7	6	7	51
				MW	38	15	9	2	2	2	8
				FW	31	6	12	1	2	1	9
				MNW	58	24	8	3	1	3	19
				FNW	48	18	12	1	1	1	15
SPD 3	34	60	9.3			26	7	4	3	1	19
				MW	24	12	4	3	2	-	3
				FW	15	4	1	1	1	1	7
				MNW	15	8	1	-	-	-	6
				FNW	6	2	1	-	-	-	3
SPD 4	107	123	10.7			44	16	3	3	2	55
				MW	42	10	8	1	1	1	21
				FW	26	12	2	1	-	-	11
				MNW	30	10	3	1	1	-	15
				FNW	25	12	3	-	1	1	8
SPD 5	49	54	11.1			18	14	1	2	1	18
				MW	12	6	-	-	-	1	5
				FW	17	5	4	1	2	-	5
				MNW	13	4	4	-	-	-	5
				FNW	12	3	6	-	-	-	3
SPD 6	60	83	13.6			31	11	3	5	3	30
				MW	28	9	5	1	3	-	10
				FW	10	4	2	1	-	-	3
				MNW	24	10	2	-	1	1	10
				FNW	21	8	2	1	1	2	7
SPD 7	142	131	12.7			51	27	4	2	5	42
				MW	32	11	9	2	-	1	9
				FW	26	11	4	-	1	-	10
				MNW	34	14	5	-	-	2	13
				FNW	39	15	9	2	1	2	10
SPD 8	76	69	12.4			21	8	2	-	2	36
				MW	18	6	2	1	-	-	9
				FW	11	5	-	-	-	-	6
				MNW	19	5	3	-	-	2	9
				FNW	21	5	3	1	-	-	12
HSA 1	421	349	12.2			153	58	18	12	9	99
				MW	84	36	15	7	2	3	21
				FW	65	20	14	4	5	2	20
				MNW	119	57	22	5	3	2	30
				FNW	81	40	7	2	2	2	28
HSA 2	306	352	11.4			125	71	11	11	10	124
				MW	92	31	17	3	3	4	34
				FW	74	23	18	3	4	1	25
				MNW	101	38	15	4	2	3	39
				FNW	85	33	21	1	2	2	26
HSA 3	278	283	12.9			103	46	9	7	10	108
				MW	78	26	16	4	3	1	28
				FW	47	20	6	1	1	-	19
				MNW	77	29	10	-	1	5	32
				FNW	81	28	14	4	2	4	29

TABLE XXI
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE OF DEATH AND RACE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1984

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES*			
		UNDER 1	1-6	7-13	14-20	21-27	28-364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		4.7	2.1	0.5	0.4	0.4	4.1	6.8	8.0	15.8	12.1
	W	3.2	1.7	0.4	0.4	0.2	3.0	4.9	6.0	11.8	8.9
	NW	7.0	2.8	0.5	0.4	0.6	5.7	9.7	11.2	22.0	16.9
SPD 1		5.7	2.3	0.6	0.4	0.4	3.6	8.0	9.4	17.6	13.0
	W	3.4	2.0	0.6	0.3	0.3	2.6	5.4	6.7	12.6	9.3
	NW	8.4	2.6	0.7	0.5	0.4	4.8	11.1	12.6	23.4	17.4
SPD 2		4.3	2.8	0.5	0.4	0.5	3.5	7.2	8.5	14.8	12.0
	W	2.4	2.4	0.3	0.5	0.3	1.9	4.8	5.9	10.7	7.8
	NW	7.4	3.5	0.7	0.4	0.7	6.0	10.9	12.6	21.0	18.6
SPD 3		4.1	1.1	0.6	0.5	0.2	3.0	5.1	6.4	13.3	9.3
	W	3.6	1.1	0.9	0.7	0.2	2.3	4.8	6.6	9.7	8.8
	NW	5.0	1.0	-	-	-	4.5	6.0	6.0	21.2	10.5
SPD 4		3.8	1.4	0.3	0.3	0.2	4.8	5.2	5.9	15.1	10.7
	W	2.8	1.3	0.3	0.1	0.1	4.1	4.1	4.7	12.2	8.8
	NW	5.9	1.6	0.3	0.5	0.3	6.2	7.5	8.6	21.1	14.7
SPD 5		3.7	2.9	0.2	0.4	0.2	3.7	6.6	7.4	16.4	11.1
	W	3.1	1.1	0.3	0.6	0.3	2.8	4.2	5.3	12.4	8.1
	NW	5.5	7.8	-	-	-	6.3	13.3	13.3	27.7	19.5
SPD 6		5.1	1.8	0.5	0.8	0.5	4.9	6.9	8.7	17.8	13.6
	W	3.2	1.7	0.5	0.7	-	3.2	5.0	6.2	11.8	9.4
	NW	8.7	1.9	0.5	1.0	1.4	8.2	10.6	13.5	29.3	21.7
SPD 7		5.0	2.6	0.4	0.2	0.5	4.1	7.6	8.6	15.8	12.7
	W	3.8	2.3	0.3	0.2	0.2	3.3	6.1	6.8	11.9	10.1
	NW	6.4	3.1	0.4	0.2	0.9	5.1	9.5	11.0	20.7	16.1
SPD 8		3.8	1.4	0.4	-	0.4	6.5	5.2	5.9	13.3	12.4
	W	3.7	0.7	0.3	-	-	5.1	4.4	4.7	13.1	9.8
	NW	3.8	2.3	0.4	-	0.8	8.0	6.1	7.3	13.6	15.3
HSA 1		5.4	2.0	0.6	0.4	0.3	3.5	7.4	8.8	16.6	12.2
	W	3.4	1.8	0.7	0.4	0.3	2.5	5.2	6.6	11.8	9.2
	NW	7.9	2.4	0.6	0.4	0.3	4.7	10.2	11.5	23.0	16.3
HSA 2		4.0	2.3	0.4	0.4	0.3	4.0	6.3	7.4	15.2	11.4
	W	2.7	1.7	0.3	0.3	0.2	2.9	4.4	5.3	11.6	8.2
	NW	6.6	3.4	0.5	0.4	0.5	6.1	10.0	11.3	21.8	17.3
HSA 3		4.7	2.1	0.4	0.3	0.5	4.9	6.8	8.0	15.7	12.9
	W	3.6	1.7	0.4	0.3	0.1	3.7	5.3	6.1	12.2	9.8
	NW	6.2	2.6	0.4	0.3	1.0	6.6	8.8	10.5	20.6	17.1

*PERINATAL RATE PER 1000 DELIVERIES,ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL..	984	1208.4			381	175	38	30	29	331
			WM	254	93	48	14	8	8	83
			WF	186	63	38	8	10	3	64
			NWM	297	124	47	9	6	10	101
			NWF	247	101	42	7	6	8	83
CERTAIN INTESTINAL INFECTIONS-(008-009)......................	5	6.1			-	-	-	-	-	5
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	-	-	2
			NWF	1	-	-	-	-	-	1
WHOOPING COUGH-(033)...	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)................................	2	2.5			-	-	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	2	-	-	-	-	-	2
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SEPTICEMIA-(038)...	15	18.4			-	-	-	-	-	15
			WM	4	-	-	-	-	-	4
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	8	-	-	-	-	-	8
VIRAL DISEASES-(045-079).....................................	6	7.4			-	1	1	-	-	4
			WM	1	-	-	-	-	-	1
			WF	3	-	1	1	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	-	-	1
CONGENITAL SYPHILIS-(090)....................................	1	1.2			-	1	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-041,080-088,091-139).......	3	3.7			-	-	-	-	-	3
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)..............................	2	2.5			-	1	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	1	-	-	-	1
			NWF	-	-	-	-	-	-	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239).......	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)...............................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CYSTIC FIBROSIS-(277.0)......................................	1	1.2			-	-	-	-	-	1
			WM	1	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289).........	3	3.7			-	1	-	-	-	2
			WM	1	-	-	-	-	-	1
			WF	2	-	1	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
MENINGITIS-(320-322)	10	12.3			-	-	-	1	-	9
			WM	2	-	-	-	-	-	2
			WF	2	-	-	-	-	-	2
			NWM	3	-	-	-	-	-	3
			NWF	3	-	-	-	1	-	2
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	11	13.5			-	-	-	-	-	11
			WM	2	-	-	-	-	-	2
			WF	2	-	-	-	-	-	2
			NWM	5	-	-	-	-	-	5
			NWF	2	-	-	-	-	-	2
ACUTE UPPER RESPIRATORY INFECTIONS-(460-465)	3	3.7			-	-	-	-	-	3
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	5	6.1			-	-	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	4	-	-	-	-	-	4
PNEUMONIA AND INFLUENZA-(480-487)	22	27.0			3	-	-	3	2	14
			WM	4	-	-	-	2	1	1
			WF	1	-	-	-	-	-	1
			NWM	11	1	-	-	-	-	10
			NWF	6	2	-	-	1	1	2
PNEUMONIA-(480-486)	21	25.8			3	-	-	3	2	13
			WM	4	-	-	-	2	1	1
			WF	1	-	-	-	-	-	1
			NWM	11	1	-	-	-	-	10
			NWF	5	2	-	-	1	1	1
INFLUENZA-(487)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	24	29.5			1	2	-	-	1	20
			WM	5	-	-	-	-	-	5
			WF	5	-	1	-	-	1	3
			NWM	8	1	1	-	-	-	6
			NWF	6	-	-	-	-	-	6
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	6	7.4			1	-	1	-	-	4
			WM	2	1	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	1	-	-	1
			NWF	2	-	-	-	-	-	2
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)	2	2.5			-	-	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	2
			NWF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)	8	9.8			-	-	-	-	-	8
			WM	1	-	-	-	-	-	1
			WF	2	-	-	-	-	-	2
			NWM	3	-	-	-	-	-	3
			NWF	2	-	-	-	-	-	2
CONGENITAL ANOMALIES-(740-759)	203	249.3			63	58	14	8	6	54
			WM	75	29	23	8	2	1	12
			WF	49	13	13	2	3	-	18
			NWM	37	9	12	3	2	3	8
			NWF	42	12	10	1	1	2	16
ANENCEPHALUS AND SIMILAR ANOMALIES-(740)	15	18.4			10	4	1	-	-	-
			WM	6	3	2	1	-	-	-
			WF	2	2	-	-	-	-	-
			NWM	3	1	2	-	-	-	-
			NWF	4	4	-	-	-	-	-

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS: UNDER 1	1-6	7-13	14-20	21-27	28-365
SPINA BIFIDA-(741)	3	3.7			1	1	-	-	-	1
			WM	1	-	1	-	-	-	-
			WF	2	1	-	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS-(742.3)	6	7.4			1	-	-	1	-	4
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	1	-	1
			NWF	2	1	-	-	-	-	1
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-(742.0-742.2,742.4-742.9,743)	9	11.1			3	1	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	2	1	-	-	-	-	1
			NWM	1	1	-	-	-	-	-
			NWF	6	1	1	-	-	-	4
CONGENITAL ANOMALIES OF HEART-(745-746)	47	57.7			2	19	4	2	1	19
			WM	15	1	7	3	-	-	4
			WF	11	-	5	-	-	-	6
			NWM	9	1	3	1	1	-	3
			NWF	12	-	4	-	1	1	6
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-(747)	34	41.8			3	18	5	1	2	5
			WM	10	1	5	3	-	-	1
			WF	8	1	3	1	1	-	2
			NWM	9	-	6	-	-	2	1
			NWF	7	1	4	1	-	-	1
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)	14	17.2			8	3	-	-	-	3
			WM	7	3	2	-	-	-	2
			WF	2	1	-	-	-	-	1
			NWM	3	3	-	-	-	-	-
			NWF	2	1	1	-	-	-	-
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749-751)	3	3.7			1	1	-	-	-	1
			WM	2	1	1	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)	8	9.8			8	-	-	-	-	-
			WM	6	6	-	-	-	-	-
			WF	2	2	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756)	16	19.6			8	3	1	2	-	2
			WM	7	3	2	-	1	-	1
			WF	3	1	1	-	1	-	-
			NWM	3	2	-	1	-	-	-
			NWF	3	2	-	-	-	-	1
DOWN'S SYNDROME-(758.0)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)	17	20.9			2	4	2	1	2	6
			WM	5	1	1	1	1	1	-
			WF	7	1	3	1	-	-	2
			NWM	3	-	-	-	-	1	2
			NWF	2	-	-	-	-	-	2
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)	31	38.1			16	4	1	1	1	8
			WM	15	10	2	-	-	-	3
			WF	8	3	1	-	1	-	3
			NWM	4	1	1	1	-	-	1
			NWF	4	2	-	-	-	1	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	482	591.9			307	107	19	15	13	21
			WM	103	63	23	6	3	2	6
			WF	86	50	22	5	6	-	3
			NWM	163	111	30	4	3	7	8
			NWF	130	83	32	4	3	4	4

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760)..............	8	9.8			6	-	1	1	-	-
			WM	-	-	-	-	-	-	-
			WF	2	-	-	1	1	-	-
			NWM	1	1	-	-	-	-	-
			NWF	5	5	-	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761)..	32	39.3			30	1	1	-	-	-
			WM	6	6	-	-	-	-	-
			WF	6	5	1	-	-	-	-
			NWM	13	12	-	1	-	-	-
			NWF	7	7	-	-	-	-	-
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD,AND MEMBRANES-(762).................................	13	16.0			12	1	-	-	-	-
			WM	3	3	-	-	-	-	-
			WF	5	5	-	-	-	-	-
			NWM	2	2	-	-	-	-	-
			NWF	3	2	1	-	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763).....................................	1	1.2			1	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764)...........	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765).....................................	69	84.7			65	3	-	-	-	1
			WM	10	10	-	-	-	-	-
			WF	10	9	1	-	-	-	-
			NWM	20	20	-	-	-	-	-
			NWF	29	26	2	-	-	-	1
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766)..	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BIRTH TRAUMA-(767)..	24	29.5			7	14	-	2	1	-
			WM	7	1	6	-	-	-	-
			WF	6	2	3	-	1	-	-
			NWM	3	1	2	-	-	-	-
			NWF	8	3	3	-	1	1	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768)...........	48	58.9			32	6	3	1	3	3
			WM	8	6	-	1	-	1	-
			WF	3	1	1	1	-	-	-
			NWM	21	15	-	-	1	2	3
			NWF	16	10	5	1	-	-	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4)......	6	7.4			3	-	1	-	1	1
			WM	1	-	-	-	-	1	-
			WF	1	-	-	1	-	-	-
			NWM	2	1	-	-	-	-	1
			NWF	2	2	-	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9).........................	42	51.6			29	6	2	1	2	2
			WM	7	6	-	1	-	-	-
			WF	2	1	1	-	-	-	-
			NWM	19	14	-	-	1	2	2
			NWF	14	8	5	1	-	-	-
RESPIRATORY DISTRESS SYNDROME-(769)......................	70	86.0			26	35	3	1	2	3
			WM	10	4	6	-	-	-	-
			WF	19	6	9	2	-	-	2
			NWM	25	12	11	-	1	1	-
			NWF	16	4	9	1	-	1	1
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770)...........	88	108.1			43	22	5	5	-	13
			WM	29	13	7	2	1	-	6
			WF	13	5	4	1	2	-	1
			NWM	27	14	7	1	1	-	4
			NWF	19	11	4	1	1	-	2

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)........	14	17.2			6	6	1	-	1	-
			WM	5	3	1	1	-	-	-
			WF	3	2	1	-	-	-	-
			NWM	5	1	3	-	-	1	-
			NWF	1	-	1	-	-	-	-
NEONATAL HEMORRHAGE-(772)................................	8	9.8			3	4	1	-	-	-
			WM	-	-	-	-	-	-	-
			WF	3	1	2	-	-	-	-
			NWM	2	1	1	-	-	-	-
			NWF	3	1	1	1	-	-	-
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)..................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS-(775.0-775.1)................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776.0)..................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)..........	107	131.4			76	15	4	5	6	1
			WM	25	17	3	2	2	1	-
			WF	16	14	-	-	2	-	-
			NWM	43	31	6	2	-	3	1
			NWF	23	14	6	-	1	2	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799).........	80	98.2			1	2	1	1	2	73
			WM	32	-	-	-	-	2	30
			WF	10	-	-	-	-	-	10
			NWM	22	-	2	-	1	-	19
			NWF	16	1	-	1	-	-	14
SUDDEN INFANT DEATH SYNDROME-(798.0).....................	74	90.9			-	1	1	1	2	69
			WM	30	-	-	-	-	2	28
			WF	10	-	-	-	-	-	10
			NWM	19	-	1	-	1	-	17
			NWF	15	-	-	1	-	-	14
SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799).....................................	6	7.4			1	1	-	-	-	4
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	3	-	1	-	-	-	2
			NWF	1	1	-	-	-	-	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)....................	27	33.2			1	-	-	-	1	25
			WM	7	-	-	-	-	1	6
			WF	6	-	-	-	-	-	6
			NWM	6	-	-	-	-	-	6
			NWF	8	1	-	-	-	-	7
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)..	10	12.3			-	-	-	-	-	10
			WM	3	-	-	-	-	-	3
			WF	3	-	-	-	-	-	3
			NWM	1	-	-	-	-	-	1
			NWF	3	-	-	-	-	-	3
ACCIDENTAL MECHANICAL SUFFOCATION-(E913).................	5	6.1			-	-	-	-	-	5
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	-	-	2
			NWF	1	-	-	-	-	-	1
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949)..	12	14.7			1	-	-	-	1	10
			WM	3	-	-	-	-	1	2
			WF	2	-	-	-	-	-	2
			NWM	3	-	-	-	-	-	3
			NWF	4	1	-	-	-	-	3

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS: UNDER 1	1-6	7-13	14-20	21-27	28-365
HOMICIDE-(E960-E969)	8	9.8			1	-	-	-	-	7
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	1	1	-	-	-	-	-
			NWF	5	-	-	-	-	-	5
CHILD BATTERING AND OTHER MALTREATMENT-(E967)	5	6.1			-	-	-	-	-	5
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	3	-	-	-	-	-	3
OTHER HOMICIDE-(E960-E966,E968-E969)	3	3.7			1	-	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	2	-	-	-	-	-	2
ALL OTHER CAUSES-(RESIDUAL)	54	66.3			3	2	2	2	4	41
			WM	11	-	2	-	1	1	7
			WF	13	-	-	-	1	2	10
			NWM	20	1	-	1	-	-	18
			NWF	10	2	-	1	-	1	6

* RATE PER 100,000 LIVE BIRTHS

TABLE XXIII
MATERNAL DEATHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1984

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE PER 100,000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	7	6	7.4		6	-	2	1	1	-	2	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	3	-	1	-	-	-	2	-	-	-
AVOYELLES	1	1	137.2		1	-	-	-	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
EAST BATON ROUGE	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
IBERIA	-	1	71.2		1	-	-	-	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
JEFFERSON	2	2	25.8		2	-	1	1	-	-	-	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LA SALLE	1	1	383.1		1	-	-	-	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
ORLEANS	1	1	9.6		1	-	1	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
ST TAMMANY	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	1			1	-	-	-	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-

** NOT INCLUDED IN STATE TOTALS

TABLE XXIV
MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1984

CAUSE OF DEATH	TOTAL	RATE*	RACE	TOTAL BY RACE	AGE								
					LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UN
TOTAL	6	7.4	W	3	-	1	1	1	-	-	-	-	-
			NW	3	-	1	-	-	-	2	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)	3	3.7	W	1	-	-	-	1	-	-	-	-	-
			NW	2	-	1	-	-	-	1	-	-	-
ECTOPIC PREGNANCY-(633)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	1	-	-	-
SPONTANEOUS ABORTION-(634)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	1	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION-(635)	1	1.2	W	1	-	-	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME-(630-632,637-638)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES-(640-646,651-676)	3	3.7	W	2	-	1	1	-	-	-	-	-	-
			NW	1	-	-	-	-	-	1	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OBSTRUCTED LABOR-(660)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM-(670-676)	3	3.7	W	2	-	1	1	-	-	-	-	-	-
			NW	1	-	-	-	-	-	1	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-642.0-642.3, 644-646,651-659,661-665,667-669)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES-(647-648)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	ACTINOMYCOSIS	AIDS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BOTULISM (INFANT)	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS
TOTAL	-	53	7	-	80	-	1	-	3	-	-	-	-	-
ACADIA	-	-	1	-	3	-	-	-	-	-	-	-	-	-
CROWLEY*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	1	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	1	-	1	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	-	-	6	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	5	-	-	-	-	-	-	-	-	-
CADDO	-	1	1	-	14	-	-	-	-	-	-	-	-	-
SHREVEPORT*	-	1	1	-	13	-	-	-	-	-	-	-	-	-
CALCASIEU	-	1	-	-	1	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	1	-	-	1	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E BATON ROUGE	-	5	-	-	6	-	1	-	-	-	-	-	-	-
BATON ROUGE*	-	5	-	-	5	-	1	-	-	-	-	-	-	-
BAKER*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	5	-	-	8	-	-	-	1	-	-	-	-	-
KENNER*	-	-	-	-	4	-	-	-	-	-	-	-	-	-
GRETNA*	-	1	-	-	2	-	-	-	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	3	-	-	-	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	2	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	2	-	4	-	-	-	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	4	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	36	-	-	7	-	-	-	-	-	-	-	-	-
OUACHITA	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	1	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	2	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	-	2	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	-	-	-	-	1	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	4	-	-	-	-	-	-	-	-	-
ST MARY	-	1	-	-	2	-	-	-	-	-	-	-	-	-
MORGAN CITY*	-	1	-	-	1	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	2	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	2	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	-	-	9	-	-	-	-	-	-	-	-	-
HOUMA*	-	-	-	-	6	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	2	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	-	-	3	-	-	-	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

1

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST-INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HAEMOPHILUS TYPE B MENINGITIS	HEPATITIS, TYPE A	HEPATITIS, TYPE B	HEPATITIS, NON A, NON B
TOTAL	-	-	-	-	-	14	11	-	25412	-	93	316	326	32
ACADIA	-	-	-	-	-	-	-	-	125	-	3	12	6	-
CROWLEY*	-	-	-	-	-	-	-	-	81	-	-	6	2	-
ALLEN	-	-	-	-	-	-	-	-	46	-	-	1	-	-
ASCENSION	-	-	-	-	-	1	-	-	92	-	-	3	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	72	-	1	-	-	-
AVOYELLES	-	-	-	-	-	-	-	-	49	-	1	1	3	1
BEAUREGARD	-	-	-	-	-	-	-	-	74	-	-	12	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	60	-	-	9	-	-
BIENVILLE	-	-	-	-	-	-	-	-	45	-	1	-	-	-
BOSSIER	-	-	-	-	-	1	-	-	150	-	-	16	4	-
BOSSIER CITY*	-	-	-	-	-	1	-	-	110	-	-	14	2	-
CADDO	-	-	-	-	-	7	-	-	2673	-	2	44	15	3
SHREVEPORT*	-	-	-	-	-	7	-	-	2648	-	2	40	13	3
CALCASIEU	-	-	-	-	-	-	-	-	967	-	3	28	7	-
LAKE CHARLES*	-	-	-	-	-	-	-	-	893	-	1	7	1	-
SULPHUR*	-	-	-	-	-	-	-	-	26	-	-	12	3	-
CALDWELL	-	-	-	-	-	-	-	-	23	-	-	3	-	-
CAMERON	-	-	-	-	-	-	-	-	7	-	-	1	-	-
CATAHOULA	-	-	-	-	-	-	-	-	23	-	-	-	3	-
CLAIBORNE	-	-	-	-	-	-	-	-	52	-	-	1	-	1
CONCORDIA	-	-	-	-	-	-	-	-	66	-	1	-	2	1
DESOTO	-	-	-	-	-	-	-	-	9	-	2	-	2	-
E BATON ROUGE	-	-	-	-	-	-	-	-	1735	-	2	9	12	3
BATON ROUGE*	-	-	-	-	-	-	-	-	1617	-	2	9	12	3
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	101	-	1	1	-	-
E FELICIANA	-	-	-	-	-	-	-	-	41	-	-	-	1	-
EVANGELINE	-	-	-	-	-	1	-	-	23	-	-	2	1	-
FRANKLIN	-	-	-	-	-	-	-	-	99	-	-	1	-	-
GRANT	-	-	-	-	-	-	-	-	19	-	1	6	1	-
IBERIA	-	-	-	-	-	-	-	-	168	-	3	6	9	2
NEW IBERIA*	-	-	-	-	-	-	-	-	136	-	1	6	7	1
IBERVILLE	-	-	-	-	-	-	-	-	51	-	-	1	2	-
JACKSON	-	-	-	-	-	-	-	-	39	-	-	3	-	-
JEFFERSON	-	-	-	-	-	-	11	-	1414	-	9	16	46	9
KENNER*	-	-	-	-	-	-	-	-	126	-	3	5	11	2
GRETNA*	-	-	-	-	-	-	4	-	20	-	1	2	7	-
HARAHAN*	-	-	-	-	-	-	-	-	4	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	-	-	29	-	-	-	2	-
JEFF DAVIS	-	-	-	-	-	-	-	-	96	-	-	4	4	1
JENNINGS*	-	-	-	-	-	-	-	-	94	-	-	1	3	-
LAFAYETTE	-	-	-	-	-	1	-	-	881	-	2	19	15	-
LAFAYETTE*	-	-	-	-	-	1	-	-	830	-	1	16	10	-
LAFOURCHE	-	-	-	-	-	-	-	-	237	-	1	4	5	-
THIBODAUX*	-	-	-	-	-	-	-	-	130	-	-	1	2	-
LASALLE	-	-	-	-	-	-	-	-	5	-	1	-	1	-
LINCOLN	-	-	-	-	-	-	-	-	132	-	-	2	2	-
RUSTON*	-	-	-	-	-	-	-	-	98	-	-	2	1	-
LIVINGSTON	-	-	-	-	-	-	-	-	21	-	2	1	-	-
MADISON	-	-	-	-	-	-	-	-	102	-	-	-	1	-
TALLULAH*	-	-	-	-	-	-	-	-	101	-	-	-	1	-
MOREHOUSE	-	-	-	-	-	-	-	-	256	-	-	3	-	-
BASTROP*	-	-	-	-	-	-	-	-	252	-	-	1	-	-
NATCHITOCHES	-	-	-	-	-	-	-	-	77	-	1	1	3	-
NATCHITOCHES*	-	-	-	-	-	-	-	-	60	-	-	1	2	-
ORLEANS	-	-	-	-	-	1	-	-	9474	-	19	12	103	6
OUACHITA	-	-	-	-	-	-	-	-	1299	-	2	4	2	-
MONROE*	-	-	-	-	-	-	-	-	1250	-	1	2	2	-
WEST MONROE*	-	-	-	-	-	-	-	-	23	-	1	2	2	-
PLAQUEMINES	-	-	-	-	-	-	-	-	27	-	-	1	5	-
POINTE COUPEE	-	-	-	-	-	-	-	-	25	-	-	-	-	-
RAPIDES	-	-	-	-	-	-	-	-	1036	-	1	3	5	1
ALEXANDRIA*	-	-	-	-	-	-	-	-	909	-	1	2	2	-
PINEVILLE*	-	-	-	-	-	-	-	-	29	-	-	1	1	-
RED RIVER	-	-	-	-	-	1	-	-	12	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	143	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	9	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	42	-	2	5	10	2
ST CHARLES	-	-	-	-	-	-	-	-	97	-	1	3	3	-
ST HELENA	-	-	-	-	-	-	-	-	7	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	130	-	-	1	1	-
ST JOHN	-	-	-	-	-	-	-	-	80	-	2	2	3	-
ST LANDRY	-	-	-	-	-	-	-	-	399	-	1	5	4	-
OPELOUSAS*	-	-	-	-	-	-	-	-	363	-	-	3	1	-
EUNICE*	-	-	-	-	-	-	-	-	12	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-	-	-	95	-	-	1	4	1
ST MARY	-	-	-	-	-	-	-	-	106	-	4	1	2	-
MORGAN CITY*	-	-	-	-	-	-	-	-	33	-	3	-	1	-
ST TAMMANY	-	-	-	-	-	-	-	-	205	-	5	1	11	-
SLIDELL*	-	-	-	-	-	-	-	-	184	-	3	-	4	-
TANGIPAHOA	-	-	-	-	-	-	-	-	182	-	3	10	8	-
HAMMOND*	-	-	-	-	-	-	-	-	134	-	2	5	-	-
TENSAS	-	-	-	-	-	-	-	-	15	-	-	-	-	-
TERREBONNE	-	-	-	-	-	1	-	-	499	-	7	6	3	1
HOUMA*	-	-	-	-	-	1	-	-	443	-	6	1	2	1
UNION	-	-	-	-	-	-	-	-	60	-	-	-	-	-
VERMILION	-	-	-	-	-	-	-	-	78	-	2	15	4	-
ABBEVILLE*	-	-	-	-	-	-	-	-	69	-	-	3	1	-
VERNON	-	-	-	-	-	-	-	-	831	-	-	2	1	-
WASHINGTON	-	-	-	-	-	-	-	-	163	-	4	1	7	-
BOGALUSA*	-	-	-	-	-	-	-	-	150	-	2	1	3	-
WEBSTER	-	-	-	-	-	-	-	-	216	-	-	40	4	-
MINDEN*	-	-	-	-	-	-	-	-	159	-	-	19	1	-
W BATON ROUGE	-	-	-	-	-	-	-	-	55	-	2	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	20	-	-	1	-	-
W FELICIANA	-	-	-	-	-	-	-	-	109	-	1	1	1	-
WINN	-	-	-	-	-	-	-	-	28	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	29	-	1	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS	MUMPS	MYCOBACTERIOSIS, ATYPICAL
TOTAL	88	-	-	4	4	2	-	-	4	12	8	68	-	85
ACADIA	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CROWLEY•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	2
AVOYELLES	3	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	1	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER•	1	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	6	-	-	-	-	-	-	-	-	-	-	-	-	2
BOSSIER CITY•	3	-	-	-	-	-	-	-	-	-	-	-	-	1
CADDO	11	-	-	-	-	-	-	-	-	-	5	8	-	6
SHREVEPORT•	11	-	-	-	-	-	-	-	-	-	5	6	-	6
CALCASIEU	1	-	-	-	-	-	-	-	2	1	-	-	-	2
LAKE CHARLES•	-	-	-	-	-	-	-	-	2	1	-	-	-	-
SULPHUR•	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CLAIBORNE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	2	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	2	-	-	-	1	-	-	-	-	3	-	4	-	1
BATON ROUGE•	2	-	-	-	1	-	-	-	-	3	-	3	-	1
BAKER•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	3	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	1
EVANGELINE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FRANKLIN	1	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	1	-	-	-	-	-	-	-	-	-	-	1	-	1
NEW IBERIA•	-	-	-	-	-	-	-	-	-	-	-	1	-	1
IBERVILLE	1	-	-	-	-	-	-	-	-	-	-	1	-	1
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	7	-	-	2	-	-	-	-	-	-	-	11	-	10
KENNER•	4	-	-	1	-	-	-	-	-	-	-	1	-	5
GRETNA•	2	-	-	-	-	-	-	-	-	-	-	1	-	1
HARAHAN•	-	-	-	-	-	-	-	-	-	-	-	1	-	1
WESTWEGO•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	1	-	1
JENNINGS•	-	-	-	-	-	-	-	-	-	-	-	1	-	1
LAFAYETTE	2	-	-	-	-	-	-	-	-	1	-	3	-	1
LAFAYETTE•	1	-	-	-	-	-	-	-	-	1	-	1	-	1
LAFOURCHE	3	-	-	-	-	-	-	-	-	-	-	3	-	3
THIBODAUX•	-	-	-	-	-	-	-	-	-	-	-	2	-	2
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	2	-	-	-	-	-	-	-	-	-	-	-	-	1
RUSTON•	2	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	1	-	2	-	-
MADISON	1	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH•	1	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	1	-	-	-	-	-	-	-	-	-	-	-	-	1
BASTROP•	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NATCHITOCHES	2	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES•	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	7	-	-	1	2	-	-	-	2	4	-	13	-	18
OUACHITA	1	-	-	-	-	-	-	-	-	-	3	-	-	3
MONROE•	-	-	-	-	-	-	-	-	-	-	-	-	-	3
WEST MONROE•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	2	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	1	-	3
RAPIDES	-	-	-	-	-	-	-	-	-	-	-	1	-	3
ALEXANDRIA•	-	-	-	-	-	-	-	-	-	-	-	1	-	3
PINEVILLE•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	1	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST BERNARD	3	-	-	-	-	-	-	-	-	-	-	1	-	-
ST CHARLES	1	-	-	-	-	-	-	-	-	-	-	1	-	1
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST LANDRY	1	-	-	-	-	-	-	-	-	-	-	1	-	-
OPELOUSAS•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	1	-	-	-	-	-	-	-	-	1	-	-	-	-
ST MARY	2	-	-	-	-	1	-	-	-	-	-	1	-	3
MORGAN CITY•	-	-	-	-	-	-	-	-	-	-	-	-	-	2
ST TAMMANY	2	-	-	1	-	-	-	-	-	1	-	6	-	-
SLIDELL•	1	-	-	1	-	-	-	-	-	-	-	3	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	1
HAMMOND•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	2	-	-	-	-	-	-	-	-	-	-	3	-	5
HOUMA•	1	-	-	-	-	-	-	-	-	-	-	2	-	4
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	12	-	-	-	-	1	-	-	-	-	-	-	-	1
ABBEVILLE•	4	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	3	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BOGALUSA•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	2	-	-	-	-	-	-	-	-	-	-	-	-	-
MINDEN•	1	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	1	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	1
OUT OF STATE••	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)
3

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS, NON-PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	REYES SYNDROME
TOTAL	-	12	-	1	-	-	-	62	-	-	-	-	-	4
ACADIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	8	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	2	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-	-	8	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	-	-	-	6	-	-	-	-	-	-
CADDO	-	2	-	-	-	-	-	12	-	-	-	-	-	-
SHREVEPORT*	-	2	-	-	-	-	-	6	-	-	-	-	-	-
CALCASIEU	-	2	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	2	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E BATON ROUGE	-	-	-	1	-	-	-	-	-	-	-	-	-	1
BATON ROUGE*	-	-	-	1	-	-	-	-	-	-	-	-	-	1
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	2	-	-	-	-	-	-	-	-	-	-	-	-
KENNER*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	1	-	-	-	-	-	1	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	2	-	-	-	-	-	-	-	-	-	-	-	-
OUACHITA	-	1	-	-	-	-	-	1	-	-	-	-	-	-
MONROE*	-	1	-	-	-	-	-	1	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RAPIDES	-	-	-	-	-	-	-	21	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-	-	4	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST LANDRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOUMA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	-	1	-	-	-	-	-	1
WASHINGTON	-	2	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	-	-	-	-	-	3	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	-	1	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)
4

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME	SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA
TOTAL	6	-	-	219	110	-	2844	3	-	-	-	337	40	7
ACADIA	-	-	-	1	-	-	43	-	-	-	-	2	-	-
CROWLEY*	-	-	-	1	-	-	25	-	-	-	-	1	-	-
ALLEN	-	-	-	-	-	-	5	-	-	-	-	1	2	-
ASCENSION	-	-	-	2	3	-	11	-	-	-	-	1	-	-
ASSUMPTION	-	-	-	1	-	-	4	-	-	-	-	1	1	-
AVOYELLES	-	-	-	-	-	-	44	2	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	20	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	19	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	2	-	-	-	-	-	-	-
BOSSIER	1	-	-	8	2	-	52	-	-	-	-	2	-	3
BOSSIER CITY*	1	-	-	6	2	-	42	-	-	-	-	1	-	-
CADDO	-	-	-	12	4	-	211	-	-	-	-	29	7	1
SHREVEPORT*	-	-	-	11	3	-	198	-	-	-	-	26	7	1
CALCASIEU	-	-	-	7	2	-	87	-	-	-	-	8	1	1
LAKE CHARLES*	-	-	-	3	1	-	78	-	-	-	-	3	1	1
SULPHUR*	-	-	-	4	-	-	4	-	-	-	-	1	-	-
CALDWELL	-	-	-	-	-	-	2	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	3	-	-	-	-	-	-	-
CATAHOULA	-	-	-	1	-	-	-	-	-	-	-	1	-	-
CLAIBORNE	-	-	-	-	-	-	2	-	-	-	-	2	-	-
CONCORDIA	-	-	-	1	-	-	5	-	-	-	-	2	-	-
DESOTO	1	-	-	1	-	-	20	-	-	-	-	1	-	-
E BATON ROUGE	1	-	-	24	18	-	362	-	-	-	-	4	2	-
BATON ROUGE*	1	-	-	22	18	-	342	-	-	-	-	4	2	-
BAKER*	-	-	-	1	-	-	5	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	21	-	-	-	-	3	1	-
E FELICIANA	-	-	-	-	-	-	10	-	-	-	-	2	-	-
EVANGELINE	-	-	-	11	1	-	10	-	-	-	-	5	-	-
FRANKLIN	-	-	-	-	-	-	1	-	-	-	-	3	-	-
GRANT	-	-	-	-	-	-	1	-	-	-	-	-	3	-
IBERIA	-	-	-	2	1	-	46	-	-	-	-	4	-	-
NEW IBERIA*	-	-	-	2	-	-	30	-	-	-	-	1	-	-
IBERVILLE	-	-	-	4	1	-	15	-	-	-	-	1	-	-
JACKSON	-	-	-	-	-	-	3	-	-	-	-	-	-	-
JEFFERSON	-	-	-	17	13	-	157	-	-	-	-	24	2	-
KENNER*	-	-	-	5	1	-	38	-	-	-	-	3	1	-
GRETNA*	-	-	-	1	3	-	24	-	-	-	-	4	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	1	-	8	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	1	-	-	7	-	-	-	-	1	-	-
JENNINGS*	-	-	-	-	-	-	4	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	13	1	-	91	-	-	-	-	6	1	-
LAFAYETTE*	-	-	-	12	-	-	79	-	-	-	-	5	-	-
LAFOURCHE	-	-	-	12	2	-	12	-	-	-	-	2	-	-
THIBODAUX*	-	-	-	5	2	-	9	-	-	-	-	2	-	-
LASALLE	-	-	-	1	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	8	-	-	-	-	2	1	-
RUSTON*	-	-	-	-	-	-	6	-	-	-	-	2	1	-
LIVINGSTON	-	-	-	2	1	-	11	-	-	-	-	2	-	-
MADISON	-	-	-	-	-	-	26	-	-	-	-	3	-	-
TALLULAH*	-	-	-	-	-	-	25	-	-	-	-	3	-	-
MOREHOUSE	-	-	-	-	-	-	12	-	-	-	-	2	-	-
BASTROP*	-	-	-	-	-	-	10	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	4	1	-	50	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	1	-	-	38	-	-	-	-	-	-	-
ORLEANS	-	-	-	21	23	-	885	1	-	-	-	112	9	-
OUACHITA	-	-	-	1	-	-	67	-	-	-	-	23	1	-
MONROE*	-	-	-	-	-	-	62	-	-	-	-	17	1	-
WEST MONROE*	-	-	-	-	-	-	4	-	-	-	-	4	-	-
PLAQUEMINES	-	-	-	-	1	-	6	-	-	-	-	3	-	-
POINTE COUPEE	-	-	-	-	-	-	5	-	-	-	-	2	-	-
RAPIDES	-	-	-	4	2	-	97	-	-	-	-	12	1	-
ALEXANDRIA*	-	-	-	-	1	-	75	-	-	-	-	9	1	-
PINEVILLE*	-	-	-	3	1	-	13	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	1	-	7	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	15	-	-	-	-	9	1	-
SABINE	1	-	-	-	-	-	9	-	-	-	-	-	1	-
ST BERNARD	-	-	-	1	-	-	8	-	-	-	-	2	-	-
ST CHARLES	-	-	-	-	-	-	8	-	-	-	-	2	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	1	-	11	-	-	-	-	2	-	-
ST JOHN	-	-	-	3	4	-	27	-	-	-	-	2	-	-
ST LANDRY	-	-	-	6	3	-	65	-	-	-	-	4	-	-
OPELOUSAS*	-	-	-	2	3	-	23	-	-	-	-	1	-	-
EUNICE*	-	-	-	-	-	-	21	-	-	-	-	1	-	-
ST MARTIN	-	-	-	2	-	-	28	-	-	-	-	4	-	-
ST MARY	-	-	-	4	1	-	37	-	-	-	-	12	1	-
MORGAN CITY*	-	-	-	2	1	-	16	-	-	-	-	7	-	-
ST TAMMANY	1	-	-	11	6	-	20	-	-	-	-	5	1	-
SLIDELL*	1	-	-	7	3	-	2	-	-	-	-	1	-	-
TANGIPAHOA	-	-	-	4	-	-	59	-	-	-	-	4	1	-
HAMMOND*	-	-	-	3	-	-	28	-	-	-	-	1	-	-
TENSAS	-	-	-	-	-	-	2	-	-	-	-	-	-	-
TERREBONNE	-	-	-	16	5	-	17	-	-	-	-	7	-	-
HOUMA*	-	-	-	8	3	-	9	-	-	-	-	5	-	-
UNION	-	-	-	-	-	-	9	-	-	-	-	3	-	2
VERMILION	-	-	-	8	1	-	11	-	-	-	-	2	-	-
ABBEVILLE*	-	-	-	2	-	-	9	-	-	-	-	2	-	-
VERNON	-	-	-	1	-	-	25	-	-	-	-	1	-	-
WASHINGTON	-	-	-	8	11	-	11	-	-	-	-	3	-	-
BOGALUSA*	-	-	-	3	8	-	5	-	-	-	-	2	-	-
WEBSTER	-	-	-	2	-	-	21	-	-	-	-	1	1	-
MINDEN*	-	-	-	1	-	-	10	-	-	-	-	1	-	-
W BATON ROUGE	-	-	-	-	-	-	14	-	-	-	-	1	-	-
WEST CARROLL	-	-	-	-	1	-	2	-	-	-	-	2	-	-
W FELICIANA	1	-	-	2	-	-	6	-	-	-	-	1	-	-
WINN	-	-	-	-	-	-	8	-	-	-	-	1	2	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)
5

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1984

PARISH AND CITIES OVER 10,000	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	2	-	-	21	-	-
ACADIA	-	-	-	-	-	-
CROWLEY*	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-
AVOYELLES	1	-	-	-	-	-
BEAUREGARD	-	-	-	1	-	-
DE RIDDER*	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	-	-
CADDO	-	-	-	-	-	-
SHREVEPORT*	-	-	-	-	-	-
CALCASIEU	-	-	-	4	-	-
LAKE CHARLES*	-	-	-	3	-	-
SULPHUR*	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-
CONCORDIA	-	-	-	2	-	-
DESOTO	-	-	-	-	-	-
E BATON ROUGE	-	-	-	-	-	-
BATON ROUGE*	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-
GRANT	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-
JEFFERSON	-	-	-	-	-	-
KENNER*	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-
JEFF DAVIS	-	-	-	2	-	-
JENNINGS*	-	-	-	2	-	-
LAFAYETTE	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	-	-
LAFOURCHE	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-
MADISON	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-
MOREHOUSE	-	-	-	1	-	-
BASTROP*	-	-	-	-	-	-
NATCHITOCHES	-	-	-	1	-	-
NATCHITOCHES*	-	-	-	-	-	-
ORLEANS	1	-	-	-	-	-
OUACHITA	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-
RAPIDES	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-
RICHLAND	-	-	-	2	-	-
SABINE	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-
ST CHARLES	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-
ST MARY	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	-	-
ST TAMMANY	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-
TANGIPAHOA	-	-	-	7	-	-
HAMMOND*	-	-	-	3	-	-
TENSAS	-	-	-	-	-	-
TERREBONNE	-	-	-	-	-	-
HOUMA*	-	-	-	-	-	-
UNION	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-
VERNON	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	-	-
WEBSTER	-	-	-	1	-	-
MINDEN*	-	-	-	1	-	-
W BATON ROUGE	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-
WINN	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-

* CITIES ARE INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
6

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1984

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ACTINOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AIDS	53	1.2	W	42	-	-	-	-	-	2	14	17	5	-	-	4
			NW	11	-	-	-	-	1	1	5	2	1	-	-	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AMEBIASIS	7	0.2	W	4	-	1	-	-	-	-	-	-	1	-	-	2
			NW	2	-	1	1	-	-	-	-	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	-	-	1
ANTHRAX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ASEPTIC MENINGITIS	80	1.8	W	47	17	4	3	2	3	5	7	2	-	-	-	4
			NW	19	5	3	2	-	1	1	2	2	-	-	1	2
			UNK	14	2	1	1	2	1	2	1	1	-	-	1	2
BLASTOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM (INFANT)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS (UNDULANT FEVER)	3	0.1	W	3	-	-	-	-	-	-	-	-	-	1	1	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CAT SCRATCH FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHANCROID	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHOLERA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOCOCCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ECHINOCOCCOSIS (HYDATID DISEASE)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1984

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ENCEPHALITIS, ARTHROPOD-BORNE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST-INFECTIOUS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, OTHER AND UNSPECIFIED	14	0.3	W	11	-	1	2	3	-	3	1	-	-	1	-	-
			NW	2	-	-	1	-	-	-	-	-	-	-	1	-
			UNK	1	-	-	-	-	-	-	1	-	-	-	-	-
FOOD POISONING	11	0.2	W	11	1	-	-	-	4	2	1	2	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GLANDERS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GONORRHEA	25441	567.8	W	3535	1	3	1	30	911	1302	821	124	29	7	4	302
			NW	21757	3	15	20	231	6046	7949	5222	694	137	33	17	1390
			UNK	149	-	-	1	1	5	14	11	1	-	-	-	116
GRANULOMA INGUINALE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
HAEMOPHILUS TYPE B MENINGITIS	94	2.1	W	45	20	17	2	1	-	-	-	-	-	-	-	5
			NW	34	16	8	-	-	-	1	-	-	1	-	-	8
			UNK	15	5	4	-	-	-	-	-	-	-	-	-	6
HEPATITIS, TYPE A	316	7.1	W	259	1	10	18	14	17	58	62	23	5	9	6	36
			NW	38	-	-	4	2	6	8	8	2	1	1	-	6
			UNK	19	-	-	1	1	-	4	5	-	-	1	1	6
HEPATITIS, TYPE B	326	7.3	W	145	-	2	1	-	13	37	41	18	9	6	9	9
			NW	159	3	2	5	5	16	26	41	18	13	10	5	15
			UNK	22	-	-	-	-	1	3	3	3	1	2	2	7
HEPATITIS, NON A, NON B ..	32	0.7	W	22	1	-	-	-	2	5	4	2	1	3	4	-
			NW	8	1	-	-	1	-	1	3	2	-	-	-	-
			UNK	2	-	-	-	-	-	-	1	-	-	-	1	-
HEPATITIS, TYPE UNSPECIFIED	88	2.0	W	60	-	1	2	2	3	9	17	4	3	5	7	7
			NW	20	1	1	-	1	2	2	6	3	1	2	-	1
			UNK	8	-	-	-	-	1	2	1	-	-	-	-	4
HISTOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS MONONUCLEOSIS .	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONNAIRE'S DISEASE	4	0.1	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	3	-	-	-	-	-	-	-	3	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	4	0.1	W	1	-	-	-	-	-	-	-	-	-	-	1	-
			NW	2	-	-	-	-	-	-	1	-	1	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	-	-	1
LEPTOSPIROSIS (WEIL'S DISEASE)	2	0.0	W	1	-	-	-	-	-	-	-	-	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	1	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1984

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LISTERIOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOCYTIC CHORIO-MENINGITIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOPATHIA VENEREUM	4	0.1	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	4	-	-	-	-	-	3	-	-	-	-	-	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	12	0.3	W	4	-	-	-	-	-	1	-	1	1	1	-	-
			NW	5	-	1	-	-	-	1	-	1	-	-	-	2
			UNK	3	-	1	-	1	-	-	-	-	-	-	-	1
MEASLES	8	0.2	W	8	1	-	-	1	3	3	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS .	68	1.5	W	29	8	9	1	-	4	1	1	-	-	-	2	3
			NW	21	2	6	2	3	-	1	2	-	1	1	1	2
			UNK	18	4	8	-	-	1	1	-	-	-	-	1	3
MUMPS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MYCOBACTERIOSIS, ATYPICAL	85	1.9	W	57	-	-	-	-	-	2	2	5	10	12	21	5
			NW	26	-	1	-	-	-	-	1	7	4	8	4	1
			UNK	2	-	-	-	1	-	-	-	-	-	-	1	-
OPHTHALMIA NEONATORUM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PERTUSSIS (WHOOPING COUGH)	12	0.3	W	5	3	-	1	-	-	-	-	-	-	-	-	1
			NW	2	2	-	-	-	-	-	-	-	-	-	-	-
			UNK	5	2	2	-	-	-	-	-	-	-	-	-	1
PLAGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS, PARALYTIC	1	0.0	W	1	1	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS NON-PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES IN ANIMALS	62	1.4	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	62	-	-	-	-	-	-	-	-	-	-	-	62
RABIES IN MAN	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1984

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAT BITE FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RAT BITES	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
REYES SYNDROME	4	0.1	W	4	2	1	-	1	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	6	0.1	W	5	-	1	-	-	-	-	1	-	-	1	-	2
			NW	1	-	-	1	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL SYNDROME	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	219	4.9	W	107	31	23	3	3	2	4	6	6	8	6	7	8
			NW	68	27	6	2	3	2	5	5	2	-	3	4	9
			UNK	44	8	7	1	-	-	-	1	1	-	2	7	17
SHIGELLOSIS (DYSENTERY-BACILLARY)	110	2.5	W	35	2	9	6	2	2	-	7	2	3	-	1	1
			NW	50	4	25	3	-	1	2	4	2	1	1	1	6
			UNK	25	-	6	4	1	3	-	1	3	-	-	-	7
SMALLPOX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS	2844	63.5	W	289	-	-	-	1	31	78	80	50	15	10	5	19
			NW	2545	1	3	2	19	456	745	844	244	62	29	14	126
			UNK	10	-	-	-	-	-	1	2	1	1	1	2	2
TETANUS	3	0.1	W	2	-	-	-	-	-	-	-	1	1	-	-	-
			NW	1	-	-	-	-	-	-	-	-	-	-	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRACHOMA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS, PULMONARY ..	337	7.5	W	141	-	-	-	-	1	5	17	24	26	29	37	2
			NW	195	-	1	1	-	1	15	38	34	32	25	45	3
			UNK	1	-	-	-	-	-	-	-	-	-	-	-	1

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1984

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TUBERCULOSIS, OTHER FORMS	40	0.9	W	16	-	1	-	-	-	-	2	2	4	2	5	-
			NW	24	-	1	2	2	-	2	2	2	3	4	6	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TULAREMIA	7	0.2	W	5	-	-	2	-	1	-	-	-	2	-	-	-
			NW	2	-	-	-	1	-	-	-	-	1	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	2	0.0	W	2	-	-	-	-	-	-	-	1	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, ENDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, EPIDEMIC ...	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDERNUTRITION, SEVERE ...	21	0.5	W	9	3	5	-	-	-	-	-	-	-	-	1	-
			NW	12	5	6	-	-	-	-	-	-	-	-	-	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
VISCERAL LARVA MIGRANS ...	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XXVII
MARRIAGES, FINAL DIVORCES AND ANNULMENTS GRANTED
LOUISIANA, 1984

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	41088	41088	16044	20
ACADIA	522	578	NR	NR
ALLEN	234	222	110 *	1 *
ASCENSION	606	564	168	-
ASSUMPTION	153	172	46 *	- *
AVOYELLES	378	381	NR	NR
BEAUREGARD	324	307	70	-
BIENVILLE	-	56	NR	NR
BOSSIER	585	1013	425	1
CADDO	2404	1954	1321	1
CALCASIEU	1784	1739	890	-
CALDWELL	134	111	63	-
CAMERON	101	120	51	-
CATAHOULA	124	125	NR	NR
CLAIBORNE	114	108	58	-
CONCORDIA	213	222	100	-
DESOTO	171	193	73 *	- *
E BATON ROUGE	4140	3883	2158 *	12 *
EAST CARROLL	71	74	35 *	- *
E FELICIANA	133	164	62	-
EVANGELINE	320	343	131 *	- *
FRANKLIN	199	204	141 *	- *
GRANT	111	168	61	-
IBERIA	673	639	281 *	1 *
IBERVILLE	213	255	88	-
JACKSON	155	167	66 *	- *
JEFFERSON	4627	4407	1662	-
JEFF DAVIS	256	268	18	-
LAFAYETTE	1825	1711	510 *	- *
LAFOURCHE	794	796	318	-
LASALLE	158	173	84	-
LINCOLN	334	283	NR	NR
LIVINGSTON	670	783	NR	NR
MADISON	73	77	58 *	- *
MOREHOUSE	241	249	110 *	- *
NATCHITOCHES	1	48	191	-
ORLEANS	5187	5170	2120	-
OUACHITA	1378	1327	797	-
PLAQUEMINES	187	246	106	-
POINTE COUPEE	178	196	68 *	- *
RAPIDES	1449	1423	659	-
RED RIVER	124	97	33 *	1 *
RICHLAND	196	204	107 *	- *
SABINE	169	186	58 *	- *
ST BERNARD	795	941	374	-
ST CHARLES	389	376	141	-
ST HELENA	124	115	13 *	- *
ST JAMES	155	201	25	-
ST JOHN	295	300	NR	NR
ST LANDRY	774	803	NR	NR
ST MARTIN	321	347	138	-
ST MARY	704	701	299 *	- *
ST TAMMANY	1283	1337	NR	NR
TANGIPAHOA	838	791	NR	NR
TENSAS	36	34	24	-
TERREBONNE	1063	1047	765	-
UNION	-	48	63 *	- *
VERMILION	486	515	159	-
VERNON	696	716	121 *	1 *
WASHINGTON	483	491	212 *	2 *
WEBSTER	364	329	164	-
W BATON ROUGE	240	196	99 *	- *
WEST CARROLL	110	117	50	-
W FELICIANA	70	87	26	-
WINN	153	147	62 *	- *
UNKNOWN	-	24	12	-
OUT OF STATE	-	19	-	-

* SUMMARY REPORT

"NR" NO DIVORCE OR ANNULMENT DATA REPORTED BY CLERK OF COURT

TABLE XXVIII
MARRIAGES BY MONTH OF OCCURRENCE
LOUISIANA, 1984

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	41088	100.0	112
JANUARY	2429	5.9	78
FEBRUARY	2830	6.9	98
MARCH	3221	7.8	104
APRIL	3257	7.9	109
MAY	3514	8.6	113
JUNE	[illegible]	12.3	169
JULY	354[illegible]	8.6	114
AUGUST	382[illegible]	9.3	123
SEPTEMBER	3486	8.5	116
OCTOBER	2995	7.3	97
NOVEMBER	3186	7.8	106
DECEMBER	3712	9.0	120
UNKNOWN	26	0.1	

TABLE XXIX
MARRIAGES BY RACE OF GROOM AND RACE OF BRIDE
LOUISIANA, 1984

RACE OF GROOM	TOTAL	RACE OF BRIDE							
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
TOTAL	41088	31578	9161	36	29	11	43	207	23
WHITE	31550	31291	133	30	9	7	23	47	10
BLACK	9224	199	9002	3	1	1	4	9	5
AMERICAN INDIAN	35	31	2	2	-	-	-	-	-
CHINESE	23	4	-	-	17	-	1	1	-
JAPANESE	10	4	1	-	-	3	1	1	-
FILIPINO	18	5	1	-	-	-	12	-	-
OTHER	199	33	12	1	2	-	2	149	-
UNKNOWN	29	11	10	-	-	-	-	-	8

TABLE XXX
MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
LOUISIANA, 1984

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED	WIDOWED	DIVORCED	MARRIAGE ANNULLED	UNKNOWN
TOTAL	41088	25669	1391	11824	35	2169
NEVER MARRIED	25471	21100	223	4036	18	94
WIDOWED	1131	146	508	471	1	5
DIVORCED	12344	4336	650	7282	14	62
MARRIAGE ANNULLED	43	20	4	17	2	-
UNKNOWN	2099	67	6	18	-	2008

TABLE XXXI
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1984

AGE OF GROOM	TOTAL	AGE OF BRIDE															
		UNDER 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	41088	81	291	823	1588	2971	3222	3189	3086	2874	2614	2225	1983	1700	1521	1301	1174
LT 15	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
15	8	3	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-
16	68	5	14	18	11	6	4	4	3	-	1	1	-	-	-	-	1
17	309	9	36	58	91	63	16	14	6	4	2	2	1	-	-	2	-
18	1104	14	63	151	274	312	146	53	41	15	5	6	3	4	7	1	-
19	2053	20	62	200	336	514	427	192	111	45	49	25	14	13	8	10	4
20	2726	12	40	132	269	598	601	469	232	120	54	40	29	21	18	15	12
21	2943	5	27	90	209	472	570	499	407	249	107	88	53	46	33	21	14
22	2943	3	13	56	116	311	409	507	489	375	249	118	64	50	46	32	17
23	2837	2	12	33	97	200	297	393	436	411	357	191	115	65	46	42	27
24	2635	-	8	25	58	137	203	240	342	376	341	206	172	110	70	62	50
25	2363	1	1	11	34	104	138	210	218	291	312	206	235	121	87	75	49
26	2114	2	3	13	22	67	106	154	185	239	215	234	209	186	128	75	67
27	1918	1	2	6	14	44	74	82	142	175	206	196	187	195	148	93	70
28	1599	1	-	7	12	26	52	79	99	100	147	146	160	141	151	119	81
29	1419	-	-	2	6	19	37	62	77	102	104	117	133	130	117	123	82
30-34	5227	1	1	12	12	55	89	156	180	245	295	305	365	375	393	362	305
35-39	3067	-	2	3	8	18	24	38	67	79	92	119	140	146	162	161	166
40-44	1828	-	1	-	4	7	8	15	20	20	41	48	54	47	53	56	67
45-49	1193	-	-	-	-	4	2	3	3	5	20	10	19	20	26	26	36
50-54	744	-	-	-	2	2	1	3	3	1	6	5	7	9	16	9	13
55-59	576	-	-	-	-	-	-	1	2	-	1	2	4	3	2	4	10
60-64	458	-	-	-	-	-	2	-	1	-	1	-	2	3	2	4	4
65-69	299	1	-	-	-	1	1	1	-	2	-	1	-	-	-	1	1
70-74	206	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1
75 +	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNK	305	-	3	5	12	11	15	13	14	10	9	7	17	7	7	7	6

TABLE XXXI (CONTINUED)
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1984

AGE OF BRIDE											AGE OF GROOM
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 AND OVER	UNKNOWN	
4251	2310	1387	817	485	319	282	172	102	57	263	TOTAL
-	-	-	-	-	-	-	-	-	-	-	LT 15
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
1	-	-	1	1	-	-	-	-	-	2	17
3	-	-	-	-	-	-	-	-	-	3	18
10	3	1	1	-	-	-	-	-	-	8	19
31	8	2	-	1	-	-	-	-	-	14	20
33	7	4	2	-	-	-	-	-	-	15	21
55	15	6	1	-	1	-	-	-	-	10	22
62	22	11	3	-	-	-	-	-	-	15	23
92	34	9	1	1	1	1	-	-	-	16	24
133	30	9	2	3	-	-	-	-	-	13	25
141	45	11	5	-	-	-	-	-	-	7	26
217	43	6	-	-	-	-	-	-	-	9	27
200	58	12	3	-	-	-	-	-	-	5	28
215	62	12	7	-	-	1	-	-	-	3	29
1335	460	130	35	8	1	3	1	-	-	23	30-34
926	583	231	66	19	3	3	-	1	-	10	35-39
439	441	330	104	37	14	1	1	1	1	10	40-44
203	265	268	191	65	19	3	2	1	-	2	45-49
67	120	153	168	109	32	9	2	1	-	6	50-54
28	58	109	104	113	72	39	11	5	3	5	55-59
26	28	52	69	60	86	86	21	9	1	1	60-64
5	10	13	28	35	47	65	63	19	4	1	65-69
1	4	5	11	20	27	50	46	28	7	3	70-74
2	3	3	6	5	14	16	24	28	39	3	75 +
26	11	10	9	8	2	5	1	9	2	79	UNK


VSL


1985
INTRACOASTAL
CANA
MISSISSIPPI RIVER
LAKE PONTCHARTRAIN
INDUSTRIAL
CANA

DATA

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	81649	81401	18.2			376	13704	27220	23795	12173	3598	501	23	11
				MW	24969	34	3241	8249	8162	4082	1068	128	1	4
				FW	23529	36	3045	7698	7720	3886	1006	138	4	6
				MNW	16536	153	3723	5696	3977	2093	780	105	8	1
				FNW	16367	153	3695	5587	3936	2112	744	130	10	-
ACADIA	666	1151	19.3			6	185	439	322	131	55	11	2	-
				MW	439	1	63	171	123	53	26	1	1	-
				FW	443	2	58	172	133	53	19	5	1	-
				MNW	134	1	40	51	24	12	4	2	-	-
				FNW	135	2	24	45	42	13	6	3	-	-
CROWLEY*	467	297	18.2			3	64	108	76	32	14	-	-	-
				MW	93	1	18	35	24	12	3	-	-	-
				FW	89	1	16	32	22	12	6	-	-	-
				MNW	58	1	20	22	10	4	1	-	-	-
				FNW	57	-	10	19	20	4	4	-	-	-
ALLEN	192	339	15.6			1	75	129	82	36	15	1	-	-
				MW	120	1	21	48	26	19	5	-	-	-
				FW	127	-	31	48	34	7	6	1	-	-
				MNW	48	-	14	15	13	5	1	-	-	-
				FNW	44	-	9	18	9	5	3	-	-	-
ASCENSION	18	1182	20.4			3	182	392	382	170	46	7	-	-
				MW	449	-	62	143	160	68	14	2	-	-
				FW	381	1	43	139	137	46	14	1	-	-
				MNW	180	1	41	58	35	32	11	2	-	-
				FNW	172	1	36	52	50	24	7	2	-	-
ASSUMPTION	1	403	17.2			1	73	132	121	63	10	3	-	-
				MW	119	-	18	39	47	13	2	-	-	-
				FW	103	-	13	34	32	20	2	2	-	-
				MNW	90	-	23	29	18	15	4	1	-	-
				FNW	91	1	19	30	24	15	2	-	-	-
AVOYELLES	98	705	16.4			1	136	243	201	91	29	4	-	-
				MW	210	-	33	78	60	28	10	1	-	-
				FW	235	-	41	78	74	37	4	1	-	-
				MNW	122	-	37	39	27	10	9	-	-	-
				FNW	138	1	25	48	40	16	6	2	-	-
BEAUREGARD	361	541	16.7			-	105	220	132	65	17	2	-	-
				MW	223	-	40	87	62	25	8	1	-	-
				FW	218	-	46	92	49	25	5	1	-	-
				MNW	53	-	9	26	8	7	3	-	-	-
				FNW	47	-	10	15	13	8	1	-	-	-
DE RIDDER*	361	210	18.3			-	44	85	43	33	4	1	-	-
				MW	68	-	14	25	16	12	1	-	-	-
				FW	55	-	12	25	10	7	-	1	-	-
				MNW	48	-	9	23	7	7	2	-	-	-
				FNW	39	-	9	12	10	7	1	-	-	-
BIENVILLE	-	294	17.6			3	63	114	62	31	16	5	-	-
				MW	73	1	8	33	18	7	4	2	-	-
				FW	64	-	11	24	17	9	3	-	-	-
				MNW	91	2	25	33	18	5	6	2	-	-
				FNW	66	-	19	24	9	10	3	1	-	-
BOSSIER	1410	1629	18.1			5	250	616	492	211	50	5	-	-
				MW	601	1	82	240	190	70	17	1	-	-
				FW	602	-	68	223	193	96	18	4	-	-
				MNW	207	2	46	78	53	19	9	-	-	-
				FNW	219	2	54	75	56	26	6	-	-	-
BOSSIER CITY*	1409	1055	18.9			4	156	422	308	134	27	4	-	-
				MW	390	1	58	154	121	46	9	1	-	-
				FW	414	-	52	172	122	55	10	3	-	-
				MNW	121	2	22	46	35	12	4	-	-	-
				FNW	130	1	24	50	30	21	4	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CADDO	7993	5158	19.0			50	1001	1703	1442	760	184	18	-	-
				MW	1334	3	172	427	433	249	49	1	-	-
				FW	1288	3	181	406	425	214	55	4	-	-
				MNW	1302	24	328	452	298	147	48	5	-	-
				FNW	1234	20	320	418	286	150	32	8	-	-
SHREVEPORT*	7993	4266	19.9			45	847	1392	1185	628	154	15	-	-
				MW	993	3	123	303	333	193	37	1	-	-
				FW	953	2	132	287	314	169	46	3	-	-
				MNW	1190	21	300	418	272	134	42	3	-	-
				FNW	1130	19	292	384	266	132	29	8	-	-
CALCASIEU	3954	3144	17.8			8	485	1051	984	465	138	12	-	1
				MW	1177	2	170	395	388	174	45	3	-	-
				FW	1082	2	148	359	363	160	47	2	-	1
				MNW	454	3	84	149	118	66	31	3	-	-
				FNW	431	1	83	148	115	65	15	4	-	-
LAKE CHARLES*	3526	1420	18.2			4	234	445	437	215	77	8	-	-
				MW	392	1	50	120	140	58	22	1	-	-
				FW	323	-	48	92	113	50	20	-	-	-
				MNW	368	2	69	123	94	54	23	3	-	-
				FNW	337	1	67	110	90	53	12	4	-	-
SULPHUR*	420	392	18.8			1	58	138	117	65	11	2	-	-
				MW	182	-	22	55	57	41	6	1	-	-
				FW	182	1	31	71	50	24	4	1	-	-
				MNW	15	-	3	5	6	-	1	-	-	-
				FNW	13	-	2	7	4	-	-	-	-	-
CALDWELL	100	170	15.2			1	37	70	38	14	9	1	-	-
				MW	73	-	13	30	18	7	5	-	-	-
				FW	58	-	18	20	11	6	3	-	-	-
				MNW	23	1	3	12	6	-	-	1	-	-
				FNW	16	-	3	8	3	1	1	-	-	-
CAMERON	1	164	16.3			-	36	62	43	19	3	1	-	-
				MW	67	-	15	26	19	4	2	1	-	-
				FW	77	-	15	25	23	13	1	-	-	-
				MNW	10	-	3	6	-	1	-	-	-	-
				FNW	10	-	3	5	1	1	-	-	-	-
CATAHOULA	27	202	16.0			5	37	78	50	23	6	3	-	-
				MW	61	3	13	20	18	5	2	-	-	-
				FW	54	-	4	26	17	5	1	1	-	-
				MNW	52	1	13	19	10	8	1	-	-	-
				FNW	35	1	7	13	5	5	2	2	-	-
CLAIBORNE	80	268	14.5			1	62	95	64	34	10	2	-	-
				MW	73	-	8	32	18	12	3	-	-	-
				FW	56	-	7	15	20	9	4	1	-	-
				MNW	74	1	25	23	15	8	1	1	-	-
				FNW	65	-	22	25	11	5	2	-	-	-
CONCORDIA	288	392	16.6			4	90	129	96	56	15	2	-	-
				MW	120	-	19	40	44	14	2	1	-	-
				FW	93	-	19	30	23	16	5	-	-	-
				MNW	85	1	15	31	16	15	6	1	-	-
				FNW	94	3	37	28	13	11	2	-	-	-
DESOTO	7	496	17.9			6	110	185	115	62	13	5	-	-
				MW	140	-	25	60	38	15	2	-	-	-
				FW	123	-	20	45	35	13	8	2	-	-
				MNW	104	4	24	44	16	13	1	2	-	-
				FNW	129	2	41	36	26	21	2	1	-	-
E BATON ROUGE	11287	7065	18.1			28	871	2111	2340	1307	372	33	3	-
				MW	2016	2	154	538	777	427	113	5	-	-
				FW	1828	2	130	530	676	388	90	12	-	-
				MNW	1638	12	300	525	466	240	87	6	2	-
				FNW	1583	12	287	518	421	252	82	10	1	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BATON ROUGE*	10932	5284	21.3			26	742	1631	1658	926	273	26	2	-
				MW	1250	1	110	347	455	265	68	4	-	-
				FW	1108	1	85	309	410	232	61	10	-	-
				MNW	1488	12	279	491	413	212	74	6	1	-
				FNW	1438	12	268	484	380	217	70	6	1	-
BAKER*	-	241	17.2			1	28	75	90	31	13	3	-	-
				MW	104	-	11	34	41	13	4	1	-	-
				FW	82	1	7	27	30	12	5	-	-	-
				MNW	25	-	4	7	10	3	1	-	-	-
				FNW	30	-	6	7	9	3	3	2	-	-
EAST CARROLL	104	230	20.1			2	75	69	43	28	10	2	1	-
				MW	24	-	3	10	7	4	-	-	-	-
				FW	26	-	3	13	5	3	1	1	-	-
				MNW	97	-	36	27	20	11	3	-	-	-
				FNW	83	2	33	19	11	10	6	1	1	-
E FELICIANA	-	410	20.3			1	67	153	110	55	20	3	1	-
				MW	97	-	11	36	31	16	3	-	-	-
				FW	76	1	8	26	23	13	5	-	-	-
				MNW	117	-	26	43	29	14	5	-	-	-
				FNW	120	-	22	48	27	12	7	3	1	-
EVANGELINE	352	633	18.1			2	124	227	184	72	20	4	-	-
				MW	209	-	36	72	66	25	7	3	-	-
				FW	197	-	28	80	61	23	5	-	-	-
				MNW	118	1	34	38	21	20	4	-	-	-
				FNW	109	1	26	37	36	4	4	1	-	-
FRANKLIN	12	374	15.4			4	102	138	86	32	11	1	-	-
				MW	108	-	20	47	31	7	3	-	-	-
				FW	105	-	23	44	24	11	3	-	-	-
				MNW	75	2	33	19	11	6	3	1	-	-
				FNW	86	2	26	28	20	8	2	-	-	-
GRANT	1	256	14.3			3	51	104	61	31	6	-	-	-
				MW	113	-	19	50	33	10	1	-	-	-
				FW	103	1	24	39	21	15	3	-	-	-
				MNW	15	1	2	6	4	1	1	-	-	-
				FNW	25	1	6	9	3	5	1	-	-	-
IBERIA	1079	1462	21.2			7	254	461	447	217	67	8	-	1
				MW	446	1	59	137	157	66	23	2	-	1
				FW	459	3	67	146	159	65	16	3	-	-
				MNW	273	1	62	86	67	42	14	1	-	-
				FNW	284	2	66	92	64	44	14	2	-	-
NEW IBERIA*	1076	749	21.7			4	138	235	223	113	31	4	-	1
				MW	212	-	33	67	72	27	11	1	-	1
				FW	229	2	36	75	74	35	6	1	-	-
				MNW	155	1	32	49	42	26	5	-	-	-
				FNW	153	1	37	44	35	25	9	2	-	-
IBERVILLE	86	629	18.9			2	109	216	167	93	38	2	2	-
				MW	142	-	18	50	46	18	10	-	-	-
				FW	143	1	21	50	41	22	7	1	-	-
				MNW	164	-	34	54	40	21	14	-	1	-
				FNW	180	1	36	62	40	32	7	1	1	-
JACKSON	265	294	16.7			-	66	121	69	22	15	1	-	-
				MW	99	-	21	39	23	9	7	-	-	-
				FW	85	-	18	35	25	4	3	-	-	-
				MNW	52	-	11	23	8	7	3	-	-	-
				FNW	58	-	16	24	13	2	2	1	-	-
JEFFERSON	8476	7835	16.5			23	1062	2389	2500	1390	411	55	1	4
				MW	2919	3	332	845	1015	556	148	17	-	3
				FW	2698	1	302	788	925	508	152	21	-	1
				MNW	1135	6	225	399	291	148	57	8	1	-
				FNW	1083	13	203	357	269	178	54	9	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
KENNER*	129	1000	13.2			2	107	278	340	209	58	5	-	1
				MW	400	-	42	99	141	90	26	1	-	1
				FW	413	1	33	126	151	82	18	2	-	-
				MNW	99	1	21	23	26	20	6	2	-	-
				FNW	88	-	11	30	22	17	8	-	-	-
GRETNA*	2311	483	23.9			1	69	146	158	81	27	1	-	-
				MW	160	-	18	57	51	27	6	1	-	-
				FW	155	-	24	44	50	29	8	-	-	-
				MNW	81	-	9	26	31	9	6	-	-	-
				FNW	87	1	18	19	26	16	7	-	-	-
HARAHAN*	-	121	10.7			-	6	31	52	26	6	-	-	-
				MW	62	-	3	11	34	12	2	-	-	-
				FW	57	-	3	20	17	13	4	-	-	-
				MNW	2	-	-	-	1	1	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	2	213	16.6			-	40	102	52	15	3	1	-	-
				MW	70	-	11	33	21	3	2	-	-	-
				FW	83	-	11	44	21	6	-	1	-	-
				MNW	31	-	12	12	3	3	1	-	-	-
				FNW	29	-	6	13	7	3	-	-	-	-
JEFF DAVIS	194	612	18.3			2	109	208	191	72	21	9	-	-
				MW	241	-	38	89	75	27	6	6	-	-
				FW	230	-	38	80	77	29	3	3	-	-
				MNW	67	-	13	22	19	9	4	-	-	-
				FNW	74	2	20	17	20	7	8	-	-	-
JENNINGS*	179	238	18.7			2	53	82	70	23	7	1	-	-
				MW	82	-	14	32	29	5	1	1	-	-
				FW	84	-	16	32	22	12	2	-	-	-
				MNW	38	-	10	9	13	4	2	-	-	-
				FNW	34	2	13	9	6	2	2	-	-	-
LAFAYETTE	6706	3420	20.1			10	365	996	1202	674	144	27	1	1
				MW	1323	1	102	379	502	281	52	6	-	-
				FW	1191	1	100	316	455	269	38	10	1	1
				MNW	477	6	79	167	128	64	31	2	-	-
				FNW	429	2	84	134	117	60	23	9	-	-
LAFAYETTE*	6683	1816	19.6			7	213	524	618	356	85	12	1	-
				MW	630	1	45	168	252	141	21	2	-	-
				FW	558	-	40	145	207	136	24	5	1	-
				MNW	336	4	66	114	79	47	24	2	-	-
				FNW	292	2	62	97	80	32	16	3	-	-
LAFOURCHE	1359	1700	19.5			5	295	578	516	222	70	13	-	1
				MW	693	1	111	240	222	89	25	5	-	-
				FW	655	1	87	223	211	97	28	7	-	1
				MNW	166	-	44	59	42	14	7	-	-	-
				FNW	186	3	53	56	41	22	10	1	-	-
THIBODAUX*	891	321	19.7			1	73	106	85	39	14	2	-	1
				MW	95	-	17	29	26	13	8	2	-	-
				FW	89	-	13	33	31	9	2	-	-	1
				MNW	58	-	15	21	13	7	2	-	-	-
				FNW	79	1	28	23	15	10	2	-	-	-
LASALLE	12	222	12.7			1	51	87	50	24	7	2	-	-
				MW	95	-	21	33	29	10	2	-	-	-
				FW	92	1	21	40	15	11	3	1	-	-
				MNW	17	-	4	7	4	-	1	1	-	-
				FNW	18	-	5	7	2	3	1	-	-	-
LINCOLN	381	564	13.0			2	90	192	165	82	29	4	-	-
				MW	166	-	12	64	57	27	6	-	-	-
				FW	152	-	16	49	49	29	7	2	-	-
				MNW	123	1	32	41	25	16	8	-	-	-
				FNW	123	1	30	38	34	10	8	2	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
RUSTON*	376	278	12.8			2	43	85	84	48	13	3	-	-
				MW	82	-	4	29	32	16	1	-	-	-
				FW	68	-	7	15	22	18	4	2	-	-
				MNW	61	1	15	16	15	10	4	-	-	-
				FNW	67	1	17	25	15	4	4	1	-	-
LIVINGSTON	7	1334	18.7			3	230	526	361	172	37	5	-	-
				MW	618	1	101	249	177	73	16	1	-	-
				FW	614	-	106	236	168	83	20	1	-	-
				MNW	53	-	13	23	7	9	-	1	-	-
				FNW	49	2	10	18	9	7	1	2	-	-
MADISON	92	257	16.5			4	77	81	51	30	12	2	-	-
				MW	26	-	6	10	4	5	1	-	-	-
				FW	37	-	6	11	12	5	2	1	-	-
				MNW	86	3	24	28	18	7	6	-	-	-
				FNW	108	1	41	32	17	13	3	1	-	-
TALLULAH*	92	123	11.1			3	42	33	24	14	6	1	-	-
				MW	5	-	1	1	1	2	-	-	-	-
				FW	9	-	2	1	4	2	-	-	-	-
				MNW	48	3	16	12	9	4	4	-	-	-
				FNW	61	-	23	19	10	6	2	1	-	-
MOREHOUSE	389	615	17.4			6	161	217	151	56	21	3	-	-
				MW	159	-	32	50	57	12	8	-	-	-
				FW	122	-	22	46	36	13	2	3	-	-
				MNW	173	4	49	65	32	18	5	-	-	-
				FNW	161	2	58	56	26	13	6	-	-	-
BASTROP*	389	306	19.9			2	91	112	61	30	10	-	-	-
				MW	64	-	15	23	17	5	4	-	-	-
				FW	50	-	10	24	9	6	1	-	-	-
				MNW	111	2	33	37	25	11	3	-	-	-
				FNW	81	-	33	28	10	8	2	-	-	-
NATCHITOCHES	322	656	16.5			4	135	239	163	77	32	6	-	-
				MW	184	-	28	60	64	26	6	-	-	-
				FW	149	-	21	65	43	18	1	1	-	-
				MNW	154	2	41	55	27	13	14	2	-	-
				FNW	169	2	45	59	29	20	11	3	-	-
NATCHITOCHES*	322	348	20.2			2	77	128	75	44	19	3	-	-
				MW	67	-	8	21	21	14	3	-	-	-
				FW	52	-	7	23	15	6	-	1	-	-
				MNW	109	-	31	38	21	9	9	1	-	-
				FNW	120	2	31	46	18	15	7	1	-	-
ORLEANS	14080	10545	18.7			49	1861	3311	2853	1741	647	78	4	1
				MW	1283	1	89	273	437	329	139	15	-	-
				FW	1259	1	82	284	438	329	114	10	1	-
				MNW	4009	30	844	1348	995	569	192	29	1	1
				FNW	3994	17	846	1406	983	514	202	24	2	-
OUACHITA	4404	2595	18.1			18	518	871	740	360	75	13	-	-
				MW	730	1	85	258	231	132	20	3	-	-
				FW	701	2	103	228	233	109	25	1	-	-
				MNW	574	9	167	187	130	56	19	6	-	-
				FNW	590	6	163	198	146	63	11	3	-	-
MONROE*	3683	1251	21.2			12	298	390	346	157	42	6	-	-
				MW	198	1	24	61	66	37	8	1	-	-
				FW	175	-	18	39	68	38	12	-	-	-
				MNW	436	8	129	144	98	40	15	2	-	-
				FNW	442	3	127	146	114	42	7	3	-	-
WEST MONROE*	719	332	21.9			2	66	130	88	36	10	-	-	-
				MW	124	-	16	58	33	15	2	-	-	-
				FW	130	1	30	42	38	12	7	-	-	-
				MNW	38	1	9	15	9	3	1	-	-	-
				FNW	40	-	11	15	8	6	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
PLAQUEMINES	16	552	20.7			3	100	207	154	63	23	2	-	-
				MW	214	-	38	79	65	24	7	1	-	-
				FW	156	-	25	64	38	20	9	-	-	-
				MNW	92	1	22	27	25	11	5	1	-	-
				FNW	90	2	15	37	26	8	2	-	-	-
POINTE COUPEE	150	447	17.8			1	72	165	124	62	19	4	-	-
				MW	117	-	17	43	37	17	3	-	-	-
				FW	113	-	13	46	34	15	5	-	-	-
				MNW	94	-	16	42	15	14	6	1	-	-
				FNW	123	1	26	34	38	16	5	3	-	-
RAPIDES	3886	2357	16.9			11	407	913	637	299	75	14	1	-
				MW	746	-	109	298	226	84	25	4	-	-
				FW	770	2	93	297	243	106	25	4	-	-
				MNW	407	3	99	159	81	47	14	3	1	-
				FNW	434	6	106	159	87	62	11	3	-	-
ALEXANDRIA*	2179	1055	20.0			7	219	396	259	140	28	6	-	-
				MW	219	-	35	83	67	27	6	1	-	-
				FW	237	-	26	92	76	34	8	1	-	-
				MNW	282	3	76	102	58	33	7	3	-	-
				FNW	317	4	82	119	58	46	7	1	-	-
PINEVILLE*	1593	297	23.0			1	54	114	85	29	11	2	1	-
				MW	121	-	23	48	35	10	4	1	-	-
				FW	123	1	21	46	39	15	1	-	-	-
				MNW	30	-	5	10	7	3	4	-	1	-
				FNW	23	-	5	10	4	1	2	1	-	-
RED RIVER	15	197	18.0			2	64	70	37	16	8	-	-	-
				MW	53	-	17	19	12	5	4	-	-	-
				FW	53	-	13	17	13	8	2	-	-	-
				MNW	40	1	12	16	7	3	1	-	-	-
				FNW	51	1	26	18	5	-	1	-	-	-
RICHLAND	129	401	17.3			5	99	155	96	36	6	3	1	-
				MW	109	-	24	39	35	10	1	-	-	-
				FW	85	-	16	35	22	10	2	-	-	-
				MNW	110	4	29	39	25	10	1	2	-	-
				FNW	97	1	30	42	14	6	2	1	1	-
SABINE	55	406	14.8			2	92	151	104	32	18	6	-	1
				MW	158	-	35	62	38	13	7	3	-	-
				FW	142	-	24	49	44	13	9	2	-	1
				MNW	58	1	17	23	12	3	1	1	-	-
				FNW	48	1	16	17	10	3	1	-	-	-
ST BERNARD	7	1075	15.8			3	174	341	363	147	43	4	-	-
				MW	514	2	80	172	175	64	19	2	-	-
				FW	471	1	69	139	167	72	22	1	-	-
				MNW	43	-	11	18	9	4	-	1	-	-
				FNW	47	-	14	12	12	7	2	-	-	-
ST CHARLES	24	868	20.5			1	116	295	292	124	37	2	-	1
				MW	305	-	35	101	96	58	15	-	-	-
				FW	301	-	32	88	125	40	14	1	-	1
				MNW	144	1	27	58	41	13	4	-	-	-
				FNW	118	-	22	48	30	13	4	1	-	-
ST HELENA	2	166	15.9			-	27	69	37	20	8	5	-	-
				MW	41	-	6	16	12	5	1	1	-	-
				FW	28	-	1	10	12	5	-	-	-	-
				MNW	60	-	11	19	12	10	6	2	-	-
				FNW	37	-	9	24	1	-	1	2	-	-
ST JAMES	53	493	22.2			3	77	149	159	69	31	4	1	-
				MW	113	1	13	41	43	13	2	-	-	-
				FW	108	-	6	34	49	15	4	-	-	-
				MNW	133	1	31	35	34	22	8	2	-	-
				FNW	139	1	27	39	33	19	17	2	1	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST JOHN	298	875	21.6			5	112	275	310	135	32	6	-	-
				MW	269	1	23	84	110	43	7	1	-	-
				FW	286	1	27	91	111	46	8	2	-	-
				MNW	155	-	28	52	46	25	4	-	-	-
				FNW	165	3	34	48	43	21	13	3	-	-
ST LANDRY	1269	1700	19.2			11	301	564	514	215	78	16	1	-
				MW	474	-	57	176	158	62	15	6	-	-
				FW	443	1	68	142	150	64	15	3	-	-
				MNW	414	2	92	134	108	44	29	4	1	-
				FNW	369	8	84	112	98	45	19	3	-	-
OPELOUSAS*	1007	454	23.4			6	92	151	131	46	21	6	1	-
				MW	65	-	6	22	25	7	3	2	-	-
				FW	72	-	7	24	30	7	3	1	-	-
				MNW	172	1	44	61	38	16	9	2	1	-
				FNW	145	5	35	44	38	16	6	1	-	-
EUNICE*	258	281	22.6			1	61	98	82	25	13	1	-	-
				MW	93	-	18	42	26	7	-	-	-	-
				FW	96	-	21	28	31	11	4	1	-	-
				MNW	51	1	12	15	12	4	7	-	-	-
				FNW	41	-	10	13	13	3	2	-	-	-
ST MARTIN	141	929	20.4			1	159	284	302	130	47	6	-	-
				MW	273	-	41	80	90	47	11	4	-	-
				FW	275	-	41	76	115	32	9	2	-	-
				MNW	204	1	41	65	54	32	11	-	-	-
				FNW	177	-	36	63	43	19	16	-	-	-
ST MARY	666	1310	20.0			7	257	489	355	150	38	14	-	-
				MW	394	-	68	150	105	56	11	4	-	-
				FW	416	3	79	149	122	52	8	3	-	-
				MNW	244	1	52	96	63	19	11	2	-	-
				FNW	256	3	58	94	65	23	8	5	-	-
MORGAN CITY*	447	374	24.0			4	72	140	98	51	6	3	-	-
				MW	124	-	24	47	36	15	1	1	-	-
				FW	116	1	21	40	29	22	2	1	-	-
				MNW	57	1	13	23	12	7	1	-	-	-
				FNW	77	2	14	30	21	7	2	1	-	-
ST TAMMANY	1514	2427	17.6			4	291	689	781	525	122	14	1	-
				MW	1080	-	114	289	354	266	51	6	-	-
				FW	986	-	97	274	342	207	60	5	1	-
				MNW	161	2	34	58	36	24	6	1	-	-
				FNW	200	2	46	68	49	28	5	2	-	-
SLIDELL*	713	478	17.4			-	54	118	166	110	27	3	-	-
				MW	213	-	25	44	71	61	10	2	-	-
				FW	202	-	16	54	81	38	13	-	-	-
				MNW	26	-	7	7	7	3	2	-	-	-
				FNW	37	-	6	13	7	8	2	1	-	-
TANGIPAHOA	1878	1711	18.9			11	339	599	465	223	67	6	1	-
				MW	494	-	67	177	165	69	15	1	-	-
				FW	501	2	69	171	153	92	12	2	-	-
				MNW	353	5	115	115	69	30	17	2	-	-
				FNW	363	4	88	136	78	32	23	1	1	-
HAMMOND*	2	295	17.5			2	69	93	69	50	10	1	1	-
				MW	58	-	7	17	16	14	4	-	-	-
				FW	72	-	4	22	23	19	3	1	-	-
				MNW	80	1	32	26	11	8	2	-	-	-
				FNW	85	1	26	28	19	9	1	-	1	-
TENSAS	73	166	19.8			-	34	61	48	17	5	-	1	-
				MW	31	-	5	13	10	2	1	-	-	-
				FW	35	-	2	14	10	7	2	-	-	-
				MNW	56	-	15	20	13	5	2	-	1	-
				FNW	44	-	12	14	15	3	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TERREBONNE	3544	2074	20.5			11	405	684	583	286	92	13	-	-
				MW	767	4	132	259	230	107	28	7	-	-
				FW	699	2	119	225	214	104	31	4	-	-
				MNW	297	2	72	105	71	32	13	2	-	-
				FNW	311	3	82	95	68	43	20	-	-	-
HOUMA*	931	859	24.8			6	181	269	235	127	37	4	-	-
				MW	275	1	50	84	86	39	12	3	-	-
				FW	266	1	45	91	76	41	11	1	-	-
				MNW	147	1	40	44	35	22	5	-	-	-
				FNW	171	3	46	50	38	25	9	-	-	-
UNION	132	326	14.6			5	83	118	77	33	7	3	-	-
				MW	105	-	22	38	29	13	2	1	-	-
				FW	95	-	17	37	27	12	1	1	-	-
				MNW	70	1	25	21	14	4	4	1	-	-
				FNW	56	4	19	22	7	4	-	-	-	-
VERMILION	559	997	18.8			1	143	390	285	146	28	4	-	-
				MW	419	-	49	169	121	67	11	2	-	-
				FW	376	-	54	140	116	52	14	-	-	-
				MNW	104	1	24	40	24	14	1	-	-	-
				FNW	98	-	16	41	24	13	2	2	-	-
ABBEVILLE*	263	301	23.6			1	56	131	67	42	3	1	-	-
				MW	77	-	12	42	15	8	-	-	-	-
				FW	88	-	16	34	22	15	1	-	-	-
				MNW	67	1	17	24	14	10	1	-	-	-
				FNW	69	-	11	31	16	9	1	1	-	-
VERNON	1198	1468	24.0			3	267	667	340	148	36	7	-	-
				MW	538	1	105	237	123	54	15	3	-	-
				FW	512	-	106	253	100	42	9	2	-	-
				MNW	214	1	29	94	60	25	5	-	-	-
				FNW	204	1	27	83	57	27	7	2	-	-
WASHINGTON	871	746	15.7			5	154	267	179	106	30	4	1	-
				MW	240	1	47	87	64	30	10	1	-	-
				FW	224	1	39	83	64	29	8	-	-	-
				MNW	133	1	32	50	21	27	1	1	-	-
				FNW	149	2	36	47	30	20	11	2	1	-
BOGALUSA*	869	254	15.3			2	53	87	68	36	6	2	-	-
				MW	81	-	20	25	21	12	3	-	-	-
				FW	64	-	10	20	24	10	-	-	-	-
				MNW	51	1	11	22	8	8	-	1	-	-
				FNW	58	1	12	20	15	6	3	1	-	-
WEBSTER	326	714	15.6			3	136	283	202	66	20	4	-	-
				MW	221	-	33	88	66	27	5	2	-	-
				FW	215	-	33	87	67	21	6	1	-	-
				MNW	133	1	37	45	39	6	4	1	-	-
				FNW	145	2	33	63	30	12	5	-	-	-
MINDEN*	262	263	17.0			1	65	92	74	21	7	3	-	-
				MW	66	-	11	20	23	8	3	1	-	-
				FW	46	-	11	13	17	4	-	1	-	-
				MNW	78	-	25	25	22	4	1	1	-	-
				FNW	73	1	18	34	12	5	3	-	-	-
W BATON ROUGE	-	417	20.1			-	74	145	130	51	14	3	-	-
				MW	123	-	19	45	44	10	5	-	-	-
				FW	119	-	19	42	39	17	1	1	-	-
				MNW	79	-	16	27	22	10	3	1	-	-
				FNW	96	-	20	31	25	14	5	1	-	-
WEST CARROLL	38	223	17.2			3	44	84	50	32	8	2	-	-
				MW	83	-	13	35	20	13	2	-	-	-
				FW	75	-	13	23	23	11	4	1	-	-
				MNW	38	3	13	17	3	1	1	-	-	-
				FNW	27	-	5	9	4	7	1	1	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
W FELICIANA	1	154	11.2			1	22	47	44	25	13	2	-	-
				MW	44	-	5	15	14	7	1	2	-	-
				FW	43	-	5	9	19	9	1	-	-	-
				MNW	41	-	9	15	5	5	7	-	-	-
				FNW	26	1	3	8	6	4	4	-	-	-
WINN	-	256	15.0			3	55	106	51	29	12	-	-	-
				MW	74	1	11	39	17	4	2	-	-	-
				FW	76	-	16	28	18	12	2	-	-	-
				MNW	47	1	11	19	9	5	2	-	-	-
				FNW	59	1	17	20	7	8	6	-	-	-
OUT OF STATE**	703	951				2	162	324	263	149	46	4	-	1
				MW	396	1	62	137	107	64	23	2	-	-
				FW	398	1	55	141	122	63	13	2	-	1
				MNW	84	-	25	27	13	12	7	-	-	-
				FNW	73	-	20	19	21	10	3	-	-	-

*CITIES INCLUDED IN PARISH TOTALS

**NOT INCLUDED IN STATE TOTALS

TABLE I-B
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1985

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	81649	81401	18.2			376	13704	27220	23795	12173	3598	501	23	11
				MW	24969	34	3241	8249	8162	4082	1068	128	1	4
				FW	23529	36	3045	7688	7720	3886	1006	138	4	6
				MNW	16536	153	3723	5696	3977	2093	780	105	8	1
				FNW	16367	153	3695	5587	3936	2112	744	130	10	-
SPD 1	24093	22434	17.6			82	3488	6937	6651	3866	1246	153	6	5
				MW	6010	6	653	1658	2046	1239	364	41	-	3
				FW	5570	3	575	1549	1910	1136	357	37	2	1
				MNW	5440	39	1136	1850	1356	756	260	40	2	1
				FNW	5414	34	1124	1880	1339	735	265	35	2	-
SPD 2	14300	14261	18.3			55	2147	4690	4339	2284	664	74	8	-
				MW	4381	4	507	1399	1527	740	191	13	-	-
				FW	4070	8	454	1342	1366	719	163	18	-	-
				MNW	2912	19	613	971	721	412	157	16	3	-
				FNW	2898	24	573	978	725	413	153	27	5	-
SPD 3	5279	6413	20.3			26	1078	2113	1981	899	272	41	1	2
				MW	2266	7	332	764	748	323	79	13	-	-
				FW	2152	4	284	695	742	322	87	16	-	2
				MNW	985	4	225	338	252	121	40	5	-	-
				FNW	1010	11	237	316	239	133	66	7	1	-
SPD 4	11438	11602	19.8			45	1788	3850	3611	1735	477	90	4	2
				MW	3977	3	475	1334	1322	657	156	28	1	1
				FW	3800	10	495	1221	1311	610	124	26	2	1
				MNW	1968	14	424	677	489	247	105	11	1	-
				FNW	1857	18	394	618	489	221	92	25	-	-
SPD 5	4702	4800	17.5			11	810	1670	1432	657	194	25	-	1
				MW	1828	3	284	645	570	249	66	11	-	-
				FW	1734	2	278	604	546	234	62	7	-	1
				MNW	632	3	123	218	158	88	39	3	-	-
				FNW	606	3	125	203	158	86	27	4	-	-
SPD 6	5510	5858	17.6			31	1094	2327	1486	701	186	32	1	-
				MW	1957	5	330	795	550	209	59	9	-	-
				FW	1935	4	324	791	511	244	52	9	-	-
				MNW	959	8	210	374	211	111	39	5	1	-
				FNW	1007	14	230	367	214	137	36	9	-	-
SPD 7	10589	10382	17.6			78	2003	3648	2846	1371	380	55	-	1
				MW	3003	5	416	1085	934	451	103	9	-	-
				FW	2844	3	394	980	906	430	113	17	-	1
				MNW	2286	39	587	810	510	233	93	14	-	-
				FNW	2249	31	606	773	496	257	71	15	-	-
SPD 8	5738	5651	17.3			48	1296	1985	1449	660	179	31	3	-
				MW	1547	1	244	569	465	214	50	4	-	-
				FW	1424	2	241	506	428	191	48	8	-	-
				MNW	1354	27	405	458	280	125	47	11	1	-
				FNW	1326	18	406	452	276	130	34	8	2	-
HSA 1	29372	28847	18.1			108	4566	9050	8632	4765	1518	194	7	7
				MW	8276	13	985	2422	2794	1562	443	54	-	3
				FW	7722	7	859	2244	2652	1458	444	53	2	3
				MNW	6425	43	1361	2188	1608	877	300	45	2	1
				FNW	6424	45	1361	2196	1578	868	331	42	3	-
HSA 2	30440	30663	18.7			111	4745	10210	9382	4676	1335	189	12	3
				MW	10186	10	1266	3378	3419	1646	413	52	1	1
				FW	9604	20	1227	3167	3223	1563	349	51	2	2
				MNW	5512	36	1160	1866	1368	747	301	30	4	-
				FNW	5361	45	1092	1799	1372	720	272	56	5	-
HSA 3	21837	21891	17.5			157	4393	7960	5781	2732	745	118	4	1
				MW	6507	11	990	2449	1949	874	212	22	-	-
				FW	6203	9	959	2277	1845	865	213	34	-	1
				MNW	4599	74	1262	1642	1001	469	179	30	2	-
				FNW	4582	63	1242	1592	986	524	141	32	2	-

TABLE 11
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY				
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TOTAL	81649	81401	18.2	48498	48304	51	143	32903	32777	24	102	41505	39896
ACADIA	666	1151	19.3	882	877	-	5	269	268	-	-	573	578
CROWLEY*	467	297	18.2	182	181	-	1	115	115	-	-	151	146
ALLEN	192	339	15.6	247	247	-	-	92	92	-	-	168	171
ASCENSION	18	1182	20.4	830	824	-	6	352	345	-	7	629	553
ASSUMPTION	1	403	17.2	222	222	-	-	181	178	1	2	209	194
AVOYELLES	98	705	16.4	445	443	-	2	260	258	-	2	332	373
BEAUREGARD	361	541	16.7	441	441	-	-	100	98	-	2	276	265
DE RIDDER*	361	210	18.3	123	123	-	-	87	85	-	2	116	94
BIENVILLE	-	294	17.6	137	136	1	-	157	155	2	-	164	130
BOSSIER	1410	1629	18.1	1203	1196	7	-	426	423	2	1	808	821
BOSSIER CITY*	1409	1055	18.9	804	798	6	-	251	250	1	-	511	544
CADDO	7993	5158	19.0	2622	2614	7	1	2536	2532	2	2	2636	2522
SHREVEPORT*	7993	4266	19.9	1946	1938	7	1	2320	2317	1	2	2183	2083
CALCASIEU	3954	3144	17.8	2259	2255	-	4	885	883	-	2	1621	1523
LAKE CHARLES*	3526	1420	18.2	715	714	-	1	705	704	-	1	760	660
SULPHUR*	420	392	18.8	364	364	-	-	28	28	-	-	197	195
CALDWELL	100	170	15.2	131	129	-	2	39	39	-	-	96	74
CAMERON	1	164	16.3	144	144	-	-	20	20	-	-	77	87
CATAHOULA	27	202	16.0	115	115	-	-	87	85	-	2	113	89
CLAIBORNE	80	268	14.5	129	129	-	-	139	139	-	-	147	121
CONCORDIA	288	392	16.6	213	213	-	-	179	177	-	2	205	187
DE SOTO	7	496	17.9	263	263	-	-	233	233	-	-	244	252
EAST BATON ROUGE	11287	7065	18.1	3844	3830	1	13	3221	3201	-	20	3454	3611
BATON ROUGE*	10932	5284	21.3	2358	2347	-	11	2926	2906	-	20	2738	2546
BAKER*	-	241	17.2	186	186	-	-	55	55	-	-	129	112
EAST CARROLL	104	230	20.1	50	49	1	-	180	179	-	1	121	109
EAST FELICIANA	-	410	20.3	173	173	-	-	237	235	-	2	214	196
EVANGELINE	352	633	18.1	406	406	-	-	227	226	-	1	327	306
FRANKLIN	12	374	15.4	213	210	3	-	161	161	-	-	183	191
GRANT	1	256	14.3	216	216	-	-	40	39	-	1	128	128
IBERIA	1079	1462	21.2	905	903	-	2	557	554	-	3	749	713
NEW IBERIA*	1076	749	21.7	441	440	-	1	308	305	-	3	367	382
IBERVILLE	86	629	18.9	285	285	-	-	344	343	-	1	306	323
JACKSON	265	294	16.7	184	184	-	-	110	110	-	-	151	143
JEFFERSON	8476	7835	16.5	5617	5592	9	16	2218	2211	1	6	4054	3781
KENNER*	129	1000	13.2	813	809	2	2	187	183	-	4	499	501
GRETNA*	2311	483	23.9	315	311	1	3	168	168	-	-	241	242
HARAHAN*	-	121	10.7	119	119	-	-	2	2	-	-	64	57
WESTWEGO*	2	213	16.6	153	152	1	-	60	60	-	-	101	112

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY				
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
JEFFERSON DAVIS	194	612	18.3	471	470	-	1	141	138	-	3	308	304
JENNINGS*	179	238	18.7	166	166	-	-	72	69	-	3	120	118
LAFAYETTE	6706	3420	20.1	2514	2488	1	25	906	904	-	2	1800	1620
LAFAYETTE*	6683	1816	19.6	1188	1176	-	12	628	627	-	1	966	850
LAFOURCHE	1359	1700	19.5	1348	1338	2	8	352	350	-	2	859	841
THIBODAUX*	891	321	19.7	184	184	-	-	137	137	-	-	153	168
LA SALLE	12	222	12.7	187	187	-	-	35	34	-	1	112	110
LINCOLN	381	564	13.0	318	313	5	-	246	237	7	2	289	275
RUSTON*	376	278	12.8	150	145	5	-	128	126	2	-	143	135
LIVINGSTON	7	1334	18.7	1232	1225	1	6	102	101	-	1	671	663
MADISON	92	257	16.5	63	63	-	-	194	187	6	1	112	145
TALLULAH*	92	123	11.1	14	14	-	-	109	109	-	-	53	70
MOREHOUSE	389	615	17.4	281	281	-	-	334	334	-	-	332	283
BASTROP*	389	306	19.9	114	114	-	-	192	192	-	-	175	131
NATCHITOCHES	322	656	16.5	333	332	1	-	323	323	-	-	338	318
NATCHITOCHES*	322	348	20.2	119	118	1	-	229	229	-	-	176	172
ORLEANS	14080	10545	18.7	2542	2524	5	13	8003	7992	2	9	5292	5253
OUACHITA	4404	2595	18.1	1431	1429	1	1	1164	1164	-	-	1304	1291
MONROE*	3683	1251	21.2	373	373	-	-	878	878	-	-	634	617
WEST MONROE*	719	332	21.9	254	254	-	-	78	78	-	-	162	170
PLAQUEMINES	16	552	20.7	370	367	1	2	182	181	-	1	306	246
POINTE COUPEE	150	447	17.8	230	230	-	-	217	216	-	1	211	236
RAPIDES	3886	2357	16.9	1516	1512	-	4	841	839	-	2	1153	1204
ALEXANDRIA*	2179	1055	20.0	456	455	-	1	599	598	-	1	501	554
PINEVILLE*	1593	297	23.0	244	244	-	-	53	53	-	-	151	146
RED RIVER	15	197	18.0	106	105	1	-	91	91	-	-	93	104
RICHLAND	129	401	17.3	194	194	-	-	207	207	-	-	219	182
SABINE	55	406	14.8	300	299	1	-	106	106	-	-	216	190
ST BERNARD	7	1075	15.8	985	981	1	3	90	90	-	-	557	518
ST CHARLES	24	868	20.5	606	605	-	1	262	261	-	1	449	419
ST HELENA	2	166	15.9	69	69	-	-	97	97	-	-	101	65
ST JAMES	53	493	22.2	221	221	-	-	272	270	-	2	246	247
ST JOHN	298	875	21.6	555	553	-	2	320	318	-	2	424	451
ST LANDRY	1269	1700	19.2	917	915	-	2	783	781	-	2	888	812
OPELOUSAS*	1007	454	23.4	137	137	-	-	317	315	-	2	237	217
EUNICE*	258	281	22.6	189	189	-	-	92	92	-	-	144	137
ST MARTIN	141	929	20.4	548	545	-	3	381	381	-	-	477	452
ST MARY	666	1310	20.0	810	807	-	3	500	494	-	6	638	672
MORGAN CITY*	447	374	24.0	240	239	-	1	134	131	-	3	181	193
ST TAMMANY	1514	2427	17.6	2066	2059	1	6	361	361	-	-	1241	1186
SLIDELL*	713	478	17.4	415	414	-	1	63	63	-	-	239	239

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY				
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TANGIPAHOA	1878	1711	18.9	995	991	-	4	716	716	-	-	847	864
HAMMOND*	2	295	17.5	130	128	-	2	165	165	-	-	138	157
TENSAS	73	166	19.8	66	66	-	-	100	100	-	-	87	79
TERREBONNE	3544	2074	20.5	1466	1465	-	1	608	605	-	3	1064	1010
HOUMA*	931	859	24.8	541	540	-	1	318	317	-	1	422	437
UNION	132	326	14.6	200	200	-	-	126	126	-	-	175	151
VERMILION	559	997	18.8	795	790	-	5	202	202	-	-	523	474
ABBEVILLE*	263	301	23.6	165	164	-	1	136	136	-	-	144	157
VERNON	1198	1468	24.0	1050	1048	-	2	418	416	-	2	752	716
WASHINGTON	871	746	15.7	464	464	-	-	282	281	-	1	373	373
BOGALUSA*	869	254	15.3	145	145	-	-	109	109	-	-	132	122
WEBSTER	326	714	15.6	436	435	1	-	278	277	1	-	354	360
MINDEN*	262	263	17.0	112	112	-	-	151	150	1	-	144	119
WEST BATON ROUGE	-	417	20.1	242	242	-	-	175	175	-	-	202	215
WEST CARROLL	38	223	17.2	158	158	-	-	65	65	-	-	121	102
WEST FELICIANA	1	154	11.2	87	87	-	-	67	67	-	-	85	69
WINN	-	256	15.0	150	150	-	-	106	105	-	1	121	135
OUT OF STATE**	703	951		794	791	2	1	157	155	2	-	480	471

*INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
TOTAL	81649	25091	23676	16532	16350
BORN IN HOSPITAL	81204	24994	23558	16435	16217
BORN OUT OF HOSPITAL	445	97	118	97	133
ACADIA	666	251	286	70	59
ACADIA-ST. LANDRY HOSPITAL	76	19	29	18	10
AMERICAN LEGION HOSPITAL	465	195	219	23	28
RAYNE BRANCH HOSPITAL	119	32	37	29	21
OUT OF HOSPITAL	6	5	1	-	-
ALLEN	192	65	81	19	27
ALLEN PARISH HOSPITAL	129	41	58	11	19
HUMANA HOSPITAL, OAKDALE	63	24	23	8	8
ASCENSION	18	2	6	3	7
EAST ASCENSION GENERAL HOSPITAL	2	1	-	1	-
PREVOST MEMORIAL HOSPITAL	4	1	1	-	2
OUT OF HOSPITAL	12	-	5	2	5
ASSUMPTION	1	-	-	-	1
ASSUMPTION GENERAL HOSPITAL	1	-	-	-	1
AVOYELLES	98	29	29	17	23
BUNKIE GENERAL HOSPITAL	90	28	26	15	21
HUMANA HOSPITAL-MARKSVILLE	2	-	2	-	-
OUT OF HOSPITAL	6	1	1	2	2
BEAUREGARD	361	162	138	34	27
BEAUREGARD MEMORIAL HOSPITAL	359	162	138	34	25
OUT OF HOSPITAL	2	-	-	-	2
BOSSIER	1410	585	580	118	127
U S AIR FORCE BASE HOSPITAL	549	197	220	67	65
BOSSIER MEDICAL CENTER	859	388	359	51	61
OUT OF HOSPITAL	2	-	1	-	1
CADDO	7993	2107	2009	1951	1926
L.S.U. MEDICAL CENTER	4775	765	723	1642	1645
HIGHLAND HOSPITAL	488	210	225	29	24
DOCTORS HOSPITAL OF CADDO	86	19	29	22	16
PHYSICIANS AND SURGEONS HOSPITAL	239	77	81	40	41
T. E. SCHUMPERT HOSPITAL	1193	542	502	76	73
SOUTH PARK HOSPITAL	1	1	-	-	-
WILLIS KNIGHTON MEDICAL CENTER	1205	490	447	142	126
OUT OF HOSPITAL	6	3	2	-	1
CALCASIEU	3954	1503	1392	541	518
DEQUINCY GENERAL HOSPITAL	6	2	2	1	1
HUMANA WOMENS HOSPITAL-LAKE CHARLES	1038	478	453	53	54
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	1286	424	373	254	235
LAKE CHARLES MEMORIAL HOSPITAL	967	312	276	191	188
ST. PATRICKS HOSPITAL	228	88	95	25	20
WEST CALCASIEU-CAMERON HOSPITAL	420	199	188	16	17
OUT OF HOSPITAL	9	-	5	1	3
CALDWELL	100	30	31	16	23
CALDWELL MEMORIAL HOSPITAL	98	29	30	16	23
OUT OF HOSPITAL	2	1	1	-	-
CAMERON	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-
CATAHOULA	27	14	11	1	1
CATAHOULA PARISH HOSPITAL	25	14	11	-	-
OUT OF HOSPITAL	2	-	-	1	1
CLAIBORNE	80	23	8	25	24
HOMER MEMORIAL HOSPITAL	69	15	6	24	24
NORTH CLAIBORNE HOSPITAL	10	8	1	1	-
OUT OF HOSPITAL	1	-	1	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
CONCORDIA............................	288	61	41	92	94
CONCORDIA PARISH HOSPITAL	285	61	41	91	92
OUT OF HOSPITAL	3	-	-	1	2
DESOTO...............................	7	1	1	4	1
DESOTO GENERAL HOSPITAL	5	1	-	3	1
OUT OF HOSPITAL	2	-	1	1	-
EAST BATON ROUGE.....................	11287	3496	3285	2262	2244
BATON ROUGE GENERAL HOSPITAL	2	-	-	1	1
EARL K. LONG MEMORIAL HOSPITAL	3416	474	445	1239	1258
LANE MEMORIAL HOSPITAL	350	113	123	62	52
OUR LADY OF THE LAKE MEDICAL CENTER	2	1	-	1	-
WOMANS HOSPITAL	7478	2903	2706	950	919
OUT OF HOSPITAL	39	5	11	9	14
EAST CARROLL.........................	104	6	5	49	44
EAST CARROLL PARISH HOSPITAL	103	6	5	49	43
OUT OF HOSPITAL	1	-	-	-	1
EVANGELINE...........................	352	82	78	109	83
HUMANA HOSPITAL-VILLE PLATTE	99	21	20	29	29
SAVOY MEMORIAL HOSPITAL	249	61	58	77	53
OUT OF HOSPITAL	4	-	-	3	1
FRANKLIN.............................	12	1	3	1	7
FRANKLIN PARISH HOSPITAL	6	-	1	1	4
OUT OF HOSPITAL	6	1	2	-	3
GRANT................................	1	-	-	-	1
OUT OF HOSPITAL	1	-	-	-	1
IBERIA...............................	1079	370	374	159	176
DAUTERIVE HOSPITAL INC.	487	205	184	45	53
IBERIA GENERAL HOSP AND MEDICAL CENTER	585	163	189	112	121
OUT OF HOSPITAL	7	2	1	2	2
IBERVILLE............................	86	8	6	36	36
RIVER WEST MEDICAL CENTER	82	8	6	33	35
OUT OF HOSPITAL	4	-	-	3	1
JACKSON..............................	265	36	31	97	101
JACKSON PARISH HOSPITAL	264	36	31	96	101
OUT OF HOSPITAL	1	-	-	1	-
JEFFERSON............................	8476	3296	3137	1057	986
EAST JEFFERSON GENERAL HOSPITAL	865	394	399	37	35
OCHSNER FOUNDATION HOSPITAL	778	325	341	66	46
LAKESIDE HOSPITAL	3562	1546	1467	315	234
ST. JUDE MEDICAL CENTER	121	59	51	6	5
MEADOWCREST HOSPITAL	2308	682	620	489	517
WEST JEFFERSON GENERAL HOSPITAL	796	277	240	142	137
OUT OF HOSPITAL	46	13	19	2	12
JEFFERSON DAVIS......................	194	91	78	17	8
JENNINGS AMERICAN LEGION HOSPITAL	178	85	73	14	6
WELSH GENERAL HOSPITAL	13	6	4	2	1
OUT OF HOSPITAL	3	-	1	1	1
LAFAYETTE............................	6706	2342	2164	1164	1036
HAMILTON MEDICAL CENTER HOSPITAL	269	128	105	13	23
UNIVERSITY MEDICAL CENTER	3148	738	691	926	793
LAFAYETTE GENERAL HOSPITAL	589	193	148	127	121
WOMANS HOSPITAL OF ACADIANA	2658	1265	1207	95	91
OUT OF HOSPITAL	42	18	13	3	8

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
LAFOURCHE............................	1359	645	556	79	79
LADY OF THE SEA HOSPITAL	62	36	25	-	1
ST. ANNE HOSPITAL	395	185	176	17	17
THIBODAUX GENERAL HOSPITAL	891	422	349	60	60
OUT OF HOSPITAL	11	2	6	2	1
LASALLE...............................	12	7	3	1	1
HARDTNER MEDICAL CENTER	10	7	2	1	-
LASALLE GENERAL HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	1	-	-	-	1
LINCOLN...............................	381	154	149	42	36
LINCOLN GENERAL HOSPITAL	365	150	146	37	32
OUT OF HOSPITAL	16	4	3	5	4
LIVINGSTON............................	7	3	3	-	1
OUT OF HOSPITAL	7	3	3	-	1
MADISON...............................	92	5	10	34	43
MADISON PARISH HOSPITAL	92	5	10	34	43
MOREHOUSE.............................	389	119	90	84	96
MOREHOUSE GENERAL HOSPITAL	388	119	90	84	95
OUT OF HOSPITAL	1	-	-	-	1
NATCHITOCHES..........................	322	135	112	32	43
NATCHITOCHES PARISH HOSPITAL	321	135	111	32	43
OUT OF HOSPITAL	1	-	1	-	-
ORLEANS...............................	14080	2557	2361	4584	4578
SOUTHERN BAPTIST HOSPITAL	1975	878	801	136	160
CHARITY HOSPITAL OF NEW ORLEANS	6252	637	591	2527	2497
UNITED MEDICAL CENTER	698	7	6	331	354
FLINT GOODRIDGE HOSP OF DILLARD UNIV	50	-	-	26	24
HUMANA WOMENS HOSPITAL	1543	492	432	316	303
HOTEL DIEU HOSPITAL	1201	190	169	410	432
PENDLETON MEMORIAL METHODIST HOSPITAL	750	165	172	225	188
TOURO INFIRMARY	1154	131	117	457	449
TULANE MEDICAL CENTER HOSPITAL	387	49	60	129	149
OUT OF HOSPITAL	70	8	13	27	22
OUACHITA..............................	4404	1239	1162	1032	971
E. A. CONWAY HOSPITAL	2367	336	317	884	830
GLENWOOD HOSPITAL	717	340	312	37	28
NORTH MONROE COMMUNITY HOSPITAL	208	96	90	10	12
ST. FRANCIS HOSPITAL	1087	464	439	92	92
OUT OF HOSPITAL	25	3	4	9	9
PLAQUEMINES...........................	16	5	3	6	2
PLAQUEMINES PARISH GENERAL HOSPITAL	9	-	3	4	2
OUT OF HOSPITAL	7	5	-	2	-
POINTE COUPEE.........................	150	26	21	44	59
POINTE COUPEE GENERAL HOSPITAL	148	26	21	44	57
OUT OF HOSPITAL	2	-	-	-	2
RAPIDES...............................	3886	1256	1263	654	713
RAPIDES GENERAL HOSPITAL	1373	537	504	153	179
WOODVIEW REGIONAL HOSPITAL	106	54	36	10	6
HUEY P. LONG CHARITY HOSPITAL	1589	328	340	445	476
ST. FRANCIS CABRINI HOSPITAL	801	334	379	42	46
OUT OF HOSPITAL	17	3	4	4	6
RED RIVER.............................	15	2	9	1	3
L. S. HUCKABAY MEMORIAL HOSPITAL	15	2	9	1	3
RICHLAND..............................	129	58	53	8	10
RICHLAND PARISH HOSPITAL - URBAN	70	26	34	5	5
RICHLAND PARISH HOSPITAL - RURAL	58	32	19	3	4
OUT OF HOSPITAL	1	-	-	-	1

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
SABINE..............................	55	13	9	22	11
SABINE MEDICAL CENTER	54	13	9	21	11
PLEASANT HILL GENERAL HOSPITAL	1	-	-	1	-
ST.BERNARD..........................	7	5	1	-	1
DE LA RONDE HOSPITAL	1	1	-	-	-
OUT OF HOSPITAL	6	4	1	-	1
ST.CHARLES..........................	24	3	4	6	11
ST. CHARLES PARISH HOSPITAL	21	2	3	5	11
OUT OF HOSPITAL	3	1	1	1	-
ST. HELENA..........................	2	1	-	1	-
ST. HELENA PARISH HOSPITAL	2	1	-	1	-
ST. JAMES...........................	53	22	18	4	9
ST. JAMES PARISH HOSPITAL	51	22	17	4	8
OUT OF HOSPITAL	2	-	1	-	1
ST. JOHN............................	298	98	80	60	60
RIVER PARISHES MEDICAL CENTER	291	97	78	59	57
OUT OF HOSPITAL	7	1	2	1	3
ST. LANDRY..........................	1269	421	442	198	208
MOOSA MEMORIAL HOSPITAL	258	99	114	16	29
OPELOUSAS GENERAL HOSPITAL	1004	321	328	180	175
OUT OF HOSPITAL	7	1	-	2	4
ST. MARTIN..........................	141	39	31	30	41
GARY MEMORIAL HOSPITAL	82	20	22	15	25
ST. MARTIN INFIRMARY	57	19	8	15	15
OUT OF HOSPITAL	2	-	1	-	1
ST. MARY............................	666	216	197	119	134
FRANKLIN FOUNDATION HOSPITAL	211	33	47	70	61
LAKEWOOD HOSPITAL	447	181	150	46	70
OUT OF HOSPITAL	8	2	-	3	3
ST. TAMMANY.........................	1514	668	612	101	133
HIGHLAND PARK HOSPITAL	418	169	148	40	61
ST. TAMMANY PARISH HOSPITAL	377	149	150	39	39
SLIDELL MEMORIAL HOSPITAL	712	348	309	22	33
OUT OF HOSPITAL	7	2	5	-	-
TANGIPAHOA..........................	1878	520	518	434	406
HOOD MEMORIAL HOSPITAL	1	-	1	-	-
LALLIE KEMP CHARITY HOSPITAL	795	168	171	234	222
SEVENTH WARD GENERAL HOSPITAL	1075	350	343	199	183
OUT OF HOSPITAL	7	2	3	1	1
TENSAS..............................	73	10	6	33	24
TENSAS MEMORIAL HOSPITAL	71	10	6	32	23
OUT OF HOSPITAL	2	-	-	1	1
TERREBONNE..........................	3544	1155	1118	616	655
SOUTH LOUISIANA MEDICAL CENTER	2602	742	703	561	596
TERREBONNE PARISH GENERAL HOSPITAL	926	411	413	51	51
OUT OF HOSPITAL	16	2	2	4	8
UNION...............................	132	48	30	29	25
UNION GENERAL HOSPITAL	131	48	30	29	24
OUT OF HOSPITAL	1	-	-	-	1
VERMILION...........................	559	236	215	55	53
ABROM KAPLAN MEMORIAL HOSPITAL	277	128	125	11	13
ABBEVILLE GENERAL HOSPITAL	262	98	81	43	40
GUEYDAN MEMORIAL HOSPITAL	15	7	7	1	-
OUT OF HOSPITAL	5	3	2	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
VERNON................................	1198	394	394	211	199
LEESVILLE GENERAL HOSPITAL	27	11	8	5	3
BAYNE JONES ARMY COMMUNITY HOSPITAL	1106	354	369	194	189
BYRD MEMORIAL HOSPITAL	62	28	16	11	7
OUT OF HOSPITAL	3	1	1	1	-
WASHINGTON............................	871	313	290	127	141
BOGALUSA COMMUNITY MEDICAL CENTER	233	105	105	12	11
RIVERSIDE MEDICAL CENTER	2	-	-	1	1
WASHINGTON-ST. TAMMANY HOSPITAL	636	208	185	114	129
WEBSTER...............................	326	143	132	32	19
HUMANA HOSPITAL-MINDEN	262	111	104	29	18
HUMANA HOSPITAL-SPRINGHILL	62	31	28	2	1
OUT OF HOSPITAL	2	1	-	1	-
WEST CARROLL..........................	38	14	10	10	4
WEST CARROLL PARISH HOSPITAL	38	14	10	10	4
WEST FELICIANA........................	1	-	-	-	1
WEST FELICIANA PARISH HOSPITAL	1	-	-	-	1

TABLE IV
CONGENITAL ANOMALIES SPECIFIED ON BIRTH CERTIFICATES
SHOWN BY TYPE OF ANOMALY AND AGE OF MOTHER
LOUISIANA RESIDENTS, 1985

CONGENITAL ANOMALY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK
TOTAL	704	-	107	226	204	112	46	9	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740) .	9	-	2	4	2	1	-	-	-	-
SPINA BIFIDA - (741)	25	-	2	8	10	3	2	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	23	-	2	9	6	3	2	1	-	-
CONGENITAL ANOMALIES OF EYE - (743)	19	-	4	5	7	2	1	-	-	-
CONGENITAL ANOMALIES OF EAR, FACE AND NECK - (744)	20	-	2	12	1	2	3	-	-	-
BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE - (745)	12	-	-	3	6	2	1	-	-	-
OTHER CONGENITAL ANOMALIES OF HEART - (746)	26	-	4	7	6	7	2	-	-	-
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM - (747)	19	-	1	9	4	3	1	1	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	7	-	-	2	4	-	1	-	-	-
CLEFT PALATE AND CLEFT LIP - (749)	49	-	8	16	15	5	3	2	-	-
OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT - (750)	7	-	1	3	2	-	-	1	-	-
OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM - (751)	11	-	2	4	3	2	-	-	-	-
CONGENITAL ANOMALIES OF GENITAL ORGANS - (752)	89	-	18	26	26	16	2	1	-	-
CONGENITAL ANOMALIES OF URINARY SYSTEM - (753)	14	-	3	4	5	1	1	-	-	-
CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES - (754)	56	-	9	18	18	11	-	-	-	-
OTHER CONGENITAL ANOMALIES OF LIMBS - (755)	150	-	27	50	45	18	9	1	-	-
OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES - (756)	44	-	6	14	9	10	5	-	-	-
CONGENITAL ANOMALIES OF THE INTEGUMENT - (757)	40	-	10	13	10	4	3	-	-	-
CHROMOSOMAL ANOMALIES - (758)	29	-	-	3	9	11	6	-	-	-
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES - (759)	48	-	5	15	14	9	3	2	-	-
CONDITIONS OTHER THAN (740-759) MENTIONED ON BIRTH CERTIFICATE	7	-	1	1	2	2	1	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONGENITAL ANOMALY WAS SHOWN ON SOME BIRTH CERTIFICATES.

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TOTAL................................	7157	1380	1518	1946	2313	1530	1468	4159
BORN IN HOSPITAL	7101	1373	1513	1932	2283	1514	1456	4131
BORN OUT OF HOSPITAL	56	7	5	14	30	16	12	28
ACADIA................................	30	3	11	8	8	8	5	17
ACADIA-ST. LANDRY HOSPITAL	3	-	-	2	1	-	1	2
AMERICAN LEGION HOSPITAL	14	1	8	2	3	5	2	7
RAYNE BRANCH HOSPITAL	11	-	3	4	4	1	2	8
OUT OF HOSPITAL	2	2	-	-	-	2	-	-
ALLEN................................	17	5	6	4	2	-	1	16
ALLEN PARISH HOSPITAL	12	4	5	2	1	-	-	12
HUMANA HOSPITAL, OAKDALE	5	1	1	2	1	-	1	4
ASCENSION.............................	4	-	2	2	-	-	1	3
EAST ASCENSION GENERAL HOSPITAL	1	-	-	1	-	-	-	1
PREVOST MEMORIAL HOSPITAL	1	-	1	-	-	-	-	1
OUT OF HOSPITAL	2	-	1	1	-	-	1	1
ASSUMPTION............................	1	-	-	-	1	-	1	-
ASSUMPTION GENERAL HOSPITAL	1	-	-	-	1	-	1	-
AVOYELLES.............................	6	-	-	3	3	-	1	5
BUNKIE GENERAL HOSPITAL	6	-	-	3	3	-	1	5
BEAUREGARD............................	17	8	6	2	1	1	4	12
BEAUREGARD MEMORIAL HOSPITAL	17	8	6	2	1	1	4	12
BOSSIER...............................	59	26	19	8	6	6	14	39
U S AIR FORCE BASE HOSPITAL	17	7	8	2	-	1	4	12
BOSSIER MEDICAL CENTER	42	19	11	6	6	5	10	27
CADDO.................................	828	148	154	245	281	196	174	458
L.S.U. MEDICAL CENTER	626	81	71	216	258	152	139	335
HIGHLAND HOSPITAL	21	8	6	3	4	2	3	16
DOCTORS HOSPITAL OF CADDO	6	2	2	-	2	1	2	3
PHYSICIANS AND SURGEONS HOSPITAL	16	2	10	1	3	2	2	12
T. E. SCHUMPERT HOSPITAL	91	31	36	16	8	24	20	47
WILLIS KNIGHTON MEDICAL CENTER	67	23	29	9	6	14	8	45
OUT OF HOSPITAL	1	1	-	-	-	1	-	-
CALCASIEU.............................	347	101	112	57	77	72	72	203
HUMANA WOMENS HOSPITAL-LAKE CHARLES	63	26	30	1	6	15	12	36
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	143	37	35	31	40	26	29	88
LAKE CHARLES MEMORIAL HOSPITAL	106	25	28	25	28	26	24	56
ST. PATRICKS HOSPITAL	10	3	5	-	2	1	1	8
WEST CALCASIEU-CAMERON HOSPITAL	25	10	14	-	1	4	6	15
CALDWELL..............................	4	1	2	-	1	-	1	3
CALDWELL MEMORIAL HOSPITAL	4	1	2	-	1	-	1	3
CATAHOULA.............................	1	-	-	1	-	-	-	1
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
CLAIBORNE.............................	5	-	-	2	3	1	-	4
HOMER MEMORIAL HOSPITAL	5	-	-	2	3	1	-	4
CONCORDIA.............................	36	4	4	8	20	11	7	18
CONCORDIA PARISH HOSPITAL	35	4	4	7	20	11	6	18
OUT OF HOSPITAL	1	-	-	1	-	-	1	-
EAST BATON ROUGE......................	1053	181	199	313	360	269	213	571
BATON ROUGE GENERAL HOSPITAL	2	-	-	1	1	-	-	2
EARL K. LONG MEMORIAL HOSPITAL	500	39	40	193	228	120	104	276
LANE MEMORIAL HOSPITAL	23	8	2	7	6	4	7	12
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	-	1	-	1	-	-
WOMANS HOSPITAL	520	133	157	108	122	141	101	278
OUT OF HOSPITAL	7	1	-	3	3	3	1	3

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
EAST CARROLL...........................	12	-	-	3	9	2	3	7
EAST CARROLL PARISH HOSPITAL	11	-	-	3	8	2	3	6
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
EVANGELINE.............................	43	4	5	20	14	4	5	34
HUMANA HOSPITAL-VILLE PLATTE	11	-	2	4	5	1	2	8
SAVOY MEMORIAL HOSPITAL	30	4	3	15	8	3	3	24
OUT OF HOSPITAL	2	-	-	1	1	-	-	2
FRANKLIN...............................	2	-	-	-	2	-	-	2
FRANKLIN PARISH HOSPITAL	1	-	-	-	1	-	-	1
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
IBERIA.................................	55	15	16	9	15	2	11	42
DAUTERIVE HOSPITAL INC.	18	8	5	4	1	-	4	14
IBERIA GENERAL HOSP AND MEDICAL CENTER	36	7	11	5	13	2	7	27
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
IBERVILLE..............................	6	-	-	6	-	-	-	6
RIVER WEST MEDICAL CENTER	6	-	-	6	-	-	-	6
JACKSON................................	14	2	3	2	7	1	2	11
JACKSON PARISH HOSPITAL	14	2	3	2	7	1	2	11
JEFFERSON..............................	604	175	209	102	118	125	127	352
EAST JEFFERSON GENERAL HOSPITAL	47	14	27	3	3	6	5	36
OCHSNER FOUNDATION HOSPITAL	111	39	44	14	14	37	24	50
LAKESIDE HOSPITAL	198	70	81	22	25	37	42	119
ST. JUDE MEDICAL CENTER	9	4	5	-	-	3	1	5
MEADOWCREST HOSPITAL	182	35	43	51	53	35	43	104
WEST JEFFERSON GENERAL HOSPITAL	50	13	7	11	19	6	9	35
OUT OF HOSPITAL	7	-	2	1	4	1	3	3
JEFFERSON DAVIS........................	19	9	5	2	3	3	6	10
JENNINGS AMERICAN LEGION HOSPITAL	16	8	4	1	3	2	5	9
WELSH GENERAL HOSPITAL	3	1	1	1	-	1	1	1
LAFAYETTE..............................	593	138	143	148	164	139	131	323
HAMILTON MEDICAL CENTER HOSPITAL	20	8	7	1	4	1	4	15
UNIVERSITY MEDICAL CENTER	357	52	65	119	121	74	85	198
LAFAYETTE GENERAL HOSPITAL	69	13	10	22	24	23	12	34
WOMANS HOSPITAL OF ACADIANA	147	65	61	6	15	41	30	76
LAFOURCHE..............................	58	27	22	3	6	6	13	39
LADY OF THE SEA HOSPITAL	1	1	-	-	-	-	-	1
ST. ANNE HOSPITAL	17	7	6	1	3	3	5	9
THIBODAUX GENERAL HOSPITAL	40	19	16	2	3	3	8	29
LINCOLN................................	16	4	5	3	4	3	4	9
LINCOLN GENERAL HOSPITAL	16	4	5	3	4	3	4	9
MADISON................................	5	-	-	3	2	-	2	3
MADISON PARISH HOSPITAL	5	-	-	3	2	-	2	3
MOREHOUSE..............................	31	5	5	5	16	4	7	20
MOREHOUSE GENERAL HOSPITAL	31	5	5	5	16	4	7	20
NATCHITOCHES...........................	16	6	4	3	3	2	5	9
NATCHITOCHES PARISH HOSPITAL	16	6	4	3	3	2	5	9

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
ORLEANS..............................	1616	152	194	573	697	359	341	916
SOUTHERN BAPTIST HOSPITAL	119	39	45	10	25	36	18	65
CHARITY HOSPITAL OF NEW ORLEANS	943	77	76	374	416	231	203	509
UNITED MEDICAL CENTER	91	-	-	34	57	12	18	61
FLINT GOODRIDGE HOSP OF DILLARD UNIV	2	-	-	-	2	-	-	2
HUMANA WOMENS HOSPITAL	94	21	25	21	27	15	21	58
HOTEL DIEU HOSPITAL	136	4	12	52	68	25	28	83
PENDLETON MEMORIAL METHODIST HOSPITAL	66	7	16	20	23	16	14	36
TOURO INFIRMARY	106	2	12	43	49	12	21	73
TULANE MEDICAL CENTER HOSPITAL	51	2	8	18	23	11	15	25
OUT OF HOSPITAL	8	-	-	1	7	1	3	4
OUACHITA..............................	344	63	71	108	102	71	75	198
E. A. CONWAY HOSPITAL	231	21	25	95	90	41	52	138
GLENWOOD HOSPITAL	25	9	14	2	-	3	1	21
NORTH MONROE COMMUNITY HOSPITAL	5	5	-	-	-	1	1	3
ST. FRANCIS HOSPITAL	78	27	32	9	10	25	19	34
OUT OF HOSPITAL	5	1	-	2	2	1	2	2
PLAQUEMINES...........................	3	1	1	1	-	2	-	1
PLAQUEMINES PARISH GENERAL HOSPITAL	1	-	1	-	-	-	-	1
OUT OF HOSPITAL	2	1	-	1	-	2	-	-
POINTE COUPEE.........................	15	2	-	5	8	-	2	13
POINTE COUPEE GENERAL HOSPITAL	14	2	-	5	7	-	2	12
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
RAPIDES...............................	355	78	82	83	112	74	75	206
RAPIDES GENERAL HOSPITAL	102	23	27	15	37	25	16	61
WOODVIEW REGIONAL HOSPITAL	3	2	-	-	1	1	1	1
HUEY P. LONG CHARITY HOSPITAL	168	27	29	52	60	31	32	105
ST. FRANCIS CABRINI HOSPITAL	81	26	26	16	13	17	26	38
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
RICHLAND..............................	5	1	3	1	-	-	1	4
RICHLAND PARISH HOSPITAL - URBAN	2	-	2	-	-	-	-	2
RICHLAND PARISH HOSPITAL - RURAL	3	1	1	1	-	-	1	2
SABINE................................	4	-	1	3	-	1	-	3
SABINE MEDICAL CENTER	4	-	1	3	-	1	-	3
ST.BERNARD............................	1	1	-	-	-	-	-	1
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
ST.CHARLES............................	1	-	-	-	1	-	-	1
ST. CHARLES PARISH HOSPITAL	1	-	-	-	1	-	-	1
ST. HELENA............................	1	1	-	-	-	1	-	-
ST. HELENA PARISH HOSPITAL	1	1	-	-	-	1	-	-
ST. JAMES.............................	2	-	1	-	1	-	2	-
ST. JAMES PARISH HOSPITAL	2	-	1	-	1	-	2	-
ST. JOHN..............................	9	4	-	1	4	2	1	6
RIVER PARISHES MEDICAL CENTER	9	4	-	1	4	2	1	6
ST. LANDRY............................	101	19	26	25	31	14	13	74
MOOSA MEMORIAL HOSPITAL	20	3	9	3	5	4	2	14
OPELOUSAS GENERAL HOSPITAL	80	16	17	22	25	10	10	60
OUT OF HOSPITAL	1	-	-	-	1	-	1	-
ST. MARTIN............................	12	4	1	1	6	2	2	8
CARY MEMORIAL HOSPITAL	6	2	1	1	2	1	1	4
ST. MARTIN INFIRMARY	5	2	-	-	3	1	1	3
OUT OF HOSPITAL	1	-	-	-	1	-	-	1

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
ST. MARY...............................	38	5	11	7	15	6	6	26
FRANKLIN FOUNDATION HOSPITAL	15	1	5	4	5	1	3	11
LAKEWOOD HOSPITAL	21	4	6	3	8	4	3	14
OUT OF HOSPITAL	2	-	-	-	2	1	-	1
ST. TAMMANY............................	74	25	28	6	15	13	16	45
HIGHLAND PARK HOSPITAL	28	11	10	2	5	2	7	19
ST. TAMMANY PARISH HOSPITAL	27	6	10	4	7	6	7	14
SLIDELL MEMORIAL HOSPITAL	19	8	8	-	3	5	2	12
TANGIPAHOA.............................	194	33	29	61	71	38	32	124
LALLIE KEMP CHARITY HOSPITAL	93	15	11	27	40	17	17	59
SEVENTH WARD GENERAL HOSPITAL	100	18	18	34	30	21	15	64
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
TENSAS.................................	4	-	1	2	1	-	-	4
TENSAS MEMORIAL HOSPITAL	4	-	1	2	1	-	-	4
TERREBONNE.............................	312	73	79	71	89	68	61	183
SOUTH LOUISIANA MEDICAL CENTER	262	55	59	66	82	59	53	150
TERREBONNE PARISH GENERAL HOSPITAL	46	18	20	3	5	6	8	32
OUT OF HOSPITAL	4	-	-	2	2	3	-	1
UNION..................................	8	-	1	3	4	1	1	6
UNION GENERAL HOSPITAL	7	-	1	3	3	1	1	5
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
VERMILION..............................	25	11	7	2	5	2	7	16
ABROM KAPLAN MEMORIAL HOSPITAL	14	6	5	-	3	2	5	7
ABBEVILLE GENERAL HOSPITAL	10	5	1	2	2	-	2	8
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
VERNON.................................	65	16	22	17	10	9	10	46
LEESVILLE GENERAL HOSPITAL	4	1	1	1	1	-	1	3
BAYNE JONES ARMY COMMUNITY HOSPITAL	54	13	17	16	8	6	8	40
BYRD MEMORIAL HOSPITAL	6	2	3	-	1	2	1	3
OUT OF HOSPITAL	1	-	1	-	-	1	-	-
WASHINGTON.............................	67	20	20	12	15	9	9	49
BOGALUSA COMMUNITY MEDICAL CENTER	8	3	3	1	1	1	3	4
WASHINGTON-ST. TAMMANY HOSPITAL	59	17	17	11	14	8	6	45
WEBSTER................................	18	8	8	2	-	3	4	11
HUMANA HOSPITAL-MINDEN	16	8	6	2	-	3	4	9
HUMANA HOSPITAL-SPRINGHILL	2	-	2	-	-	-	-	2
WEST CARROLL...........................	1	1	-	-	-	-	-	1
WEST CARROLL PARISH HOSPITAL	1	1	-	-	-	-	-	1

TABLE VI
LIVE BIRTHS BY LIVE BIRTH ORDER BY WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1985

BIRTH ORDER	TOTAL	WEIGHT IN POUNDS THROUGH 2.5	OVER 2.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5	OVER 5.5 THROUGH 6.5	OVER 6.5 THROUGH 7.5	OVER 7.5 THROUGH 8.5	OVER 8.5 THROUGH 9.5	OVER 9.5	NOT STATED	IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
TOTAL	81401	811	2155	4146	14021	26750	22497	8595	2396	30	7112	8.7
1	31772	317	784	1627	5739	10836	8728	3001	733	7	2728	8.6
2	26349	248	629	1157	4264	8643	7551	2997	853	7	2034	7.7
3	13821	128	374	714	2302	4339	3897	1564	497	6	1216	8.8
4	5292	66	180	324	965	1677	1317	578	182	3	570	10.8
5	2162	31	92	170	388	658	526	237	58	2	293	13.6
6	938	13	39	74	177	286	228	92	29	-	126	13.4
7	452	3	24	34	92	145	89	47	18	-	61	13.5
8	224	4	15	16	31	67	53	28	10	-	35	15.6
9	124	-	9	10	30	25	28	16	6	-	19	15.3
10	64	-	3	7	2	19	22	8	2	1	10	15.6
11	26	-	1	2	5	8	8	1	1	-	3	11.5
12	13	-	1	2	2	2	4	2	-	-	3	23.1
13	7	-	1	-	1	1	2	2	-	-	1	14.3
14	4	-	-	-	1	2	-	1	-	-	-	-
15	5	-	-	-	2	1	2	-	-	-	-	-
UNK.	148	1	3	9	20	41	42	21	7	4	13	8.8

TABLE VII
LIVE BIRTHS BY WEIGHT OF CHILD SHOWN BY SEX AND RACE
LOUISIANA RESIDENTS, 1985

WEIGHT IN POUNDS	TOTAL	PERCENT	WHITE MALE	WHITE PERCENT	WHITE FEMALE	WHITE PERCENT	NONWHITE MALE	NONWHITE PERCENT	NONWHITE FEMALE	NONWHITE PERCENT
0.5 OR LESS	15	0.0	3	0.0	2	0.0	5	0.0	5	0.0
OVER 0.5 THROUGH 1.5	307	0.4	48	0.2	47	0.2	104	0.6	108	0.7
OVER 1.5 THROUGH 2.5	489	0.6	93	0.4	70	0.3	163	1.0	163	1.0
OVER 2.5 THROUGH 3.5	695	0.9	125	0.5	121	0.5	200	1.2	249	1.5
OVER 3.5 THROUGH 4.5	1460	1.8	287	1.1	306	1.3	392	2.4	475	2.9
OVER 4.5 THROUGH 5.5	4146	5.1	807	3.2	948	4.0	1078	6.5	1313	8.0
OVER 5.5 THROUGH 6.5	14021	17.2	2860	11.5	3674	15.6	3321	20.1	4166	25.5
OVER 6.5 THROUGH 7.5	26750	32.9	7199	28.8	8049	34.2	5680	34.4	5822	35.6
OVER 7.5 THROUGH 8.5	22497	27.6	8280	33.2	7108	30.2	3999	24.2	3110	19.0
OVER 8.5 THROUGH 9.5	8595	10.6	3980	15.9	2572	10.9	1274	7.7	769	4.7
OVER 9.5	2396	2.9	1283	5.1	627	2.7	308	1.9	178	1.1
TOTAL(WITH WEIGHT STATED)	81371	100.0	24965	100.0	23524	100.0	16524	100.0	16358	100.0
WEIGHT NOT STATED	30	-	4	-	5	-	12	-	9	-
TOTAL	81401	-	24969	-	23529	-	16536	-	16367	-

PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE VIII
LIVE BIRTHS BY BIRTH WEIGHT, AGE OF MOTHER, AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500-4999 GRAMS	5000 GRAMS & OVER	NOT STATED
ALL RACES	81401	145	499	647	1362	4417	15363	30391	21470	5875	1066	136	30
UNDER 15 YEARS	376	3	4	11	8	27	114	144	57	7	1	-	-
15-19 YEARS	13704	24	108	154	289	940	3151	5338	2956	657	70	9	8
20-24 YEARS	27220	53	177	216	443	1499	5354	10377	6992	1760	308	30	11
25-29 YEARS	23795	42	120	143	343	1097	4113	8865	6749	1897	375	42	9
30-34 YEARS	12173	20	65	90	196	616	1935	4292	3548	1150	224	36	1
35-39 YEARS	3598	3	25	25	72	201	596	1209	1023	358	72	14	-
40-44 YEARS	501	-	-	8	11	33	92	154	137	45	15	5	1
45-49 YEARS	23	-	-	-	-	3	6	8	5	1	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	11	-	-	-	-	1	2	4	3	-	1	-	-
WHITE	48498	48	159	224	542	1870	7213	17026	15059	4572	878	98	9
UNDER 15 YEARS	70	-	1	-	1	3	16	23	23	3	-	-	-
15-19 YEARS	6286	7	34	42	89	306	1083	2422	1777	465	48	7	6
20-24 YEARS	15937	13	46	70	154	618	2478	6026	4844	1411	255	21	1
25-29 YEARS	15082	17	43	55	168	554	2282	5037	5043	1528	323	31	1
30-34 YEARS	7968	10	27	40	98	293	1033	2760	2603	892	184	28	-
35-39 YEARS	2874	1	8	13	28	84	276	669	682	247	57	9	-
40-44 YEARS	266	-	-	4	4	10	41	85	83	26	10	2	1
45-49 YEARS	5	-	-	-	-	1	2	1	1	-	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	10	-	-	-	-	1	2	3	3	-	1	-	-
NONWHITE	32903	97	340	423	820	2547	8150	12565	6411	1303	188	38	21
UNDER 15 YEARS	306	3	3	11	7	24	98	121	34	4	1	-	-
15-19 YEARS	7418	17	74	112	200	634	2068	2916	1179	192	22	2	2
20-24 YEARS	11283	40	131	146	289	881	2876	4351	2148	349	53	9	10
25-29 YEARS	7913	25	77	88	175	543	1831	3628	1706	369	52	11	8
30-34 YEARS	4205	10	38	50	98	323	902	1532	945	258	40	8	1
35-39 YEARS	1524	2	17	12	44	117	320	540	341	111	15	5	-
40-44 YEARS	235	-	-	4	7	23	51	69	54	19	5	3	-
45-49 YEARS	18	-	-	-	-	2	4	7	4	1	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE IX
LIVE BIRTHS BY BIRTH ORDER SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS: UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.	PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
TOTAL		81401	376	13704	27220	23795	12173	3598	501	23	11	100.0	24.9
	W	48498	70	6286	15937	15882	7968	2074	266	5	10	59.6	25.4
	NW	32903	306	7418	11283	7913	4205	1524	235	18	1	40.4	24.1
1		31772	359	10207	11740	6784	2180	460	38	2	2	39.0	22.3
	W	20368	67	5106	7831	5264	1720	353	25	1	1	25.0	23.1
	NW	11404	292	5101	3909	1520	460	107	13	1	1	14.0	20.7
2		26349	14	2798	9782	8894	3981	808	70	-	2	32.4	25.2
	W	16805	2	1013	5872	6418	2907	543	48	-	2	20.6	25.9
	NW	9544	12	1785	3910	2476	1074	265	22	-	-	11.7	23.9
3		13821	-	595	3849	5089	3288	894	102	1	3	17.0	27.1
	W	7757	-	146	1733	3093	2158	559	65	-	3	9.5	27.9
	NW	6064	-	449	2116	1996	1130	335	37	1	-	7.4	26.1
4		5292	-	75	1258	1803	1477	594	80	4	1	6.5	28.4
	W	2300	-	8	362	776	786	327	40	-	1	2.8	29.6
	NW	2992	-	67	896	1027	691	267	40	4	-	3.7	27.6
5		2162	-	12	403	716	631	340	57	3	-	2.7	29.5
	W	712	-	-	77	212	243	144	34	2	-	0.9	31.0
	NW	1450	-	12	326	504	388	196	23	1	-	1.8	28.7
6		938	-	1	97	278	297	210	52	3	-	1.2	31.2
	W	250	-	-	13	51	94	68	23	1	-	0.3	32.8
	NW	688	-	1	84	227	203	142	29	2	-	0.8	30.6
7		452	-	-	22	114	155	130	31	-	-	0.6	32.4
	W	109	-	-	-	24	33	41	11	-	-	0.1	33.8
	NW	343	-	-	22	90	122	89	20	-	-	0.4	31.9
8		224	-	-	5	47	77	70	22	3	-	0.3	33.5
	W	46	-	-	-	7	10	20	9	-	-	0.1	35.4
	NW	178	-	-	5	40	67	50	13	3	-	0.2	33.0
9		124	-	-	2	19	39	40	22	2	-	0.2	34.7
	W	21	-	-	1	2	4	9	5	-	-	0.0	35.6
	NW	103	-	-	1	17	35	31	17	2	-	0.1	34.5
10		64	-	-	-	9	18	23	12	2	-	0.1	35.4
	W	7	-	-	-	1	-	3	2	1	-	0.0	38.4
	NW	57	-	-	-	8	18	20	10	1	-	0.1	35.1
11		26	-	-	-	1	11	8	5	1	-	0.0	35.8
	W	4	-	-	-	-	1	1	2	-	-	0.0	38.3
	NW	22	-	-	-	1	10	7	3	1	-	0.0	35.4
12		13	-	-	-	-	1	8	4	-	-	0.0	38.2
	W	1	-	-	-	-	-	1	-	-	-	0.0	37.0
	NW	12	-	-	-	-	1	7	4	-	-	0.0	38.3
13		7	-	-	-	1	1	3	1	1	-	0.0	37.0
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	7	-	-	-	1	1	3	1	1	-	0.0	37.0
14		4	-	-	-	-	-	1	3	-	-	0.0	40.8
	W	1	-	-	-	-	-	-	1	-	-	0.0	42.0
	NW	3	-	-	-	-	-	1	2	-	-	0.0	40.3
15		5	-	-	-	-	-	3	2	-	-	0.0	39.0
	W	1	-	-	-	-	-	-	1	-	-	0.0	42.0
	NW	4	-	-	-	-	-	3	1	-	-	0.0	38.3
UNK.		148	3	16	62	40	17	6	-	1	3	0.2	24.6
	W	116	1	13	48	34	12	5	-	-	3	0.1	24.6
	NW	32	2	3	14	6	5	1	-	1	-	0.0	24.7

*MEAN AGE CALCULATED FROM GROUPED DATA AT MIDPOINT OF GROUP
PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	23245	23233	285.4			356	8441	8324	3855	1613	547	92	4	1
				W	4832	53	1954	1634	764	292	103	30	1	1
				NW	18401	303	6487	6690	3091	1321	444	62	3	-
ACADIA	142	277	240.7			5	92	122	36	12	7	3	-	-
				W	114	2	37	54	10	3	7	1	-	-
				NW	163	3	55	68	26	9	-	2	-	-
ALLEN	55	77	227.1			1	34	29	9	2	2	-	-	-
				W	35	1	12	14	6	2	-	-	-	-
				NW	42	-	22	15	3	-	2	-	-	-
ASCENSION	8	282	230.6			3	100	103	38	32	6	-	-	-
				W	77	1	29	29	9	7	2	-	-	-
				NW	205	2	71	74	29	25	4	-	-	-
ASSUMPTION	-	117	290.3			1	42	48	19	6	-	1	-	-
				W	17	-	6	10	1	-	-	-	-	-
				NW	100	1	36	38	18	6	-	1	-	-
AVOYELLES	37	185	262.4			1	71	62	31	14	6	-	-	-
				W	42	-	15	14	8	5	-	-	-	-
				NW	143	1	56	48	23	9	6	-	-	-
BEAUREGARD	62	69	127.5			-	30	27	7	4	1	-	-	-
				W	32	-	16	11	4	1	-	-	-	-
				NW	37	-	14	16	3	3	1	-	-	-
BIENVILLE	-	113	384.4			3	43	42	16	3	4	2	-	-
				W	14	1	6	3	3	-	-	1	-	-
				NW	99	2	37	39	13	3	4	1	-	-
BOSSIER	104	335	205.6			5	124	118	66	18	4	-	-	-
				W	110	1	38	38	24	6	3	-	-	-
				NW	225	4	86	80	42	12	1	-	-	-
CADDO	2993	1880	364.5			48	693	659	316	131	29	4	-	-
				W	264	4	113	79	41	20	6	1	-	-
				NW	1616	44	580	580	275	111	23	3	-	-
CALCASIEU	808	657	209.0			6	248	221	112	50	18	1	-	1
				W	228	2	101	72	37	10	4	1	-	1
				NW	429	4	147	149	75	40	14	-	-	-
CALDWELL	47	38	223.5			1	12	19	5	-	1	-	-	-
				W	15	-	6	7	2	-	-	-	-	-
				NW	23	1	6	12	3	-	1	-	-	-
CAMERON	1	32	195.1			-	17	11	1	1	2	-	-	-
				W	21	-	12	7	-	-	2	-	-	-
				NW	11	-	5	4	1	1	-	-	-	-
CATAHOULA	3	70	346.5			4	19	24	13	6	2	2	-	-
				W	7	2	-	2	2	-	-	1	-	-
				NW	63	2	19	22	11	6	2	1	-	-
CLAIBORNE	46	108	403.0			1	51	34	13	7	1	1	-	-
				W	11	-	4	5	2	-	-	-	-	-
				NW	97	1	47	29	11	7	1	1	-	-
CONCORDIA	164	147	375.0			4	57	53	17	12	4	-	-	-
				W	18	-	7	5	5	-	1	-	-	-
				NW	129	4	50	48	12	12	3	-	-	-
DESOTO	4	167	336.7			6	68	60	16	15	-	2	-	-
				W	19	-	10	7	2	-	-	-	-	-
				NW	148	6	58	53	14	15	-	2	-	-
E BATON ROUGE	2906	1918	271.5			27	613	698	375	141	58	5	1	-
				W	312	3	104	120	59	17	7	2	-	-
				NW	1606	24	509	578	316	124	51	3	1	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	86	154	669.6			2	69	43	23	12	4	1	-	-
				W	6	-	1	5	-	-	-	-	-	-
				NW	148	2	68	38	23	12	4	1	-	-
E FELICIANA	-	167	407.3			-	51	66	34	11	5	-	-	-
				W	22	-	10	7	3	2	-	-	-	-
				NW	145	-	41	59	31	9	5	-	-	-
EVANGELINE	162	163	257.5			2	68	44	31	14	3	1	-	-
				W	33	-	15	6	9	2	-	1	-	-
				NW	130	2	53	38	22	12	3	-	-	-
FRANKLIN	7	140	374.3			4	65	47	15	7	2	-	-	-
				W	21	-	11	9	-	1	-	-	-	-
				NW	119	4	54	38	15	6	2	-	-	-
GRANT	-	52	203.1			3	19	18	8	4	-	-	-	-
				W	32	1	13	13	4	1	-	-	-	-
				NW	20	2	6	5	4	3	-	-	-	-
IBERIA	241	384	262.7			6	145	122	61	36	12	2	-	-
				W	94	3	37	30	11	7	5	1	-	-
				NW	290	3	108	92	50	29	7	1	-	-
IBERVILLE	59	228	362.5			1	78	86	39	18	5	1	-	-
				W	30	-	17	10	3	-	-	-	-	-
				NW	198	1	61	76	36	18	5	1	-	-
JACKSON	169	80	272.1			-	33	35	7	-	5	-	-	-
				W	15	-	8	5	1	-	1	-	-	-
				NW	65	-	25	30	6	-	4	-	-	-
JEFFERSON	1380	1662	212.1			21	634	579	267	111	42	8	-	-
				W	639	2	275	189	104	42	21	6	-	-
				NW	1023	19	359	390	163	69	21	2	-	-
JEFF DAVIS	23	138	225.5			2	53	45	25	9	3	1	-	-
				W	66	-	23	26	13	2	1	1	-	-
				NW	72	2	30	19	12	7	2	-	-	-
LAFAYETTE	1544	659	192.7			10	219	242	119	45	13	11	-	-
				W	194	2	71	55	48	15	1	2	-	-
				NW	465	8	148	187	71	30	12	9	-	-
LAFOURCHE	88	331	194.7			5	132	109	58	21	6	-	-	-
				W	126	2	52	41	22	9	-	-	-	-
				NW	205	3	80	68	36	12	6	-	-	-
LASALLE	1	39	175.7			-	21	12	4	2	-	-	-	-
				W	21	-	15	3	2	1	-	-	-	-
				NW	18	-	6	9	2	1	-	-	-	-
LINCOLN	38	166	294.3			2	64	56	30	9	5	-	-	-
				W	16	-	6	6	2	2	-	-	-	-
				NW	150	2	58	50	28	7	5	-	-	-
LIVINGSTON	1	191	143.2			2	84	64	23	17	-	1	-	-
				W	128	-	63	39	15	11	-	-	-	-
				NW	63	2	21	25	8	6	-	1	-	-
MADISON	70	154	599.2			4	70	42	21	10	6	1	-	-
				W	11	-	7	3	-	-	1	-	-	-
				NW	143	4	63	39	21	10	5	1	-	-
MOREHOUSE	164	269	437.4			6	119	94	34	10	6	-	-	-
				W	30	-	15	11	3	-	1	-	-	-
				NW	239	6	104	83	31	10	5	-	-	-
NATCHITOCHES	37	220	335.4			4	83	82	26	11	11	3	-	-
				W	23	-	7	10	5	1	-	-	-	-
				NW	197	4	76	72	21	10	11	3	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	6021	4993	473.5			48	1587	1882	918	389	148	19	2	-
				W	307	1	79	107	63	31	22	3	1	-
				NW	4686	47	1508	1775	855	358	126	16	1	-
OUACHITA	1550	925	356.5			18	366	295	158	67	17	4	-	-
				W	134	3	52	37	30	10	2	-	-	-
				NW	791	15	314	258	128	57	15	4	-	-
PLAQUEMINES	4	118	213.8			3	46	40	20	5	3	1	-	-
				W	41	-	19	12	6	3	1	-	-	-
				NW	77	3	27	28	14	2	2	1	-	-
POINTE COUPEE	74	147	328.9			1	50	47	31	15	2	1	-	-
				W	16	-	10	3	2	-	1	-	-	-
				NW	131	1	40	44	29	15	1	1	-	-
RAPIDES	1032	634	269.0			9	239	246	91	41	8	-	-	-
				W	146	2	55	61	20	7	1	-	-	-
				NW	488	7	184	185	71	34	7	-	-	-
RED RIVER	2	74	375.6			2	41	23	7	1	-	-	-	-
				W	9	-	6	1	2	-	-	-	-	-
				NW	65	2	35	22	5	1	-	-	-	-
RICHLAND	14	163	406.5			5	64	61	24	5	3	1	-	-
				W	22	-	11	10	1	-	-	-	-	-
				NW	141	5	53	51	23	5	3	1	-	-
SABINE	27	98	241.4			2	45	29	15	5	2	-	-	-
				W	26	-	14	6	3	1	2	-	-	-
				NW	72	2	31	23	12	4	-	-	-	-
ST BERNARD	4	158	147.0			3	69	55	21	7	1	2	-	-
				W	115	3	48	40	17	4	1	2	-	-
				NW	43	-	21	15	4	3	-	-	-	-
ST CHARLES	15	197	227.0			1	67	73	39	14	3	-	-	-
				W	59	-	27	20	9	3	-	-	-	-
				NW	138	1	40	53	30	11	3	-	-	-
ST HELENA	-	59	355.4			-	19	32	2	2	3	1	-	-
				W	5	-	2	3	-	-	-	-	-	-
				NW	54	-	17	29	2	2	3	1	-	-
ST JAMES	4	147	298.2			3	59	48	21	10	5	1	-	-
				W	13	1	10	1	1	-	-	-	-	-
				NW	134	2	49	47	20	10	5	1	-	-
ST JOHN	78	204	233.1			4	80	62	38	14	6	-	-	-
				W	54	2	26	17	8	-	1	-	-	-
				NW	150	2	54	45	30	14	5	-	-	-
ST LANDRY	256	474	278.8			11	164	165	86	37	8	2	1	-
				W	91	1	31	31	16	10	-	2	-	-
				NW	383	10	133	134	70	27	8	-	1	-
ST MARTIN	57	239	257.3			1	93	84	36	13	11	1	-	-
				W	56	-	28	18	8	1	-	1	-	-
				NW	183	1	65	66	28	12	11	-	-	-
ST MARY	164	361	275.6			7	137	145	50	17	3	2	-	-
				W	119	3	57	47	7	5	-	-	-	-
				NW	242	4	80	98	43	12	3	2	-	-
ST TAMMANY	218	331	136.4			4	131	126	48	14	7	1	-	-
				W	158	-	63	62	22	4	6	1	-	-
				NW	173	4	68	64	26	10	1	-	-	-
TANGIPAHOA	664	567	331.4			11	214	213	80	32	17	-	-	-
				W	101	2	34	43	13	9	-	-	-	-
				NW	466	9	180	170	67	23	17	-	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	50	81	488.0			-	28	27	17	7	2	-	-	-
				W	4	-	3	-	1	-	-	-	-	-
				NW	77	-	25	27	16	7	2	-	-	-
TERREBONNE	1055	449	216.5			11	187	143	68	33	6	1	-	-
				W	187	6	83	55	30	11	1	1	-	-
				NW	262	5	104	88	38	22	5	-	-	-
UNION	54	90	276.1			5	49	27	7	-	2	-	-	-
				W	19	-	13	4	2	-	-	-	-	-
				NW	71	5	36	23	5	-	2	-	-	-
VERMILION	126	191	191.6			1	61	75	34	17	2	1	-	-
				W	90	-	29	34	16	10	-	1	-	-
				NW	101	1	32	41	18	7	2	-	-	-
VERNON	84	136	92.6			3	62	41	15	14	1	-	-	-
				W	70	1	32	22	8	6	1	-	-	-
				NW	66	2	30	19	7	8	-	-	-	-
WASHINGTON	235	206	276.1			4	77	72	30	18	3	2	-	-
				W	42	1	16	15	6	4	-	-	-	-
				NW	164	3	61	57	24	14	3	2	-	-
WEBSTER	18	208	291.3			3	71	86	36	11	1	-	-	-
				W	36	-	12	16	4	4	-	-	-	-
				NW	172	3	59	70	32	7	1	-	-	-
W BATON ROUGE	-	132	316.5			-	45	44	25	15	2	1	-	-
				W	31	-	15	10	4	1	-	1	-	-
				NW	101	-	30	34	21	14	2	-	-	-
WEST CARROLL	18	65	291.5			3	22	28	7	4	1	-	-	-
				W	17	-	7	7	1	1	1	-	-	-
				NW	48	3	15	21	6	3	-	-	-	-
W FELICIANA	1	38	246.8			1	14	10	5	2	6	-	-	-
				W	4	-	2	1	1	-	-	-	-	-
				NW	34	1	12	9	4	2	6	-	-	-
WINN	-	79	308.6			2	33	29	11	3	1	-	-	-
				W	17	-	8	6	3	-	-	-	-	-
				NW	62	2	25	23	8	3	1	-	-	-
OUT OF STATE**	136	148				1	77	48	11	7	3	-	-	1
				W	83	1	43	28	4	5	1	-	-	1
				NW	65	-	34	29	7	2	2	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE X-B
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1985

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	23245	23233	285.4			356	8441	8324	3855	1613	547	92	4	1
				W	4832	53	1954	1634	764	292	103	30	1	1
				NW	18401	303	6487	6690	3091	1321	444	62	3	-
SPD 1	7627	7262	323.7			79	2467	2682	1274	526	201	31	2	-
				W	1260	6	484	410	212	84	51	12	1	-
				NW	6002	73	1983	2272	1062	442	150	19	1	-
SPD 2	3948	3935	275.9			50	1345	1435	682	303	107	12	1	-
				W	768	7	302	280	115	51	10	3	-	-
				NW	3167	43	1043	1155	567	252	97	9	1	-
SPD 3	1240	1445	225.3			25	567	483	243	98	26	3	-	-
				W	456	11	204	144	71	23	2	1	-	-
				NW	989	14	363	339	172	75	24	2	-	-
SPD 4	2662	2748	236.9			43	979	999	453	191	59	23	1	-
				W	791	11	305	275	125	53	13	9	-	-
				NW	1957	32	674	724	328	138	46	14	1	-
SPD 5	949	973	202.7			9	382	333	154	66	26	2	-	1
				W	382	3	164	130	60	15	7	2	-	1
				NW	591	6	218	203	94	51	19	-	-	-
SPD 6	1321	1342	229.1			26	521	485	190	96	22	2	-	-
				W	353	6	145	126	52	20	3	1	-	-
				NW	989	20	376	359	138	76	19	1	-	-
SPD 7	3269	3369	324.5			76	1283	1189	541	211	57	12	-	-
				W	528	6	216	171	88	34	11	2	-	-
				NW	2841	70	1067	1018	453	177	46	10	-	-
SPD 8	2229	2159	382.1			48	897	718	318	122	49	7	-	-
				W	294	3	134	98	41	12	6	-	-	-
				NW	1865	45	763	620	277	110	43	7	-	-
HSA 1	8867	8707	301.8			104	3034	3165	1517	624	227	34	2	-
				W	1716	17	688	554	283	107	53	13	1	-
				NW	6991	87	2346	2611	1234	517	174	21	1	-
HSA 2	7559	7656	249.7			102	2706	2767	1289	560	192	37	2	1
				W	1941	21	771	685	300	119	30	14	-	1
				NW	5715	81	1935	2082	989	441	162	23	2	-
HSA 3	6819	6870	313.8			150	2701	2392	1049	429	128	21	-	-
				W	1175	15	495	395	181	66	20	3	-	-
				NW	5695	135	2206	1997	868	363	108	18	-	-

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	780	764	9.4			9	141	250	193	104	49	12	1	5
				W	325	1	47	102	90	55	23	4	1	2
				NW	439	8	94	148	103	49	26	8	-	3
ACADIA	5	11	9.6			-	1	5	2	1	2	-	-	-
				W	5	-	-	-	2	1	2	-	-	-
				NW	6	-	1	5	-	-	-	-	-	-
ALLEN	2	5	14.7			-	1	3	-	-	1	-	-	-
				W	4	-	1	2	-	-	1	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
ASCENSION	-	7	5.9			-	1	5	-	-	1	-	-	-
				W	6	-	1	5	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
ASSUMPTION	-	4	9.9			-	1	1	2	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	3	-	1	1	1	-	-	-	-	-
AVOYELLES	-	6	8.5			-	-	3	3	-	-	-	-	-
				W	4	-	-	2	2	-	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
BEAUREGARD	4	4	7.4			-	2	2	-	-	-	-	-	-
				W	2	-	2	-	-	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
BIENVILLE	-	5	17.0			-	1	4	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	5	-	1	4	-	-	-	-	-	-
BOSSIER	9	10	6.1			-	2	6	1	1	-	-	-	-
				W	8	-	2	4	1	1	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
CADDO	78	46	8.9			-	10	18	12	4	1	1	-	-
				W	14	-	2	6	4	2	-	-	-	-
				NW	32	-	8	12	8	2	1	1	-	-
CALCASIEU	25	21	6.7			-	3	6	7	3	2	-	-	-
				W	8	-	1	2	2	2	1	-	-	-
				NW	13	-	2	4	5	1	1	-	-	-
CALDWELL	1	2	11.8			-	-	2	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
CAMERON	-	3	18.3			-	-	2	-	1	-	-	-	-
				W	3	-	-	2	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CATAHOULA	1	4	19.8			-	-	-	2	1	1	-	-	-
				W	3	-	-	-	1	1	1	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
CLAIBORNE	-	2	7.5			-	1	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	1	-	1	-	-	-	-	-
CONCORDIA	5	3	7.7			-	-	2	1	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
DESOTO	1	5	10.1			-	4	-	1	-	-	-	-	-
				W	2	-	2	-	-	-	-	-	-	-
				NW	3	-	2	-	1	-	-	-	-	-
E BATON ROUGE	87	57	8.1			-	12	13	21	9	2	-	-	-
				W	23	-	4	4	9	6	-	-	-	-
				NW	34	-	8	9	12	3	2	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	1	5	21.7			-	1	3	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	4	-	1	3	-	-	-	-	-	-
E FELICIANA	-	2	4.9			-	-	-	2	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	-	2	-	-	-	-	-
EVANGELINE	1	4	6.3			-	1	1	1	1	-	-	-	-
				W	3	-	-	1	1	1	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
FRANKLIN	1	5	13.4			-	2	1	2	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	4	-	2	1	1	-	-	-	-	-
GRANT	-	9	35.2			-	3	2	2	1	1	-	-	-
				W	6	-	2	1	1	1	1	-	-	-
				NW	3	-	1	1	1	-	-	-	-	-
IBERIA	14	12	8.2			1	1	4	4	1	1	-	-	-
				W	6	-	1	3	-	1	1	-	-	-
				NW	6	1	-	1	4	-	-	-	-	-
IBERVILLE	-	4	6.4			1	-	-	1	1	1	-	-	-
				W	2	-	-	-	-	1	1	-	-	-
				NW	2	1	-	-	1	-	-	-	-	-
JACKSON	2	1	3.4			-	-	-	-	-	-	1	-	-
				W	1	-	-	-	-	-	-	1	-	-
				NW	-	-	-	-	-	-	-	-	-	-
JEFFERSON	56	54	6.9			1	6	15	13	16	2	-	1	-
				W	29	-	3	7	9	8	1	-	1	-
				NW	25	1	3	8	4	8	1	-	-	-
JEFF DAVIS	1	2	3.3			-	-	-	1	1	-	-	-	-
				W	2	-	-	-	1	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	64	29	8.5			-	8	8	5	3	3	2	-	-
				W	13	-	3	4	3	2	-	1	-	-
				NW	16	-	5	4	2	1	3	1	-	-
LAFOURCHE	9	11	6.5			-	1	4	5	-	1	-	-	-
				W	8	-	-	3	4	-	1	-	-	-
				NW	3	-	1	1	1	-	-	-	-	-
LASALLE	-	3	13.5			-	2	1	-	-	-	-	-	-
				W	3	-	2	1	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LINCOLN	2	3	5.3			-	-	1	1	-	1	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
LIVINGSTON	-	8	6.0			-	-	5	2	1	-	-	-	-
				W	8	-	-	5	2	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
MADISON	2	2	7.8			1	-	-	-	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	1	-	-	-	1	-	-	-	-
MOREHOUSE	1	4	6.5			-	-	2	1	1	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	3	-	-	2	-	1	-	-	-	-
NATCHITOCHES	5	8	12.2			-	1	3	2	1	1	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	7	-	1	2	2	1	1	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	199	152	14.4			3	30	44	34	26	6	4	-	5
				W	26	-	1	6	6	8	3	-	-	2
				NW	126	3	29	38	28	18	3	4	-	3
OUACHITA	46	24	9.2			-	5	10	5	-	4	-	-	-
				W	7	-	1	3	2	-	1	-	-	-
				NW	17	-	4	7	3	-	3	-	-	-
PLAQUEMINES	-	3	5.4			-	1	1	-	-	1	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
POINTE COUPEE	1	1	2.2			-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
RAPIDES	45	21	8.9			-	7	6	5	2	1	-	-	-
				W	11	-	3	2	4	1	1	-	-	-
				NW	10	-	4	4	1	1	-	-	-	-
RED RIVER	-	4	20.3			-	-	1	-	3	-	-	-	-
				W	2	-	-	1	-	1	-	-	-	-
				NW	2	-	-	-	-	2	-	-	-	-
RICHLAND	2	3	7.5			-	-	1	2	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
SABINE	-	6	14.8			-	-	5	-	-	1	-	-	-
				W	4	-	-	3	-	-	1	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
ST BERNARD	-	12	11.2			-	5	3	1	2	1	-	-	-
				W	12	-	5	3	1	2	1	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	9	10.4			-	1	2	4	-	2	-	-	-
				W	4	-	-	1	3	-	-	-	-	-
				NW	5	-	1	1	1	-	2	-	-	-
ST HELENA	-	1	6.0			-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
ST JAMES	-	8	16.2			-	1	3	2	1	1	-	-	-
				W	3	-	-	1	1	-	1	-	-	-
				NW	5	-	1	2	1	1	-	-	-	-
ST JOHN	5	5	5.7			-	1	1	1	2	-	-	-	-
				W	3	-	1	-	-	2	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
ST LANDRY	10	20	11.8			-	7	3	3	3	4	-	-	-
				W	6	-	1	1	1	2	1	-	-	-
				NW	14	-	6	2	2	1	3	-	-	-
ST MARTIN	2	14	15.1			-	2	4	5	1	-	2	-	-
				W	7	-	1	2	2	1	-	1	-	-
				NW	7	-	1	2	3	-	-	1	-	-
ST MARY	6	14	10.7			1	2	7	2	1	1	-	-	-
				W	8	-	1	4	2	-	1	-	-	-
				NW	6	1	1	3	-	1	-	-	-	-
ST TAMMANY	10	20	8.2			-	2	4	10	2	2	-	-	-
				W	16	-	2	3	8	2	1	-	-	-
				NW	4	-	-	1	2	-	1	-	-	-
TANGIPAHOA	13	9	5.3			-	4	4	-	1	-	-	-	-
				W	5	-	1	3	-	1	-	-	-	-
				NW	4	-	3	1	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	-	1	6.0			-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
TERREBONNE	33	17	8.2			-	-	6	6	3	2	-	-	-
				W	11	-	-	5	4	1	1	-	-	-
				NW	6	-	-	1	2	2	1	-	-	-
UNION	1	4	12.3			-	1	1	2	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	3	-	1	-	2	-	-	-	-	-
VERMILION	6	10	10.0			-	-	5	4	1	-	-	-	-
				W	7	-	-	3	3	1	-	-	-	-
				NW	3	-	-	2	1	-	-	-	-	-
VERNON	11	12	8.2			1	-	5	3	2	-	1	-	-
				W	5	1	-	-	2	1	-	1	-	-
				NW	7	-	-	5	1	1	-	-	-	-
WASHINGTON	11	13	17.4			-	3	4	1	4	-	1	-	-
				W	5	-	2	1	1	1	-	-	-	-
				NW	8	-	1	3	-	3	-	1	-	-
WEBSTER	2	3	4.2			-	-	2	1	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
W BATON ROUGE	-	9	21.6			-	2	3	3	-	1	-	-	-
				W	3	-	-	1	2	-	-	-	-	-
				NW	6	-	2	2	1	-	1	-	-	-
WEST CARROLL	-	2	9.0			-	-	1	-	1	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
W FELICIANA	-	1	6.5			-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
WINN	-	5	19.5			-	2	-	1	1	1	-	-	-
				W	3	-	1	-	-	1	1	-	-	-
				NW	2	-	1	-	1	-	-	-	-	-
OUT OF STATE**	-	16				-	1	8	3	3	1	-	-	-
				W	10	-	1	4	3	1	1	-	-	-
				NW	6	-	-	4	-	2	-	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE XI-B
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1985

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	780	764	9.4			9	141	250	193	104	49	12	1	5
				W	325	1	47	102	90	55	23	4	1	2
				NW	439	8	94	148	103	49	26	8	-	3
SPD 1	265	241	10.7			4	44	67	58	46	12	4	1	5
				W	85	-	12	20	24	20	6	-	1	2
				NW	156	4	32	47	34	26	6	4	-	3
SPD 2	112	112	7.9			1	22	35	32	16	5	1	-	-
				W	52	-	8	19	14	10	1	-	-	-
				NW	60	1	14	16	18	6	4	1	-	-
SPD 3	47	54	8.4			-	5	17	20	6	6	-	-	-
				W	30	-	1	10	13	3	3	-	-	-
				NW	24	-	4	7	7	3	3	-	-	-
SPD 4	108	114	9.8			2	22	37	26	12	11	4	-	-
				W	55	-	7	18	14	9	5	2	-	-
				NW	59	2	15	19	12	3	6	2	-	-
SPD 5	32	35	7.3			-	6	13	8	5	3	-	-	-
				W	19	-	4	6	3	4	2	-	-	-
				NW	16	-	2	7	5	1	1	-	-	-
SPD 6	62	63	10.8			1	14	19	17	7	4	1	-	-
				W	36	1	8	7	10	5	4	1	-	-
				NW	27	-	6	12	7	2	-	-	-	-
SPD 7	97	92	8.9			-	19	40	19	9	4	1	-	-
				W	34	-	6	17	6	4	1	-	-	-
				NW	58	-	13	23	13	5	3	1	-	-
SPD 8	57	53	9.4			1	9	22	13	3	4	1	-	-
				W	14	-	1	5	6	-	1	1	-	-
				NW	39	1	8	17	7	3	3	-	-	-
HSA 1	312	295	10.2			4	49	84	78	52	18	4	1	5
				W	115	-	13	30	37	23	9	-	1	2
				NW	180	4	36	54	41	29	9	4	-	3
HSA 2	252	261	8.5			3	50	85	66	33	19	5	-	-
				W	126	-	19	43	31	23	8	2	-	-
				NW	135	3	31	42	35	10	11	3	-	-
HSA 3	216	208	9.5			2	42	81	49	19	12	3	-	-
				W	84	1	15	29	22	9	6	2	-	-
				NW	124	1	27	52	27	10	6	1	-	-

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
TOTAL	764	938.6			9	141	250	193	104	49	12	1	5
			W	325	1	47	102	90	55	23	4	1	2
			NW	439	8	94	148	103	49	26	8	-	3
CONGENITAL ANOMALIES - (740-759)	49	60.2			-	10	13	12	8	5	1	-	-
			W	31	-	6	9	7	7	2	-	-	-
			NW	18	-	4	4	5	1	3	1	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	11	13.5			-	2	7	-	1	1	-	-	-
			W	9	-	2	5	-	1	1	-	-	-
			NW	2	-	-	2	-	-	-	-	-	-
SPINA BIFIDA - (741)	1	1.2			-	-	-	1	-	-	-	-	-
			W	1	-	-	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	6	7.4			-	-	2	3	1	-	-	-	-
			W	3	-	-	1	1	1	-	-	-	-
			NW	3	-	-	1	2	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART - (745-746)	1	1.2			-	-	-	-	-	1	-	-	-
			W	1	-	-	-	-	-	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	1	1.2			-	-	1	-	-	-	-	-	-
			W	1	-	-	1	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
MULTIPLE CONGENITAL ANOMALIES - (759.7)	15	18.4			-	5	1	4	3	1	1	-	-
			W	7	-	3	-	2	2	-	-	-	-
			NW	8	-	2	1	2	1	1	1	-	-
ALL OTHER CONGENITAL ANOMALIES - (REMAINDER OF 740-759)	14	17.2			-	3	2	4	3	2	-	-	-
			W	9	-	1	2	3	3	-	-	-	-
			NW	5	-	2	-	1	-	2	-	-	-
FETUS AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY - (760)	41	50.4			2	5	11	14	4	3	1	1	-
			W	10	1	1	3	3	-	1	-	1	-
			NW	31	1	4	8	11	4	2	1	-	-
MATERNAL HYPERTENSIVE DISORDERS - (760.0)	33	40.5			-	3	10	12	4	2	1	1	-
			W	8	-	1	2	3	-	1	-	1	-
			NW	25	-	2	8	9	4	1	1	-	-
MATERNAL INJURY - (760.5)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY - (REMAINDER OF 760)	8	9.8			2	2	1	2	-	1	-	-	-
			W	2	1	-	1	-	-	-	-	-	-
			NW	6	1	2	-	2	-	1	-	-	-
FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY - (761) .	78	95.8			-	17	23	17	15	3	2	-	1
			W	44	-	12	12	10	8	1	1	-	-
			NW	34	-	5	11	7	7	2	1	-	1

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1985

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
PREMATURE RUPTURE OF MEMBRANES - (761.1)	26	31.9			-	5	10	4	5	-	2	-	-
			W	12	-	3	4	1	3	-	1	-	-
			NW	14	-	2	6	3	2	-	1	-	-
MULTIPLE PREGNANCY - (761.5)	33	40.5			-	11	7	6	7	1	-	-	1
			W	21	-	8	5	3	4	1	-	-	-
			NW	12	-	3	2	3	3	-	-	-	1
FETUS AFFECTED BY OTHER MATERNAL COMPLICATIONS OF PREGNANCY - (REMAINDER OF 761)	19	23.3			-	1	6	7	3	2	-	-	-
			W	11	-	1	3	6	1	-	-	-	-
			NW	8	-	-	3	1	2	2	-	-	-
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES - (762)	267	328.0			2	31	86	76	52	15	5	-	-
			W	134	-	12	35	45	29	10	3	-	-
			NW	133	2	19	51	31	23	5	2	-	-
PLACENTA PRAEVIA - (762.0)	4	4.9			-	2	1	1	-	-	-	-	-
			W	2	-	-	1	1	-	-	-	-	-
			NW	2	-	2	-	-	-	-	-	-	-
OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE - (762.1)	109	133.9			2	17	36	25	20	7	2	-	-
			W	41	-	7	7	14	8	4	1	-	-
			NW	68	2	10	29	11	12	3	1	-	-
OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA - (762.2)	52	63.9			-	6	17	14	10	4	1	-	-
			W	36	-	4	11	9	8	3	1	-	-
			NW	16	-	2	6	5	2	1	-	-	-
PLACENTAL TRANSFUSION SYNDROMES - (762.3)	2	2.5			-	-	2	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	2	-	-	2	-	-	-	-	-	-
PROLAPSED CORD - (762.4)	5	6.1			-	-	1	2	2	-	-	-	-
			W	1	-	-	-	-	1	-	-	-	-
			NW	4	-	-	1	2	1	-	-	-	-
OTHER COMPRESSION OF UMBILICAL CORD - (762.5)	55	67.6			-	5	16	18	12	3	1	-	-
			W	30	-	1	9	11	7	2	-	-	-
			NW	25	-	4	7	7	5	1	1	-	-
OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD - (762.6)	32	39.3			-	1	12	12	7	-	-	-	-
			W	19	-	-	7	8	4	-	-	-	-
			NW	13	-	1	5	4	3	-	-	-	-
ABNORMALITIES OF CHORION AND AMNION - (762.7 - 762.9)	8	9.8			-	-	1	4	1	1	1	-	-
			W	5	-	-	-	2	1	1	1	-	-
			NW	3	-	-	1	2	-	-	-	-	-
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY - (763)	5	6.1			-	1	2	-	1	1	-	-	-
			W	2	-	-	1	-	1	-	-	-	-
			NW	3	-	1	1	-	-	1	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION - (764)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, [illegible]

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT - (765)	44	54.1			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	11	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	33	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BIRTH TRAUMA - (767)	3	3.7			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA - (768)	20	24.6			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HAEMOLYTIC DISEASE OF FETUS DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE - (773 - 774)	3	3.7			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL DIABETES MELLITUS - (775.0 - 775.1)	10	12.3			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
UNSPECIFIED CAUSE - (779.9, 799.9)	180	221.4			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	50	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	130	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
ALL OTHER CAUSES - (RESIDUAL)	56	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			W	14	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
			NW	42	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

* RATIO PER 100,000 LIVE BIRTHS

TABLE XIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY
BY WEEKS OF GESTATION, RACE, AGE AND MARITAL STATUS
OCCURRING IN LOUISIANA, 1985

WEEKS OF GESTATION	TOTAL	RACE	TOTAL BY RACE	AGE									MARITAL STATUS		
				UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN	MARRIED	UNMARRIED	UNKNOWN
TOTAL	18137			179	3414	4983	3349	1944	906	215	8	3139	3342	9843	4952
		W	9887	49	1899	2883	1865	1026	448	111	5	1601	1910	5642	2335
		NW	7479	127	1464	2004	1427	880	441	99	2	1035	1370	4045	2064
		U	771	3	51	96	57	38	17	5	1	503	62	156	553
8 AND UNDER	8199			54	1280	2254	1666	984	411	97	1	1452	1616	4532	2051
		W	5047	16	812	1451	1062	608	253	59	-	786	986	2877	1184
		NW	2728	38	450	765	577	355	150	36	1	356	600	1587	541
		U	424	-	18	38	27	21	8	2	-	310	30	68	326
9	2492			24	402	700	474	263	141	33	2	453	483	1446	563
		W	1531	6	261	461	295	151	78	18	1	260	314	898	319
		NW	913	17	132	228	166	110	61	15	-	184	160	520	233
		U	48	1	9	11	13	2	2	-	1	9	9	28	11
10	2070			16	402	548	371	188	97	24	2	422	378	1160	532
		W	1126	10	244	322	206	87	41	12	2	202	202	660	264
		NW	851	5	155	214	161	97	54	11	-	154	172	480	199
		U	93	1	3	12	4	4	2	1	-	66	4	20	69
11	908			6	207	250	160	89	31	8	-	157	159	540	209
		W	515	4	128	153	87	46	14	6	-	77	94	307	114
		NW	380	2	79	90	72	42	15	2	-	78	61	226	93
		U	13	-	-	7	1	1	2	-	-	2	4	7	2
12	816			11	183	223	109	68	34	11	-	177	122	484	210
		W	402	1	94	115	48	40	16	5	-	83	73	226	103
		NW	380	10	85	106	60	28	17	6	-	68	49	252	79
		U	34	-	4	2	1	-	1	-	-	26	-	6	28
13	549			13	152	160	75	47	24	6	-	72	121	334	94
		W	261	6	84	77	38	15	9	2	-	30	55	169	37
		NW	283	7	65	82	37	31	15	4	-	42	65	161	57
		U	5	-	3	1	-	1	-	-	-	-	1	4	-
14	377			5	115	110	56	26	17	5	-	43	89	226	62
		W	190	1	62	61	24	9	10	3	-	20	49	114	27
		NW	165	4	49	47	32	17	6	1	-	9	38	106	21
		U	22	-	4	2	-	-	1	1	-	14	2	6	14
15	225			6	48	67	26	19	6	2	-	51	47	119	59
		W	116	1	26	36	15	8	1	-	-	29	25	57	34
		NW	105	5	20	30	11	10	5	2	-	22	22	58	25
		U	4	-	2	1	-	1	-	-	-	-	-	4	-
16	333			9	85	91	44	24	15	1	-	64	65	189	79
		W	148	-	38	51	14	10	4	-	-	31	27	82	39
		NW	177	8	45	39	29	14	11	-	-	31	35	105	37
		U	8	1	2	1	1	-	-	1	-	2	3	2	3
17	205			5	63	47	21	16	7	1	-	45	38	115	52
		W	102	2	37	18	9	8	1	1	-	26	18	55	29
		NW	100	3	26	28	11	8	6	-	-	18	19	59	22
		U	3	-	-	1	1	-	-	-	-	1	1	1	1
18	198			3	59	61	22	10	4	1	-	38	44	102	52
		W	85	-	22	30	10	1	2	-	-	20	21	40	24
		NW	110	3	36	29	12	9	2	1	-	18	22	60	28
		U	3	-	1	2	-	-	-	-	-	-	1	2	-
19	102			6	26	22	8	4	1	2	-	33	11	53	38
		W	47	1	15	10	4	2	-	-	-	15	7	24	16
		NW	52	5	10	12	3	2	1	2	-	17	4	27	21
		U	3	-	1	-	1	-	-	-	-	1	-	2	1
20	99			3	32	21	8	4	-	-	-	31	9	54	36
		W	43	-	12	9	3	1	-	-	-	18	3	21	19
		NW	56	3	20	12	5	3	-	-	-	13	6	33	17
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
21 AND OVER	43			-	20	15	4	3	-	1	-	-	5	34	4
		W	19	-	12	5	1	1	-	-	-	-	2	15	2
		NW	22	-	8	8	3	2	-	1	-	-	3	17	2
		U	2	-	-	2	-	-	-	-	-	-	-	2	-
UNKNOWN	1521			18	340	414	305	199	118	23	3	101	155	455	911
		W	255	1	52	84	49	39	19	5	2	4	34	97	124
		NW	1157	17	284	314	248	152	98	18	1	25	114	354	689
		U	109	-	4	16	8	8	1	-	-	72	7	4	98

TABLE XIV
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY TYPE OF PROCEDURE AND WEEKS OF GESTATION OCCURRING IN LOUISIANA, 1985

WEEKS OF GESTATION	TOTAL	TYPE OF PROCEDURE								
		CURETTAGE		INTRAUTERINE INSTILLATION						
		SUCTION	SHARP	SALINE	PROSTAGLANDIN	HYSTEROTOMY	HYSTERECTOMY	DILATION AND EVACUATION	OTHER	UNKNOWN
TOTAL	18137	16990	1	-	-	-	-	152	1	993
8 AND UNDER	8199	7588	1	-	-	-	-	4	-	606
9	2492	2422	-	-	-	-	-	-	-	70
10	2070	1955	-	-	-	-	-	-	-	115
11	908	893	-	-	-	-	-	-	-	15
12	816	764	-	-	-	-	-	8	-	44
13	549	491	-	-	-	-	-	38	-	20
14	377	327	-	-	-	-	-	28	-	22
15	225	207	-	-	-	-	-	8	-	10
16	333	304	-	-	-	-	-	16	-	13
17	205	180	-	-	-	-	-	15	-	10
18	198	176	-	-	-	-	-	12	-	10
19	102	84	-	-	-	-	-	10	-	8
20	99	81	-	-	-	-	-	7	1	10
21 AND OVER	43	37	-	-	-	-	-	5	-	1
UNKNOWN	1521	1481	-	-	-	-	-	1	-	39

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	37417	37041	8.3			966	222	96	124	903	1139	1418	2487	5707	23976	3
				MW	13549	235	62	30	43	413	454	569	949	2475	8317	2
				FW	11667	181	47	18	24	153	187	245	528	1373	8911	-
				MNW	6316	288	64	27	36	244	331	396	584	1080	3266	-
				FNW	5509	262	49	21	21	93	167	208	426	779	3482	1
ACADIA	411	574	9.6			13	5	2	1	11	9	14	29	86	404	-
				MW	257	4	2	2	-	8	5	10	14	42	170	-
				FW	212	5	3	-	1	1	1	2	7	26	166	-
				MNW	60	2	-	-	-	2	2	-	4	11	39	-
				FNW	45	2	-	-	-	-	1	2	4	7	29	-
CROWLEY*	189	197	12.0			6	1	1	-	4	3	6	4	33	139	-
				MW	72	2	-	1	-	3	1	3	3	13	46	-
				FW	78	1	1	-	-	-	-	2	-	12	62	-
				MNW	25	2	-	-	-	1	1	-	1	3	17	-
				FNW	22	1	-	-	-	-	1	1	-	5	14	-
ALLEN	214	237	10.9			3	2	-	2	3	2	7	16	48	154	-
				MW	103	2	2	-	-	1	-	4	6	23	65	-
				FW	88	-	-	-	2	1	1	-	4	15	65	-
				MNW	27	1	-	-	-	1	1	1	6	4	13	-
				FNW	19	-	-	-	-	-	-	2	-	6	11	-
ASCENSION	260	384	6.6			13	3	2	-	16	11	15	24	62	238	-
				MW	149	5	1	1	-	8	5	6	12	29	82	-
				FW	126	4	-	-	-	3	2	3	4	14	96	-
				MNW	62	4	2	1	-	2	2	3	3	15	30	-
				FNW	47	-	-	-	-	3	2	3	5	4	30	-
ASSUMPTION	108	183	7.8			5	1	-	1	3	10	8	16	29	110	-
				MW	61	-	-	-	1	3	3	1	7	14	32	-
				FW	46	2	-	-	-	-	1	2	2	3	36	-
				MNW	51	3	1	-	-	-	4	5	4	4	30	-
				FNW	25	-	-	-	-	-	2	-	3	8	12	-
AVOYELLES	348	458	10.7			8	1	2	2	14	8	7	29	62	325	-
				MW	189	4	-	1	-	4	2	5	11	30	132	-
				FW	165	-	-	-	-	2	-	2	7	16	138	-
				MNW	54	2	1	1	1	4	6	-	5	9	25	-
				FNW	50	2	-	-	1	4	-	-	6	7	30	-
BEAUREGARD	254	268	8.3			5	1	1	-	6	6	7	17	39	186	-
				MW	130	2	1	-	-	6	5	4	9	22	81	-
				FW	101	2	-	1	-	-	-	-	4	12	82	-
				MNW	22	1	-	-	-	-	-	3	3	2	13	-
				FNW	15	-	-	-	-	-	1	-	1	3	10	-
DE RIDDER*	198	117	10.2			1	1	-	-	3	4	4	9	19	76	-
				MW	45	-	1	-	-	3	3	1	3	9	25	-
				FW	40	-	-	-	-	-	-	-	2	5	33	-
				MNW	20	1	-	-	-	-	-	3	3	2	11	-
				FNW	12	-	-	-	-	-	1	-	1	3	7	-
BIENVILLE	114	200	12.0			3	-	1	2	6	2	3	11	17	155	-
				MW	70	1	-	-	1	3	1	1	4	7	52	-
				FW	52	-	-	-	1	1	-	-	2	5	43	-
				MNW	41	2	-	-	-	-	-	2	3	3	31	-
				FNW	37	-	-	1	-	2	1	-	2	2	29	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
BOSSIER	432	535	5.9			13	4	2	3	23	23	20	38	67	342	-
				MW	230	5	2	1	-	13	12	11	20	38	128	-
				FW	174	6	1	1	-	6	4	3	10	18	125	-
				MNW	71	-	1	-	2	3	3	4	5	7	46	-
				FNW	60	2	-	-	1	1	4	2	3	4	43	-
BOSSIER CITY*	352	308	5.5			7	3	2	1	13	14	12	26	40	190	-
				MW	141	3	2	1	-	9	7	5	13	23	78	-
				FW	118	3	1	1	-	2	3	3	8	12	85	-
				MNW	27	-	-	-	-	1	1	2	4	2	17	-
				FNW	22	1	-	-	1	1	3	2	1	3	10	-
CADDO	3646	2544	9.4			63	9	4	4	47	79	103	153	354	1728	-
				MW	769	13	2	2	1	18	19	36	48	131	499	-
				FW	792	7	2	2	1	8	14	14	37	86	621	-
				MNW	508	20	3	-	2	18	28	36	37	85	279	-
				FNW	475	23	2	-	-	3	18	17	31	52	329	-
SHREVEPORT*	3487	2177	10.2			59	7	2	2	37	64	88	126	307	1485	-
				MW	625	11	1	-	-	11	13	29	39	106	415	-
				FW	685	6	1	2	-	6	12	14	27	77	540	-
				MNW	438	19	3	-	2	17	23	31	30	79	234	-
				FNW	429	23	2	-	-	3	16	14	30	45	296	-
CALCASIEU	1515	1434	8.1			35	7	3	4	31	26	50	128	246	904	-
				MW	636	14	2	-	2	15	10	23	66	115	389	-
				FW	461	6	3	1	-	9	5	12	23	64	338	-
				MNW	191	5	2	-	1	5	8	9	24	36	101	-
				FNW	146	10	-	2	1	2	3	6	15	31	76	-
LAKE CHARLES*	1043	773	9.9			22	3	2	4	13	10	28	52	137	502	-
				MW	270	5	1	-	2	4	1	10	15	47	185	-
				FW	235	5	-	-	-	6	1	4	8	36	175	-
				MNW	156	3	2	-	1	2	5	9	18	29	87	-
				FNW	112	9	-	2	1	1	3	5	11	25	55	-
SULPHUR*	310	189	9.1			3	-	-	-	9	3	5	17	31	121	-
				MW	107	2	-	-	-	6	2	4	14	16	63	-
				FW	68	-	-	-	-	2	1	1	3	9	52	-
				MNW	7	1	-	-	-	1	-	-	-	3	2	-
				FNW	7	-	-	-	-	-	-	-	-	3	4	-
CALDWELL	121	127	11.4			3	-	1	-	5	2	3	8	17	88	-
				MW	64	-	-	-	-	2	2	1	3	11	45	-
				FW	40	1	-	-	-	-	-	1	2	6	30	-
				MNW	13	1	-	1	-	3	-	1	1	-	6	-
				FNW	10	1	-	-	-	-	-	-	2	-	7	-
CAMERON	47	73	7.3			2	-	-	-	4	3	3	5	17	39	-
				MW	36	-	-	-	-	3	2	2	4	6	19	-
				FW	31	1	-	-	-	1	1	-	-	9	19	-
				MNW	5	1	-	-	-	-	-	1	-	2	1	-
				FNW	1	-	-	-	-	-	-	-	1	-	-	-
CATAHOULA	101	120	9.5			2	-	-	-	4	3	3	6	16	86	-
				MW	46	-	-	-	-	1	2	1	3	4	35	-
				FW	40	-	-	-	-	1	-	1	1	5	32	-
				MNW	16	-	-	-	-	1	1	1	2	3	8	-
				FNW	18	2	-	-	-	1	-	-	-	4	11	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
CLAIBORNE	174	228	12.4			6	-	-	1	3	2	1	9	25	181	-
				MW	71	-	-	-	1	1	-	-	4	10	55	-
				FW	49	2	-	-	-	1	-	-	-	1	45	-
				MNW	65	2	-	-	-	1	2	1	4	10	45	-
				FNW	43	2	-	-	-	-	-	-	1	4	36	-
CONCORDIA	157	217	9.2			8	3	-	-	4	4	6	17	36	139	-
				MW	71	1	-	-	-	-	2	3	7	14	44	-
				FW	45	-	1	-	-	-	1	1	4	10	28	-
				MNW	52	3	-	-	-	3	1	-	3	6	36	-
				FNW	49	4	2	-	-	1	-	2	3	6	31	-
DESOTO	187	307	11.1			3	3	2	2	8	10	13	16	41	209	-
				MW	96	1	3	1	2	4	2	3	7	18	55	-
				FW	55	-	-	-	-	-	2	1	1	7	44	-
				MNW	92	1	-	-	-	4	2	4	7	12	62	-
				FNW	64	1	-	1	-	-	4	5	1	4	48	-
E BATON ROUGE	3137	2562	6.6			102	21	6	9	74	83	88	187	418	1574	-
				MW	856	21	7	4	1	39	22	40	60	161	501	-
				FW	719	7	5	-	-	6	12	14	35	98	542	-
				MNW	528	42	4	1	6	21	28	27	53	95	251	-
				FNW	459	32	5	1	2	8	21	7	39	64	280	-
BATON ROUGE*	2802	2129	8.6			89	15	6	8	59	74	74	145	344	1315	-
				MW	651	13	7	4	-	27	18	34	34	120	394	-
				FW	581	4	2	-	-	5	9	7	24	80	450	-
				MNW	482	42	3	1	6	20	27	27	51	83	222	-
				FNW	415	30	3	1	2	7	20	6	36	61	249	-
BAKER*	28	85	6.1			3	1	-	-	3	-	3	10	12	53	-
				MW	46	1	-	-	-	3	-	1	6	9	26	-
				FW	24	-	-	-	-	-	-	2	3	3	16	-
				MNW	8	-	-	-	-	-	-	-	1	-	7	-
				FNW	7	2	1	-	-	-	-	-	-	-	4	-
EAST CARROLL	101	143	12.5			5	1	1	-	3	6	7	3	16	101	-
				MW	24	1	-	-	-	1	1	1	-	2	18	-
				FW	18	-	-	-	-	-	-	-	1	-	17	-
				MNW	50	2	1	-	-	1	4	1	1	9	31	-
				FNW	51	2	-	1	-	1	1	5	1	5	35	-
E FELICIANA	161	171	8.5			-	2	-	-	3	3	8	10	35	110	-
				MW	64	-	2	-	-	-	2	5	6	12	37	-
				FW	38	-	-	-	-	1	-	-	1	5	31	-
				MNW	34	-	-	-	-	2	-	2	2	8	20	-
				FNW	35	-	-	-	-	-	1	1	1	10	22	-
EVANGELINE	325	360	10.3			8	1	1	1	11	9	15	28	39	247	-
				MW	165	5	-	1	-	7	4	8	14	24	102	-
				FW	142	1	-	-	1	1	3	1	7	11	117	-
				MNW	29	2	1	-	-	2	1	3	4	1	15	-
				FNW	24	-	-	-	-	1	1	3	3	3	13	-
FRANKLIN	182	278	11.5			7	1	-	1	6	9	8	13	34	199	-
				MW	102	1	-	-	1	4	3	4	6	16	67	-
				FW	93	1	-	-	-	-	3	2	5	7	75	-
				MNW	45	2	-	-	-	1	2	2	1	8	29	-
				FNW	38	3	1	-	-	1	1	-	1	3	28	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
GRANT	83	197	11.0			2	-	-	1	4	5	5	9	21	150	-
				MW	80	-	-	-	-	2	1	-	5	12	60	-
				FW	81	1	-	-	1	2	1	4	1	6	65	-
				MNW	21	-	-	-	-	-	2	1	2	2	14	-
				FNW	15	1	-	-	-	-	1	-	1	1	11	-
IBERIA	441	507	7.4			9	6	1	-	11	17	21	33	68	341	-
				MW	185	3	1	1	-	5	8	9	14	30	114	-
				FW	158	3	2	-	-	1	5	3	6	15	123	-
				MNW	93	1	3	-	-	5	4	5	8	17	50	-
				FNW	71	2	-	-	-	-	-	4	5	6	54	-
NEW IBERIA*	376	287	8.3			5	3	1	-	7	8	14	17	39	193	-
				MW	105	1	1	1	-	4	3	5	7	17	66	-
				FW	89	2	1	-	-	-	1	3	3	8	71	-
				MNW	48	1	1	-	-	3	4	4	4	9	22	-
				FNW	45	1	-	-	-	-	-	2	3	5	34	-
IBERVILLE	226	296	8.9			8	6	-	1	6	10	9	25	51	180	-
				MW	81	1	1	-	-	3	5	6	5	20	40	-
				FW	65	1	1	-	-	1	-	1	2	6	53	-
				MNW	87	5	4	-	1	2	4	1	11	15	44	-
				FNW	63	1	-	-	-	-	1	1	7	10	43	-
JACKSON	123	193	11.0			4	2	1	1	2	2	3	12	31	135	-
				MW	75	2	2	-	-	1	2	2	6	11	49	-
				FW	69	2	-	-	-	-	-	1	1	7	58	-
				MNW	28	-	-	-	1	-	-	-	3	6	18	-
				FNW	21	-	-	1	-	1	-	-	2	7	10	-
JEFFERSON	3333	3246	6.8			80	14	7	13	77	98	139	245	556	2017	-
				MW	1449	27	6	1	7	42	52	71	104	288	851	-
				FW	1310	19	1	2	2	15	20	34	88	182	947	-
				MNW	259	16	6	4	3	16	17	21	27	52	97	-
				FNW	228	18	1	-	1	4	9	13	26	34	122	-
KENNER*	180	354	4.7			9	2	1	2	9	16	22	35	61	197	-
				MW	149	2	-	-	1	4	12	10	15	28	77	-
				FW	142	3	1	-	1	2	2	9	12	22	90	-
				MNW	30	2	1	1	-	2	1	2	5	6	10	-
				FNW	33	2	-	-	-	1	1	1	3	5	20	-
GRETNA*	321	373	18.4			4	-	2	1	8	13	14	33	64	234	-
				MW	153	1	-	-	1	3	8	10	18	28	84	-
				FW	147	3	-	1	-	3	1	1	9	23	106	-
				MNW	38	-	-	1	-	2	3	2	3	9	18	-
				FNW	35	-	-	-	-	-	1	1	3	4	26	-
HARAHAN*	22	81	7.1			-	-	-	-	1	1	2	4	19	54	-
				MW	38	-	-	-	-	1	1	1	2	9	24	-
				FW	43	-	-	-	-	-	-	1	2	10	30	-
				MNW	-	-	-	-	-	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	16	146	11.3			6	-	-	1	2	4	7	13	29	84	-
				MW	68	1	-	-	-	1	3	5	2	18	38	-
				FW	51	3	-	-	-	1	-	1	3	8	35	-
				MNW	9	1	-	-	1	-	1	-	1	1	4	-
				FNW	18	1	-	-	-	-	-	1	7	2	7	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
JEFF DAVIS	244	311	9.3			7	1	1	-	10	7	12	18	42	213	-
				MW	145	4	-	1	-	6	6	7	4	21	96	-
				FW	111	2	-	-	-	2	-	4	8	14	81	-
				MNW	29	1	-	-	-	1	1	-	2	4	20	-
				FNW	26	-	1	-	-	1	-	1	4	3	16	-
JENNINGS*	150	119	9.4			3	-	-	-	2	1	3	7	16	87	-
				MW	48	1	-	-	-	1	1	2	1	7	35	-
				FW	43	1	-	-	-	1	-	-	3	5	33	-
				MNW	13	1	-	-	-	-	-	-	1	2	9	-
				FNW	15	-	-	-	-	-	-	1	2	2	10	-
LAFAYETTE	1564	1030	6.0			34	9	4	7	21	38	52	74	166	625	-
				MW	415	10	1	1	3	13	20	26	37	84	220	-
				FW	329	8	2	1	2	6	8	13	16	41	232	-
				MNW	158	9	4	2	-	2	8	8	15	26	84	-
				FNW	128	7	2	-	2	-	2	5	6	15	89	-
LAFAYETTE*	1436	701	7.6			25	5	4	3	10	26	26	46	114	442	-
				MW	268	7	-	1	1	6	13	11	20	56	153	-
				FW	204	5	-	1	1	3	5	5	11	24	149	-
				MNW	126	8	3	2	-	1	6	7	11	21	67	-
				FNW	103	5	2	-	1	-	2	3	4	13	73	-
LAFOURCHE	536	561	6.4			12	5	3	3	21	14	21	37	86	359	-
				MW	279	1	-	2	2	15	11	9	20	56	163	-
				FW	197	7	4	-	1	2	2	7	10	17	147	-
				MNW	43	3	-	-	-	3	1	5	4	6	21	-
				FNW	42	1	1	1	-	1	-	-	3	7	28	-
THIBODAUX*	232	140	8.6			4	-	1	-	6	2	1	6	17	103	-
				MW	49	1	-	-	-	3	2	-	1	6	36	-
				FW	45	1	-	-	-	1	-	1	-	2	40	-
				MNW	21	2	-	-	-	1	-	-	3	4	11	-
				FNW	25	-	-	1	-	1	-	-	2	5	16	-
LASALLE	137	169	9.7			1	-	-	-	2	2	5	12	24	123	-
				MW	75	-	-	-	-	1	2	2	5	15	50	-
				FW	73	-	-	-	-	1	-	2	7	6	57	-
				MNW	9	-	-	-	-	-	-	-	-	2	7	-
				FNW	12	1	-	-	-	-	-	1	-	1	9	-
LINCOLN	288	311	7.2			6	2	1	-	6	6	3	24	40	223	-
				MW	96	1	-	-	-	3	2	1	8	10	71	-
				FW	95	-	1	-	-	-	1	-	3	15	75	-
				MNW	73	2	-	1	-	2	2	2	8	10	46	-
				FNW	47	3	1	-	-	1	1	-	5	5	31	-
RUSTON*	231	147	6.8			3	1	1	-	2	2	2	14	22	100	-
				MW	45	1	-	-	-	2	-	1	5	5	31	-
				FW	46	-	-	-	-	-	-	-	2	9	35	-
				MNW	33	1	-	1	-	-	1	1	6	5	18	-
				FNW	23	1	1	-	-	-	1	-	1	3	16	-
LIVINGSTON	203	397	5.6			15	1	3	-	8	18	16	28	65	243	-
				MW	221	7	-	1	-	7	12	8	22	37	127	-
				FW	139	7	1	2	-	1	4	4	3	18	99	-
				MNW	20	1	-	-	-	-	-	2	2	6	9	-
				FNW	17	-	-	-	-	-	2	2	1	4	8	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
MADISON	142	177	11.4			4	1	1	-	2	3	6	11	25	124	-
				MW	34	-	-	-	-	-	1	-	6	4	23	-
				FW	35	-	1	-	-	-	-	2	1	2	29	-
				MNW	54	3	-	-	-	1	2	3	1	12	32	-
				FNW	54	1	-	1	-	1	-	1	3	7	40	-
TALLULAH*	123	143	12.9			3	1	-	-	1	3	5	7	22	101	-
				MW	28	-	-	-	-	-	1	-	4	3	20	-
				FW	22	-	1	-	-	-	-	1	-	-	20	-
				MNW	50	3	-	-	-	1	2	3	1	12	28	-
				FNW	43	-	-	-	-	-	-	1	2	7	33	-
MOREHOUSE	303	354	10.0			10	-	2	-	7	11	11	20	67	226	-
				MW	130	3	-	1	-	3	5	3	4	31	80	-
				FW	91	1	-	-	-	1	-	2	3	13	71	-
				MNW	57	4	-	-	-	1	1	4	5	8	34	-
				FNW	76	2	-	1	-	2	5	2	8	15	41	-
BASTROP*	221	191	12.4			4	-	-	-	5	7	6	11	31	127	-
				MW	61	-	-	-	-	3	2	1	1	12	42	-
				FW	53	-	-	-	-	-	-	1	2	5	45	-
				MNW	31	3	-	-	-	-	1	2	5	3	17	-
				FNW	46	1	-	-	-	2	4	2	3	11	23	-
NATCHITOCHES	265	397	10.0			4	1	1	-	10	10	15	17	51	288	-
				MW	121	1	-	-	-	2	2	2	8	22	84	-
				FW	123	1	1	1	-	3	-	1	5	15	96	-
				MNW	88	1	-	-	-	4	4	7	1	9	62	-
				FNW	65	1	-	-	-	1	4	5	3	5	46	-
NATCHITOCHES*	217	177	10.3			2	-	-	-	3	4	6	4	23	135	-
				MW	28	-	-	-	-	1	-	-	1	6	20	-
				FW	55	1	-	-	-	-	-	-	2	7	45	-
				MNW	57	1	-	-	-	2	3	3	-	8	40	-
				FNW	37	-	-	-	-	-	1	3	1	2	30	-
ORLEANS	6967	6059	10.7			173	35	16	12	118	222	255	403	942	3882	1
				MW	1518	19	5	1	1	19	54	61	79	270	1008	1
				FW	1548	16	2	-	-	8	20	21	45	156	1280	-
				MNW	1595	73	14	9	6	65	104	113	163	290	758	-
				FNW	1398	65	14	6	5	26	44	60	116	226	836	-
OUACHITA	1451	1223	8.5			34	6	4	4	20	40	35	65	186	829	-
				MW	439	8	1	2	3	7	20	11	29	86	272	-
				FW	421	4	1	1	-	5	8	6	15	49	332	-
				MNW	178	12	2	1	1	5	9	11	12	33	92	-
				FNW	185	10	2	-	-	3	3	7	9	18	133	-
MONROE*	1036	655	11.1			22	4	3	1	10	19	19	32	101	444	-
				MW	170	3	-	1	-	2	7	3	8	37	109	-
				FW	197	1	-	1	-	1	3	3	7	21	160	-
				MNW	135	10	2	1	1	4	6	7	10	27	67	-
				FNW	153	8	2	-	-	3	3	6	7	16	108	-
WEST MONROE*	288	232	15.3			4	-	-	1	3	4	7	8	34	171	-
				MW	93	1	-	-	1	1	2	4	3	16	65	-
				FW	105	1	-	-	-	2	2	2	4	13	81	-
				MNW	19	2	-	-	-	-	-	1	1	3	12	-
				FNW	15	-	-	-	-	-	-	-	-	2	13	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
PLAQUEMINES	105	179	6.7			4	3	-	1	6	8	9	13	43	92	-
				MW	73	1	1	-	-	2	3	7	3	21	35	-
				FW	52	1	1	-	-	-	2	-	6	12	30	-
				MNW	30	1	1	-	1	2	2	-	3	8	12	-
				FNW	24	1	-	-	-	2	1	2	1	2	15	-
POINTE COUPEE	174	228	9.1			3	3	-	-	9	4	11	19	27	152	-
				MW	64	1	2	-	-	5	1	3	4	9	39	-
				FW	63	1	-	-	-	1	1	-	6	3	51	-
				MNW	51	1	-	-	-	2	1	5	5	8	29	-
				FNW	50	-	1	-	-	1	1	3	4	7	33	-
RAPIDES	1716	1205	8.6			20	6	1	8	29	33	58	74	200	776	-
				MW	420	6	2	-	3	12	16	21	27	81	252	-
				FW	402	5	3	-	1	4	5	12	19	51	302	-
				MNW	210	3	-	1	1	12	10	18	18	40	107	-
				FNW	173	6	1	-	3	1	2	7	10	28	115	-
ALEXANDRIA*	972	576	10.9			10	2	1	4	10	15	28	31	94	381	-
				MW	140	1	-	-	2	5	5	7	7	23	90	-
				FW	168	2	2	-	-	-	2	2	3	19	138	-
				MNW	143	2	-	1	1	5	7	13	13	29	72	-
				FNW	125	5	-	-	1	-	1	6	8	23	81	-
PINEVILLE*	235	183	14.2			7	1	-	1	5	3	9	14	31	112	-
				MW	77	2	-	-	-	2	1	4	7	19	42	-
				FW	61	3	1	-	-	2	1	2	3	6	43	-
				MNW	26	1	-	-	-	1	1	3	3	4	13	-
				FNW	19	1	-	-	1	-	-	-	1	2	14	-
RED RIVER	131	130	11.9			3	1	1	-	5	3	5	5	10	97	-
				MW	52	1	-	1	-	3	1	3	2	6	35	-
				FW	47	-	-	-	-	1	2	1	-	4	39	-
				MNW	21	1	1	-	-	1	-	1	2	-	15	-
				FNW	10	1	-	-	-	-	-	-	1	-	8	-
RICHLAND	301	258	11.1			8	1	2	3	2	7	7	7	27	194	-
				MW	97	1	-	1	1	1	2	3	4	12	72	-
				FW	68	-	-	-	-	-	2	1	1	8	56	-
				MNW	43	5	-	-	2	-	1	2	-	4	29	-
				FNW	50	2	1	1	-	1	2	1	2	3	37	-
SABINE	189	247	9.0			4	2	-	-	4	7	10	12	27	181	-
				MW	115	1	-	-	-	3	4	6	5	11	85	-
				FW	88	2	1	-	-	-	2	3	2	9	69	-
				MNW	28	-	-	-	-	1	-	1	5	6	15	-
				FNW	16	1	1	-	-	-	1	-	-	1	12	-
ST BERNARD	429	530	7.8			7	-	1	2	12	18	17	41	113	319	-
				MW	266	6	-	-	2	7	13	12	20	61	145	-
				FW	233	1	-	1	-	4	5	3	17	42	160	-
				MNW	18	-	-	-	-	1	-	2	2	6	7	-
				FNW	13	-	-	-	-	-	-	-	2	4	7	-
ST CHARLES	137	247	5.8			12	1	-	1	3	5	12	15	46	152	-
				MW	103	4	1	-	-	1	3	8	6	20	60	-
				FW	86	4	-	-	-	1	1	3	3	16	58	-
				MNW	26	2	-	-	1	1	1	1	2	5	13	-
				FNW	32	2	-	-	-	-	-	-	4	5	21	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
ST HELENA	46	77	7.4			3	3	-	-	3	3	1	2	8	54	-
				MW	19	-	-	-	-	-	-	-	-	2	17	-
				FW	23	-	-	-	-	-	-	-	-	4	19	-
				MNW	21	1	3	-	-	1	1	1	1	2	11	-
				FNW	14	2	-	-	-	2	2	-	1	-	7	-
ST JAMES	86	164	7.4			3	-	-	-	2	4	6	15	19	115	-
				MW	47	2	-	-	-	1	1	1	5	7	30	-
				FW	46	-	-	-	-	1	-	1	2	2	40	-
				MNW	31	-	-	-	-	-	3	2	5	4	17	-
				FNW	40	1	-	-	-	-	-	2	3	6	28	-
ST JOHN	202	214	5.3			16	3	1	1	10	8	16	16	21	121	1
				MW	63	3	-	1	-	4	3	6	3	8	35	-
				FW	59	-	1	-	1	3	2	2	2	6	42	-
				MNW	53	6	1	-	-	1	2	6	8	3	26	-
				FNW	39	7	1	-	-	2	1	2	3	4	18	1
ST LANDRY	688	909	10.3			18	4	5	3	19	30	34	58	153	585	-
				MW	295	2	-	-	2	7	9	10	20	62	183	-
				FW	260	5	2	1	-	5	6	9	14	22	196	-
				MNW	177	5	-	2	1	6	9	11	13	36	94	-
				FNW	177	6	2	2	-	1	6	4	11	33	112	-
OPELOUSAS*	372	254	13.1			5	2	2	-	3	4	2	11	46	179	-
				MW	46	-	-	-	-	-	-	1	2	10	33	-
				FW	67	-	-	-	-	1	1	-	2	4	59	-
				MNW	58	2	-	1	-	2	2	1	3	13	34	-
				FNW	83	3	2	1	-	-	1	-	4	19	53	-
EUNICE*	143	150	12.1			2	1	1	-	5	5	11	14	24	87	-
				MW	63	1	-	-	-	2	2	4	4	9	41	-
				FW	56	1	1	1	-	2	1	3	5	6	36	-
				MNW	18	-	-	-	-	1	1	4	3	6	3	-
				FNW	13	-	-	-	-	-	1	-	2	3	7	-
ST MARTIN	200	315	6.9			10	1	-	-	6	15	14	28	38	203	-
				MW	125	3	-	-	-	3	9	4	10	20	76	-
				FW	101	3	1	-	-	-	3	3	7	6	78	-
				MNW	51	2	-	-	-	2	2	5	6	7	27	-
				FNW	38	2	-	-	-	1	1	2	5	5	22	-
ST MARY	389	491	7.5			11	6	3	7	17	24	26	40	80	277	-
				MW	192	2	2	-	1	7	13	14	18	38	97	-
				FW	117	2	-	-	2	1	2	5	6	11	88	-
				MNW	95	3	1	3	2	5	7	3	6	20	45	-
				FNW	87	4	3	-	2	4	2	4	10	11	47	-
MORGAN CITY*	142	149	9.6			-	1	-	-	7	6	6	10	23	96	-
				MW	67	-	1	-	-	3	5	3	5	13	37	-
				FW	46	-	-	-	-	1	-	2	1	5	37	-
				MNW	16	-	-	-	-	1	1	-	1	3	10	-
				FNW	20	-	-	-	-	2	-	1	3	2	12	-
ST TAMMANY	822	907	6.6			28	6	-	8	19	34	52	68	148	544	-
				MW	441	13	3	-	3	9	18	30	38	86	241	-
				FW	341	10	2	-	3	7	12	11	14	45	237	-
				MNW	66	2	1	-	2	1	3	4	10	8	35	-
				FNW	59	3	-	-	-	2	1	7	6	9	31	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
SLIDELL*	384	215	7.8			8	4	-	3	7	11	15	10	33	124	-
				MW	112	5	2	-	1	4	6	7	5	21	61	-
				FW	88	3	2	-	2	2	5	5	1	11	57	-
				MNW	5	-	-	-	-	-	-	1	1	-	3	-
				FNW	10	-	-	-	-	1	-	2	3	1	3	-
TANGIPAHOA	726	734	8.1			15	-	1	4	23	30	21	52	130	458	-
				MW	242	1	-	-	-	9	12	5	17	45	153	-
				FW	253	5	-	-	-	7	5	5	10	40	181	-
				MNW	118	4	-	-	2	7	10	9	12	25	49	-
				FNW	121	5	-	1	2	-	3	2	13	20	75	-
HAMMOND*	118	149	8.9			6	-	-	3	3	9	6	11	23	88	-
				MW	37	-	-	-	-	1	2	1	4	5	24	-
				FW	32	1	-	-	-	-	-	1	2	6	22	-
				MNW	41	3	-	-	2	2	6	2	3	7	16	-
				FNW	39	2	-	-	1	-	1	2	2	5	26	-
TENSAS	78	102	12.2			1	2	-	-	3	2	3	8	19	64	-
				MW	20	1	1	-	-	-	-	1	3	8	6	-
				FW	17	-	-	-	-	-	-	-	1	1	15	-
				MNW	31	-	-	-	-	2	2	-	3	6	18	-
				FNW	34	-	1	-	-	1	-	2	1	4	25	-
TERREBONNE	688	642	6.4			21	9	4	2	29	21	43	44	106	363	-
				MW	277	3	3	1	2	17	7	20	25	54	145	-
				FW	222	8	2	2	-	8	6	8	8	24	156	-
				MNW	79	7	3	-	-	3	7	12	8	12	27	-
				FNW	64	3	1	1	-	1	1	3	3	16	35	-
HOUMA*	336	290	8.4			12	5	1	1	11	10	19	16	39	176	-
				MW	125	-	-	-	1	5	3	11	8	21	76	-
				FW	94	5	2	1	-	3	3	1	4	6	69	-
				MNW	34	5	2	-	-	2	3	6	2	3	11	-
				FNW	37	2	1	-	-	1	1	1	2	9	20	-
UNION	213	259	11.6			6	-	-	1	6	5	6	9	42	184	-
				MW	116	1	-	-	1	2	4	1	2	20	85	-
				FW	75	1	-	-	-	2	-	1	3	9	59	-
				MNW	30	1	-	-	-	1	1	3	2	8	14	-
				FNW	38	3	-	-	-	1	-	1	2	5	26	-
VERMILION	366	433	8.2			7	6	-	2	13	11	14	33	55	292	-
				MW	200	1	3	-	-	7	7	4	18	38	122	-
				FW	175	2	1	-	2	4	2	5	9	13	137	-
				MNW	27	2	2	-	-	2	-	2	2	3	14	-
				FNW	31	2	-	-	-	-	2	3	4	1	19	-
ABBEVILLE*	158	149	11.7			5	1	-	-	5	2	6	12	18	100	-
				MW	54	-	-	-	-	3	-	1	4	12	34	-
				FW	56	1	-	-	-	1	-	1	4	3	46	-
				MNW	15	2	1	-	-	1	-	2	1	2	6	-
				FNW	24	2	-	-	-	-	2	2	3	1	14	-
VERNON	238	342	5.6			23	1	3	3	32	12	11	18	44	195	-
				MW	170	10	-	1	1	22	4	5	9	24	94	-
				FW	126	6	-	2	1	7	5	5	5	16	79	-
				MNW	23	5	-	-	-	3	2	1	4	2	6	-
				FNW	23	2	1	-	1	-	1	-	-	2	16	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
WASHINGTON	453	510	10.8			7	3	-	1	13	15	15	38	79	339	-
				MW	193	-	-	-	-	8	5	7	14	43	116	-
				FW	162	1	-	-	1	1	1	2	7	17	132	-
				MNW	80	3	2	-	-	2	5	3	9	11	45	-
				FNW	75	3	1	-	-	2	4	3	8	8	46	-
BOGALUSA*	292	247	14.9			3	-	-	-	6	9	6	24	38	161	-
				MW	88	-	-	-	-	4	2	3	10	20	49	-
				FW	76	1	-	-	-	-	1	-	3	8	63	-
				MNW	44	1	-	-	-	1	3	1	5	7	26	-
				FNW	39	1	-	-	-	1	3	2	6	3	23	-
WEBSTER	365	502	11.0			10	2	-	2	9	7	11	37	56	368	-
				MW	191	2	1	-	1	6	3	3	15	32	128	-
				FW	157	3	-	-	1	1	1	1	9	10	131	-
				MNW	91	3	-	-	-	1	3	6	9	9	60	-
				FNW	63	2	1	-	-	1	-	1	4	5	49	-
MINDEN*	184	176	11.4			2	-	-	-	2	3	6	16	15	132	-
				MW	55	1	-	-	-	1	-	2	5	9	37	-
				FW	55	-	-	-	-	-	1	-	5	3	46	-
				MNW	39	1	-	-	-	-	2	3	4	2	27	-
				FNW	27	-	-	-	-	1	-	1	2	1	22	-
W BATON ROUGE	60	140	6.8			6	-	-	-	6	6	3	14	22	83	-
				MW	47	-	-	-	-	1	3	-	4	9	30	-
				FW	28	2	-	-	-	2	-	-	-	6	18	-
				MNW	42	1	-	-	-	3	2	3	7	4	22	-
				FNW	23	3	-	-	-	-	1	-	3	3	13	-
WEST CARROLL	93	156	12.0			4	2	1	-	1	6	3	11	26	102	-
				MW	77	1	1	1	-	-	1	3	4	16	50	-
				FW	51	1	-	-	-	-	2	-	4	7	37	-
				MNW	13	1	-	-	-	1	1	-	2	2	6	-
				FNW	15	1	1	-	-	-	2	-	1	1	9	-
W FELICIANA	63	57	4.1			3	-	-	-	-	1	4	5	9	35	-
				MW	15	1	-	-	-	-	-	1	2	2	9	-
				FW	10	1	-	-	-	-	1	-	1	2	5	-
				MNW	17	1	-	-	-	-	-	2	1	4	9	-
				FNW	15	-	-	-	-	-	-	1	1	1	12	-
WINN	158	209	12.2			3	3	-	-	1	6	7	7	29	153	-
				MW	84	1	1	-	-	-	4	3	3	11	61	-
				FW	70	-	1	-	-	1	-	-	1	7	60	-
				MNW	30	1	-	-	-	-	2	3	2	7	15	-
				FNW	25	1	1	-	-	-	-	1	1	4	17	-
UNKNOWN***	-	23				-	-	-	-	11	1	2	2	5	1	1
				MW	13	-	-	-	-	6	1	1	1	3	-	1
				FW	3	-	-	-	-	2	-	-	-	-	1	-
				MNW	6	-	-	-	-	2	-	1	1	2	-	-
				FNW	1	-	-	-	-	1	-	-	-	-	-	-
OUT OF STATE**	759	1135				40	9	6	6	51	80	75	108	194	566	-
				MW	614	16	4	2	3	32	47	50	66	123	271	-
				FW	323	13	2	3	1	12	12	8	20	40	212	-
				MNW	138	9	2	1	1	5	20	15	15	23	47	-
				FNW	60	2	1	-	1	2	1	2	7	8	36	-

* CITIES INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENCE

TABLE XV-B
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1985

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	37417	37041	8.3			966	222	96	124	903	1139	1418	2407	5707	23976	3
				MW	13549	235	62	30	43	413	454	569	949	2475	8317	2
				FW	11667	181	47	18	24	153	187	245	528	1373	8911	-
				MNW	6316	288	64	27	36	244	331	396	504	1080	3266	-
				FNW	5509	262	49	21	21	93	167	208	426	779	3482	1
SPD 1	11656	10921	8.6			292	58	24	36	232	380	472	778	1802	6854	1
				MW	3747	66	15	2	13	79	140	181	244	726	2200	1
				FW	3484	47	6	3	5	34	59	69	178	437	2654	-
				MNW	1968	92	22	13	12	85	126	140	205	364	989	-
				FNW	1722	87	15	6	6	34	55	82	151	275	1011	-
SPD 2	5509	5556	7.1			175	42	12	15	161	184	191	404	906	3466	-
				MW	1951	37	13	6	1	80	67	81	146	369	1151	-
				FW	1626	29	7	2	1	23	26	29	69	213	1227	-
				MNW	1060	63	15	2	9	42	53	58	106	193	519	-
				FNW	919	46	7	2	4	16	38	23	83	131	569	-
SPD 3	1757	2011	6.4			69	19	8	8	68	62	106	143	307	1228	1
				MW	830	13	4	4	5	41	28	45	66	159	483	-
				FW	656	21	7	2	2	15	12	23	27	68	479	-
				MNW	283	21	5	-	1	8	18	31	31	34	124	-
				FNW	242	14	3	2	-	4	4	7	19	46	142	1
SPD 4	4384	4619	7.9			110	38	16	21	109	153	190	323	685	2974	-
				MW	1834	30	9	5	6	57	75	85	145	338	1004	-
				FW	1494	29	11	2	8	19	30	41	72	145	1137	-
				MNW	690	26	11	7	3	26	33	37	58	121	348	-
				FNW	601	25	7	2	4	7	15	27	48	81	385	-
SPD 5	2274	2323	8.5			52	11	5	6	54	44	79	184	392	1496	-
				MW	1050	22	5	1	2	31	23	40	89	187	650	-
				FW	792	11	3	2	2	13	7	16	39	114	585	-
				MNW	274	9	2	-	1	7	10	14	35	48	148	-
				FNW	207	10	1	2	1	3	4	9	21	43	113	-
SPD 6	2938	2917	8.8			67	14	6	14	90	73	102	172	432	1947	-
				MW	1135	22	3	2	4	42	33	40	70	191	728	-
				FW	1002	12	5	2	3	18	12	27	45	117	781	-
				MNW	415	14	1	2	2	23	24	24	36	71	218	-
				FNW	365	19	5	-	5	7	4	11	21	53	200	-
SPD 7	5791	5401	9.1			115	24	12	14	121	149	184	322	688	3772	-
				MW	1811	26	8	5	6	56	46	66	121	285	1192	-
				FW	1632	21	6	4	3	21	26	24	69	170	1288	-
				MNW	1078	32	5	1	4	35	44	64	81	151	661	-
				FNW	880	36	5	2	1	9	33	30	51	82	631	-
SPD 8	3100	3270	10.0			86	16	13	10	57	93	92	147	490	2296	-
				MW	1178	19	5	5	6	21	41	30	67	217	767	-
				FW	978	11	2	1	-	8	15	16	37	109	770	-
				MNW	542	31	3	2	4	16	23	27	31	96	389	-
				FNW	572	25	6	5	-	12	14	19	32	68	391	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN SPD RESIDENCE DATA

TABLE [illegible]
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, [illegible]

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	[illegible] POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HSA 1	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HSA 2	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
HSA 3	[illegible]	[illegible]	[illegible]			[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				MNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
				FNW	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN HSA RESIDENCE DATA

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TOTAL................................	37417	990	223	98	121	345	566	1171	1439	2518	5740	24204	2
ACADIA................................	411	5	3	1	-	3	4	7	10	13	41	324	-
ACADIA-ST. LANDRY HOSPITAL	44	-	-	-	-	-	-	-	1	1	2	40	-
AMERICAN LEGION HOSPITAL	123	2	-	-	-	1	-	-	1	2	14	103	-
RAYNE BRANCH HOSPITAL	66	-	1	-	-	-	-	1	2	2	6	54	-
NURSING HOME	59	-	-	-	-	-	-	-	1	-	3	55	-
OUT OF HOSPITAL	119	3	2	1	-	2	4	6	5	8	16	72	-
ALLEN................................	214	-	2	-	-	1	4	5	4	17	33	148	-
ALLEN PARISH HOSPITAL	34	-	1	-	-	-	-	-	-	4	5	24	-
HUMANA HOSPITAL, OAKDALE	75	-	-	-	-	-	-	-	1	6	11	57	-
NURSING HOME	23	-	-	-	-	-	-	-	1	1	-	21	-
OUT OF HOSPITAL	82	-	1	-	-	1	4	5	2	6	17	46	-
ASCENSION.............................	260	1	1	1	-	5	3	9	8	19	34	179	-
EAST ASCENSION GENERAL HOSPITAL	74	-	-	-	-	1	1	1	2	2	9	58	-
PREVOST MEMORIAL HOSPITAL	36	-	-	-	-	-	-	-	-	1	4	31	-
NURSING HOME	33	-	-	-	-	-	-	-	-	1	3	29	-
OUT OF HOSPITAL	117	1	1	1	-	4	2	8	6	15	18	61	-
ASSUMPTION............................	108	1	-	-	-	-	-	7	5	6	13	76	-
ASSUMPTION GENERAL HOSPITAL	38	-	-	-	-	-	-	-	2	-	6	30	-
NURSING HOME	3	-	-	-	-	-	-	-	-	-	-	3	-
OUT OF HOSPITAL	67	1	-	-	-	-	-	7	3	6	7	43	-
AVOYELLES.............................	348	3	1	-	-	1	8	5	6	18	36	270	-
BUNKIE GENERAL HOSPITAL	70	1	-	-	-	-	-	-	-	3	4	62	-
HUMANA HOSPITAL-MARKSVILLE	67	-	-	-	-	-	1	1	1	3	6	55	-
NURSING HOME	109	-	-	-	-	-	-	-	-	2	7	100	-
OUT OF HOSPITAL	102	2	1	-	-	1	7	4	5	10	19	53	-
BEAUREGARD............................	254	2	-	1	1	5	1	4	6	15	32	187	-
BEAUREGARD MEMORIAL HOSPITAL	144	1	-	1	-	-	-	1	3	10	17	111	-
MERRYVILLE GENERAL HOSPITAL	23	-	-	-	-	-	-	-	-	-	3	20	-
NURSING HOME	23	-	-	-	-	-	-	-	-	-	3	20	-
OUT OF HOSPITAL	64	1	-	-	1	5	1	3	3	5	9	36	-
BIENVILLE.............................	114	-	-	1	1	2	4	1	2	3	8	92	-
BIENVILLE GENERAL HOSPITAL	38	-	-	-	-	-	2	-	-	1	2	33	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	-	17	-
OUT OF HOSPITAL	59	-	-	1	1	2	2	1	2	2	6	42	-
BOSSIER...............................	432	8	1	1	2	7	14	16	25	19	41	298	-
U S AIR FORCE BASE HOSPITAL	17	1	-	-	-	1	-	1	-	2	2	10	-
BOSSIER MEDICAL CENTER	131	3	-	1	-	3	2	4	8	6	14	90	-
RIVERSIDE COMMUNITY HOSPITAL	58	1	-	-	1	-	1	2	1	2	6	44	-
NURSING HOME	78	-	-	-	-	-	-	1	-	1	6	70	-
OUT OF HOSPITAL	148	3	1	-	1	3	11	8	16	8	13	84	-
CADDO.................................	3646	121	21	7	8	20	37	104	130	264	580	2354	-
L.S.U. MEDICAL CENTER	743	66	11	1	5	10	14	41	49	75	119	352	-
HIGHLAND HOSPITAL	129	-	-	-	-	-	-	2	1	11	22	93	-
NORTH CADDO MEMORIAL HOSPITAL	41	-	-	-	-	-	1	1	-	3	5	31	-
DOCTORS HOSPITAL OF CADDO	76	-	-	-	-	-	-	1	1	2	9	63	-
PHYSICIANS AND SURGEONS HOSPITAL	96	-	-	-	-	-	-	-	2	5	10	79	-
T. E. SCHUMPERT HOSPITAL	648	20	4	4	2	2	4	14	13	48	78	459	-
SOUTH PARK HOSPITAL	58	-	1	-	-	1	1	-	3	8	10	34	-
VETERANS ADMINISTRATION MEDICAL CENTER	422	-	-	-	-	-	-	8	8	38	154	214	-
WILLIS KNIGHTON MEDICAL CENTER	419	25	2	-	1	3	2	9	16	24	66	271	-
NURSING HOME	352	-	-	-	-	-	-	1	-	4	15	332	-
OUT OF HOSPITAL	662	10	3	2	-	4	15	27	37	46	92	426	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
CALCASIEU............................	1515	45	8	2	5	14	20	30	50	126	253	962	-
DEQUINCY GENERAL HOSPITAL	11	-	-	-	-	-	-	-	-	-	1	10	-
HUMANA WOMENS HOSPITAL-LAKE CHARLES	10	10	-	-	-	-	-	-	-	-	-	-	-
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	130	17	1	1	-	-	2	3	11	13	31	51	-
LAKE CHARLES MEMORIAL HOSPITAL	251	11	1	-	2	4	3	4	11	19	42	154	-
ST. PATRICKS HOSPITAL	365	1	-	-	-	1	2	3	11	32	84	231	-
WEST CALCASIEU-CAMERON HOSPITAL	190	2	1	-	-	1	2	1	5	11	17	150	-
NURSING HOME	173	1	-	-	1	-	1	-	3	2	7	158	-
OUT OF HOSPITAL	385	3	5	1	2	8	10	19	9	49	71	208	-
CALDWELL............................	121	-	-	1	-	1	2	2	2	7	16	90	-
CALDWELL MEMORIAL HOSPITAL	39	-	-	-	-	-	-	-	-	1	6	32	-
CITIZENS MEDICAL HOSPITAL	38	-	-	-	-	-	-	-	-	1	2	35	-
NURSING HOME	10	-	-	-	-	-	-	-	1	-	-	9	-
OUT OF HOSPITAL	34	-	-	1	-	1	2	2	1	5	8	14	-
CAMERON............................	47	-	-	1	-	3	2	5	5	-	11	20	-
SOUTH CAMERON MEMORIAL HOSPITAL	10	-	-	-	-	-	-	-	1	-	2	7	-
OUT OF HOSPITAL	37	-	-	1	-	3	2	5	4	-	9	13	-
CATAHOULA............................	101	1	-	-	-	-	4	2	4	4	13	73	-
CATAHOULA PARISH HOSPITAL	53	-	-	-	-	-	-	-	2	2	5	44	-
NURSING HOME	9	-	-	-	-	-	-	-	-	-	-	9	-
OUT OF HOSPITAL	39	1	-	-	-	-	4	2	2	2	8	20	-
CLAIBORNE............................	174	2	-	-	1	2	4	2	2	5	17	139	-
HOMER MEMORIAL HOSPITAL	56	-	-	-	-	1	-	-	-	1	6	48	-
NORTH CLAIBORNE HOSPITAL	26	-	-	-	-	-	-	-	-	1	2	23	-
NURSING HOME	23	-	-	-	-	-	-	-	-	-	1	22	-
OUT OF HOSPITAL	69	2	-	-	1	1	4	2	2	3	8	46	-
CONCORDIA............................	157	4	2	-	-	-	3	4	3	9	17	115	-
CONCORDIA PARISH HOSPITAL	81	3	-	-	-	-	1	-	1	2	9	65	-
NURSING HOME	19	-	-	-	-	-	-	-	-	-	-	19	-
OUT OF HOSPITAL	57	1	2	-	-	-	2	4	2	7	8	31	-
DESOTO............................	187	1	3	1	1	-	5	11	7	7	21	130	-
DESOTO GENERAL HOSPITAL	68	-	-	-	-	-	-	-	1	3	4	60	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	2	10	-
OUT OF HOSPITAL	107	1	3	1	1	-	5	11	6	4	15	60	-
EAST BATON ROUGE......................	3137	119	20	5	7	35	50	98	110	229	499	1965	-
BATON ROUGE GENERAL HOSPITAL	705	3	1	2	-	11	10	10	23	40	112	493	-
EARL K. LONG MEMORIAL HOSPITAL	364	49	6	1	2	4	2	23	21	50	84	122	-
LANE MEMORIAL HOSPITAL	135	2	2	-	-	-	1	1	2	6	11	110	-
MEDICAL CENTER OF BATON ROUGE	35	-	-	1	-	-	-	-	-	4	4	26	-
OUR LADY OF THE LAKE MEDICAL CENTER	787	4	5	1	-	5	12	17	22	48	135	538	-
WOMANS HOSPITAL	53	50	-	-	-	-	-	-	-	-	-	3	-
NURSING HOME	300	-	-	-	-	-	-	-	4	5	16	275	-
OUT OF HOSPITAL	758	11	6	-	5	15	25	47	38	76	137	398	-
EAST CARROLL..........................	101	2	-	1	-	2	1	3	4	2	11	75	-
EAST CARROLL PARISH HOSPITAL	46	2	-	1	-	-	-	-	2	1	5	35	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	-	12	-
OUT OF HOSPITAL	43	-	-	-	-	2	1	3	2	1	6	28	-
EAST FELICIANA........................	161	-	-	-	-	2	-	1	7	5	30	116	-
EAST FELICIANA MEDICAL CENTER	41	-	-	-	-	-	-	-	-	-	4	37	-
EAST LOUISIANA STATE HOSPITAL	2	-	-	-	-	-	-	1	-	-	1	-	-
NURSING HOME	73	-	-	-	-	-	-	-	1	3	9	60	-
OUT OF HOSPITAL	45	-	-	-	-	2	-	-	6	2	16	19	-
EVANGELINE............................	325	2	1	1	1	1	9	7	11	25	31	236	-
HUMANA HOSPITAL-VILLE PLATTE	77	1	1	-	-	-	1	2	3	7	3	59	-
SAVOY MEMORIAL HOSPITAL	120	-	-	-	-	-	1	1	2	9	16	91	-
NURSING HOME	42	-	-	-	-	-	-	-	-	-	1	41	-
OUT OF HOSPITAL	86	1	-	1	1	1	7	4	6	9	11	45	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
FRANKLIN.............................	182	1	-	-	1	2	2	5	6	6	18	141	-
FRANKLIN PARISH HOSPITAL	86	-	-	-	-	-	1	2	-	1	11	71	-
NURSING HOME	24	-	-	-	-	-	-	-	-	-	-	24	-
OUT OF HOSPITAL	72	1	-	-	1	2	1	3	6	5	7	46	-
GRANT................................	83	1	-	-	1	1	2	2	2	3	9	62	-
NURSING HOME	34	-	-	-	-	-	-	-	-	-	-	34	-
OUT OF HOSPITAL	49	1	-	-	1	1	2	2	2	3	9	28	-
IBERIA...............................	441	4	3	1	1	-	10	12	16	22	51	321	-
DAUTERIVE HOSPITAL INC.	121	1	1	-	-	-	-	1	4	4	13	97	-
IBERIA GENERAL HOSP AND MEDICAL CENTER	109	1	-	-	-	-	2	3	2	5	13	83	-
NURSING HOME	62	-	-	-	-	-	-	-	-	-	4	58	-
OUT OF HOSPITAL	149	2	2	1	1	-	8	8	10	13	21	83	-
IBERVILLE............................	226	2	5	-	1	5	-	5	9	16	41	142	-
U. S. PUBLIC HEALTH SERVICE HOSPITAL	4	-	-	-	-	-	-	-	-	-	-	4	-
RHODES SPEDALE GENERAL HOSPITAL	1	-	-	-	-	-	-	-	-	-	1	-	-
RIVER WEST MEDICAL CENTER	106	1	-	-	-	-	-	2	2	3	14	84	-
NURSING HOME	8	-	-	-	-	-	-	-	-	-	1	7	-
OUT OF HOSPITAL	107	1	5	-	1	5	-	3	7	13	25	47	-
JACKSON..............................	123	2	1	1	1	1	-	2	2	5	12	96	-
JACKSON PARISH HOSPITAL	56	-	-	-	-	1	-	1	1	1	3	49	-
NURSING HOME	25	-	-	-	-	-	-	-	-	-	1	24	-
OUT OF HOSPITAL	42	2	1	1	1	-	-	1	1	4	8	23	-
JEFFERSON............................	3333	153	28	7	7	24	54	110	131	226	558	2035	-
DOCTORS HOSPITAL OF JEFFERSON	24	-	-	-	-	-	-	-	2	2	9	11	-
EAST JEFFERSON GENERAL HOSPITAL	654	3	3	-	1	3	6	12	22	38	114	452	-
OCHSNER FOUNDATION HOSPITAL	657	83	18	2	2	1	9	21	21	56	122	322	-
LAKESIDE HOSPITAL	47	32	-	-	-	-	-	-	1	2	2	10	-
BONNABEL HOSPITAL	88	-	-	-	-	-	-	-	1	1	7	79	-
ST. JUDE MEDICAL CENTER	44	2	-	-	-	1	1	-	1	3	7	29	-
MEADOWCREST HOSPITAL	172	13	-	2	-	1	-	4	9	13	21	109	-
WEST JEFFERSON GENERAL HOSPITAL	462	6	4	-	2	3	7	11	26	32	93	278	-
NURSING HOME	243	-	-	-	-	-	-	2	1	1	9	230	-
OUT OF HOSPITAL	942	14	3	3	2	15	31	60	47	78	174	515	-
JEFFERSON DAVIS......................	244	2	-	1	-	4	4	3	9	16	26	179	-
JENNINGS AMERICAN LEGION HOSPITAL	84	1	-	-	-	-	1	1	5	7	6	63	-
WELSH GENERAL HOSPITAL	29	-	-	-	-	-	-	-	1	3	4	21	-
NURSING HOME	46	-	-	-	-	-	-	-	-	1	2	43	-
OUT OF HOSPITAL	85	1	-	1	-	4	3	2	3	5	14	52	-
LAFAYETTE............................	1564	61	16	5	7	12	18	44	81	128	298	894	-
HAMILTON MEDICAL CENTER HOSPITAL	50	-	-	-	-	-	-	3	1	2	7	37	-
UNIVERSITY MEDICAL CENTER	294	28	4	-	1	-	3	6	26	41	91	94	-
LAFAYETTE GENERAL HOSPITAL	358	9	7	2	3	4	6	11	18	24	63	211	-
OUR LADY OF LOURDES HOSPITAL	418	-	2	1	1	1	4	6	13	28	64	298	-
WOMANS HOSPITAL OF ACADIANA	21	21	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	86	-	-	-	-	-	-	-	-	4	11	71	-
OUT OF HOSPITAL	337	3	3	2	2	7	5	18	23	29	62	183	-
LAFOURCHE............................	536	7	5	4	4	9	11	12	16	33	69	366	-
LADY OF THE SEA HOSPITAL	52	-	-	-	1	-	-	2	2	5	8	34	-
ST. ANNE HOSPITAL	89	-	-	1	1	-	-	-	1	6	9	71	-
THIBODAUX GENERAL HOSPITAL	146	2	-	2	1	-	3	-	2	4	21	111	-
NURSING HOME	59	-	-	-	-	-	-	-	-	1	1	57	-
OUT OF HOSPITAL	190	5	5	1	1	9	8	10	11	17	30	93	-
LASALLE..............................	137	1	-	-	-	1	-	1	5	6	16	107	-
HARDTNER MEDICAL CENTER	22	-	-	-	-	-	-	-	1	1	2	18	-
LASALLE GENERAL HOSPITAL	66	-	-	-	-	-	-	-	1	1	4	60	-
NURSING HOME	13	-	-	-	-	-	-	-	-	-	2	11	-
OUT OF HOSPITAL	36	1	-	-	-	1	-	1	3	4	8	18	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LINCOLN..................................	288	-	-	-	-	2	2	4	5	17	34	224	-
LINCOLN GENERAL HOSPITAL	158	-	-	-	-	1	-	-	1	9	19	128	-
NURSING HOME	46	-	-	-	-	-	-	-	-	-	3	43	-
OUT OF HOSPITAL	84	-	-	-	-	1	2	4	4	8	12	53	-
LIVINGSTON...............................	203	5	-	1	1	3	1	13	7	12	30	130	-
DIXON MEMORIAL HOSPITAL	96	1	-	-	-	2	-	1	-	4	15	73	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	-	15	-
OUT OF HOSPITAL	92	4	-	1	1	1	1	12	7	8	15	42	-
MADISON..................................	142	2	-	1	1	2	-	5	4	7	17	103	-
MADISON PARISH HOSPITAL	59	-	-	-	-	-	-	-	1	2	4	52	-
NURSING HOME	18	-	-	-	-	-	-	-	-	-	2	16	-
OUT OF HOSPITAL	65	2	-	1	1	2	-	5	3	5	11	35	-
MOREHOUSE................................	303	4	-	2	-	2	2	8	6	12	47	220	-
MOREHOUSE GENERAL HOSPITAL	136	2	-	-	-	-	-	2	2	4	21	105	-
NURSING HOME	76	-	-	-	-	1	-	1	-	3	2	69	-
OUT OF HOSPITAL	91	2	-	2	-	1	2	5	4	5	24	46	-
NATCHITOCHES.............................	265	1	-	-	-	4	8	9	13	12	25	193	-
NATCHITOCHES PARISH HOSPITAL	100	1	-	-	-	-	2	1	1	6	7	82	-
NURSING HOME	60	-	-	-	-	-	-	-	1	-	2	57	-
OUT OF HOSPITAL	105	-	-	-	-	4	6	8	11	6	16	54	-
ORLEANS..................................	6967	240	42	24	26	51	119	260	310	522	1217	4155	1
JO ELLEN SMITH MEMORIAL HOSPITAL	188	1	1	-	1	-	5	7	11	18	26	118	-
SOUTHERN BAPTIST HOSPITAL	464	33	-	2	-	-	1	11	14	24	71	308	-
CHARITY HOSPITAL OF NEW ORLEANS	1163	113	13	4	5	19	34	82	98	164	242	389	-
CHILDRENS HOSPITAL	23	6	5	5	4	2	1	-	-	-	-	-	-
UNITED MEDICAL CENTER	161	8	-	-	-	-	-	2	6	7	20	118	-
F. EDWARD HEBERT HOSPITAL	59	-	-	-	-	-	-	-	1	1	7	50	-
FLINT GOODRIDGE HOSP OF DILLARD UNIV	13	-	1	-	-	-	-	-	-	-	1	11	-
HUMANA WOMENS HOSPITAL	5	4	-	-	-	-	-	-	-	-	-	1	-
HOTEL DIEU HOSPITAL	316	5	-	-	-	-	-	4	12	24	42	229	-
PENDLETON MEMORIAL METHODIST HOSPITAL	312	10	-	1	-	1	4	8	14	18	57	199	-
MERCY HOSPITAL	377	-	-	-	-	-	1	1	6	19	47	303	-
MONTELEPRE MEMORIAL HOSPITAL	31	-	-	-	-	-	-	-	-	-	8	23	-
NEW ORLEANS GENERAL HOSPITAL	73	-	-	-	-	-	1	1	4	5	12	50	-
ST. CHARLES GENERAL HOSPITAL	138	-	-	-	-	-	-	1	2	10	21	104	-
TOURO INFIRMARY	458	1	-	-	-	1	1	8	18	23	64	342	-
TULANE MEDICAL CENTER HOSPITAL	270	36	3	4	3	1	6	8	16	23	36	134	-
VETERANS ADMINISTRATION HOSPITAL	555	-	-	-	-	1	-	4	15	56	221	258	-
NURSING HOME	463	-	-	-	-	-	-	-	-	6	14	443	-
OUT OF HOSPITAL	1898	23	19	8	13	26	65	123	93	124	328	1075	1
OUACHITA.................................	1451	55	11	5	2	11	16	41	47	85	223	955	-
E. A. CONWAY HOSPITAL	200	16	4	1	-	-	1	12	9	23	46	88	-
GLENWOOD HOSPITAL	194	2	-	-	-	1	-	4	4	11	22	150	-
NORTH MONROE COMMUNITY HOSPITAL	138	1	-	-	-	-	1	2	5	8	21	100	-
ST. FRANCIS HOSPITAL	393	32	5	3	1	6	5	3	11	14	58	255	-
STERLINGTON GENERAL HOSPITAL	50	-	-	-	-	-	-	1	1	1	8	39	-
NURSING HOME	167	-	-	-	-	-	-	-	1	3	12	151	-
OUT OF HOSPITAL	309	4	2	1	1	4	9	19	16	25	56	172	-
PLAQUEMINES..............................	105	1	2	-	3	3	8	9	10	11	22	36	-
PLAQUEMINES PARISH GENERAL HOSPITAL	29	-	1	-	-	1	2	2	1	5	6	11	-
NURSING HOME	1	-	-	-	-	-	-	-	-	-	-	1	-
OUT OF HOSPITAL	75	1	1	-	3	2	6	7	9	6	16	24	-
POINTE COUPEE............................	174	-	-	-	-	4	4	4	5	11	22	124	-
POINTE COUPEE GENERAL HOSPITAL	108	-	-	-	-	1	-	2	2	5	13	85	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	2	14	-
OUT OF HOSPITAL	50	-	-	-	-	3	4	2	3	6	7	25	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAPIDES..............................	1716	34	6	5	8	16	25	43	72	112	328	1067	-
RAPIDES GENERAL HOSPITAL	426	3	-	1	2	3	3	6	10	27	59	312	-
CENTRAL LOUISIANA STATE HOSPITAL	3	-	-	-	-	-	-	-	2	-	1	-	-
WOODVIEW REGIONAL HOSPITAL	14	-	-	-	-	-	-	-	-	-	1	13	-
ENGLAND AIR FORCE BASE HOSPITAL	7	-	1	-	-	-	-	-	1	1	3	1	-
HUEY P. LONG CHARITY HOSPITAL	145	6	-	-	1	-	4	8	14	10	32	70	-
ST. FRANCIS CABRINI HOSPITAL	319	17	1	2	-	5	3	8	12	23	46	202	-
PINECREST STATE SCHOOL	27	1	2	2	2	1	3	3	2	2	2	7	-
VETERANS ADMINISTRATION MEDICAL CENTER	306	-	-	-	-	-	-	2	6	21	117	160	-
NURSING HOME	144	-	-	-	-	-	-	-	-	1	6	137	-
OUT OF HOSPITAL	325	7	2	-	3	7	12	16	25	27	61	165	-
RED RIVER..............................	131	1	1	-	-	3	2	5	5	5	10	99	-
L. S. HUCKABAY MEMORIAL HOSPITAL	65	-	1	-	-	1	-	1	1	3	4	54	-
NURSING HOME	22	-	-	-	-	-	-	-	-	-	1	21	-
OUT OF HOSPITAL	44	1	-	-	-	2	2	4	4	2	5	24	-
RICHLAND..............................	301	3	2	2	2	2	-	8	6	10	30	236	-
RICHLAND PARISH HOSPITAL - URBAN	65	1	-	-	-	1	-	-	1	2	7	53	-
RICHLAND PARISH HOSPITAL - RURAL	115	1	-	-	1	1	-	2	-	5	12	93	-
NURSING HOME	59	-	-	-	-	-	-	-	-	-	3	56	-
OUT OF HOSPITAL	62	1	2	2	1	-	-	6	5	3	8	34	-
SABINE..............................	189	1	1	1	-	1	1	4	6	8	21	145	-
SABINE MEDICAL CENTER	61	-	-	1	-	-	1	-	1	1	5	52	-
PLEASANT HILL GENERAL HOSPITAL	25	-	-	-	-	-	-	-	-	1	4	20	-
NURSING HOME	27	-	-	-	-	-	-	-	-	-	-	27	-
OUT OF HOSPITAL	76	1	1	-	-	1	-	4	5	6	12	46	-
ST.BERNARD..............................	429	1	-	-	1	2	7	13	16	29	72	288	-
CHALMETTE GENERAL HOSPITAL	144	-	-	-	-	-	5	2	5	11	20	101	-
DE LA RONDE HOSPITAL	124	-	-	-	-	-	-	1	4	7	21	91	-
NURSING HOME	44	-	-	-	-	-	-	-	-	1	4	39	-
OUT OF HOSPITAL	117	1	-	-	1	2	2	10	7	10	27	57	-
ST.CHARLES..............................	137	2	1	-	1	4	4	3	5	6	22	89	-
ST. CHARLES PARISH HOSPITAL	53	1	-	-	1	-	-	-	1	3	7	40	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	-	15	-
OUT OF HOSPITAL	69	1	1	-	-	4	4	3	4	3	15	34	-
ST. HELENA..............................	46	1	4	-	-	1	1	2	2	1	4	30	-
ST. HELENA PARISH HOSPITAL	19	-	-	-	-	-	-	1	1	1	-	16	-
NURSING HOME	1	-	-	-	-	-	-	-	-	-	-	1	-
OUT OF HOSPITAL	26	1	4	-	-	1	1	1	1	-	4	13	-
ST. JAMES..............................	86	-	-	-	-	-	2	5	1	8	7	63	-
ST. JAMES PARISH HOSPITAL	29	-	-	-	-	-	-	-	-	1	3	25	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	-	12	-
OUT OF HOSPITAL	45	-	-	-	-	-	2	5	1	7	4	26	-
ST. JOHN..............................	202	5	2	2	1	3	6	10	11	17	17	128	-
RIVER PARISHES MEDICAL CENTER	82	1	-	-	-	1	1	1	3	5	9	61	-
NURSING HOME	33	-	-	-	-	-	-	-	-	3	1	29	-
OUT OF HOSPITAL	87	4	2	2	1	2	5	9	8	9	7	38	-
ST. LANDRY..............................	688	6	1	4	3	8	2	20	25	45	86	488	-
MOOSA MEMORIAL HOSPITAL	89	1	-	1	-	-	-	1	3	8	13	62	-
OPELOUSAS GENERAL HOSPITAL	168	2	-	1	-	1	-	2	3	7	28	124	-
DOCTORS HOSPITAL OF ST. LANDRY	90	-	-	-	-	1	-	1	1	7	8	72	-
ST. LUKE HOSPITAL OF ST. LANDRY	35	-	-	-	-	1	-	-	-	1	5	28	-
NURSING HOME	67	-	-	-	-	-	-	-	-	-	1	66	-
OUT OF HOSPITAL	239	3	1	2	3	5	2	16	18	22	31	136	-
ST. MARTIN..............................	200	4	-	-	-	3	2	10	5	10	22	136	-
GARY MEMORIAL HOSPITAL	27	1	-	-	-	-	-	-	-	-	2	24	-
ST. MARTIN INFIRMARY	35	-	-	-	-	1	-	1	-	1	1	31	-
NURSING HOME	28	-	-	-	-	-	-	-	-	2	3	23	-
OUT OF HOSPITAL	110	3	-	-	-	2	2	9	5	15	16	58	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ST. MARY............................	389	3	5	3	5	8	7	19	26	22	52	239	-
FAIRVIEW HOSPITAL	32	-	-	-	-	-	-	-	1	1	3	27	-
FRANKLIN FOUNDATION HOSPITAL	68	1	-	-	-	-	-	-	4	3	11	49	-
LAKEWOOD HOSPITAL	100	1	-	-	-	-	-	2	1	5	19	72	-
NURSING HOME	23	-	-	-	-	-	-	-	-	-	1	22	-
OUT OF HOSPITAL	166	1	5	3	5	8	7	17	20	13	18	69	-
ST. TAMMANY.........................	822	12	4	-	6	5	9	37	38	55	114	542	-
HIGHLAND PARK HOSPITAL	51	-	1	-	-	-	1	-	2	6	7	34	-
NORTHSHORE REGIONAL MEDICAL CENTER	46	-	-	-	-	2	-	-	2	3	6	33	-
ST. TAMMANY PARISH HOSPITAL	175	2	-	-	-	-	-	1	4	7	15	146	-
SLIDELL MEMORIAL HOSPITAL	197	4	-	-	1	-	1	4	8	10	30	139	-
SOUTHEAST LOUISIANA STATE HOSPITAL	2	-	-	-	-	-	-	-	1	-	1	-	-
NURSING HOME	66	-	-	-	-	-	1	-	-	1	4	60	-
OUT OF HOSPITAL	285	6	3	-	5	3	6	32	21	28	51	130	-
TANGIPAHOA..........................	726	8	2	-	2	11	11	25	21	49	107	489	1
HAMMOND STATE HOSPITAL	3	-	-	-	-	-	-	1	-	-	2	-	-
HOOD MEMORIAL HOSPITAL	50	-	-	-	-	-	-	-	-	-	9	41	-
LALLIE KEMP CHARITY HOSPITAL	90	1	-	-	1	1	-	2	6	7	20	52	-
E. S. PIKE MEMORIAL HOSPITAL	35	1	-	-	-	-	-	-	-	1	1	32	-
SEVENTH WARD GENERAL HOSPITAL	228	2	-	-	-	2	-	2	5	11	31	175	-
WEST PARK HOSPITAL	46	-	1	-	-	2	1	1	2	5	6	28	-
NURSING HOME	58	-	-	-	-	-	-	1	-	1	2	54	-
OUT OF HOSPITAL	216	4	1	-	1	6	10	18	8	24	36	107	1
TENSAS..............................	78	-	2	-	-	3	-	5	3	7	11	47	-
TENSAS MEMORIAL HOSPITAL	51	-	2	-	-	1	-	-	1	5	8	34	-
NURSING HOME	3	-	-	-	-	-	-	-	-	-	-	3	-
OUT OF HOSPITAL	24	-	-	-	-	2	-	5	2	2	3	10	-
TERREBONNE..........................	689	20	6	3	1	13	19	37	44	65	111	369	-
SOUTH LOUISIANA MEDICAL CENTER	199	14	4	1	-	1	1	5	14	30	43	86	-
TERREBONNE PARISH GENERAL HOSPITAL	199	2	-	-	1	1	4	6	9	13	35	128	-
NURSING HOME	59	-	-	-	-	-	-	-	1	-	1	57	-
OUT OF HOSPITAL	231	4	2	2	-	11	14	26	20	22	32	98	-
UNION...............................	213	1	-	-	1	4	1	4	4	5	25	168	-
TRI-WARD GENERAL HOSPITAL	49	-	-	-	-	-	-	-	-	-	5	44	-
UNION GENERAL HOSPITAL	45	-	-	-	-	-	-	1	-	-	5	39	-
NURSING HOME	52	-	-	-	-	-	-	-	-	-	2	50	-
OUT OF HOSPITAL	67	1	-	-	1	4	1	3	4	5	13	35	-
VERMILION...........................	366	2	2	-	1	3	6	10	10	24	47	261	-
ABROM KAPLAN MEMORIAL HOSPITAL	40	1	-	-	-	-	-	3	-	1	4	31	-
ABBEVILLE GENERAL HOSPITAL	120	1	1	-	-	-	-	-	2	8	15	93	-
ERATH GENERAL HOSPITAL	39	-	-	-	-	-	-	-	-	1	5	33	-
GUEYDAN MEMORIAL HOSPITAL	6	-	-	-	-	-	-	-	-	-	-	6	-
NURSING HOME	34	-	-	-	-	-	-	-	-	-	1	33	-
OUT OF HOSPITAL	127	-	1	-	1	3	6	7	8	14	22	65	-
VERNON..............................	238	12	2	1	2	2	13	11	10	10	37	138	-
LEESVILLE GENERAL HOSPITAL	17	1	-	-	-	-	-	-	-	-	1	15	-
BAYNE JONES ARMY COMMUNITY HOSPITAL	27	1	-	-	-	-	-	3	2	4	12	5	-
BYRD MEMORIAL HOSPITAL	55	-	-	-	-	-	-	1	-	-	9	45	-
NURSING HOME	21	-	-	-	-	-	-	-	-	1	4	16	-
OUT OF HOSPITAL	118	10	2	1	2	2	13	7	8	5	11	57	-
WASHINGTON..........................	453	8	3	-	1	4	3	12	12	30	66	314	-
BOGALUSA COMMUNITY MEDICAL CENTER	129	-	-	-	-	-	-	-	1	9	11	108	-
RIVERSIDE MEDICAL CENTER	87	-	-	-	-	-	-	2	2	1	13	69	-
WASHINGTON-ST. TAMMANY HOSPITAL	66	3	-	-	-	-	-	1	3	9	13	37	-
NURSING HOME	37	-	-	-	-	-	-	-	-	-	1	36	-
OUT OF HOSPITAL	134	5	3	-	1	4	3	9	6	11	28	64	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1985

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
WEBSTER................................	365	4	-	-	1	2	5	4	9	21	32	287	-
HUMANA HOSPITAL-MINDEN	90	2	-	-	-	-	-	-	1	1	5	81	-
HUMANA HOSPITAL-SPRINGHILL	91	-	-	-	-	-	-	-	1	6	4	80	-
NURSING HOME	70	-	-	-	-	-	-	-	-	-	5	65	-
OUT OF HOSPITAL	114	2	-	-	1	2	5	4	7	14	18	61	-
WEST BATON ROUGE......................	60	-	1	-	2	2	2	3	5	3	11	31	-
NURSING HOME	17	-	-	-	-	-	-	-	1	-	1	15	-
OUT OF HOSPITAL	43	-	1	-	2	2	2	3	4	3	10	16	-
WEST CARROLL..........................	93	2	-	1	-	-	-	4	4	10	11	61	-
WEST CARROLL PARISH HOSPITAL	44	-	-	1	-	-	-	1	1	2	6	33	-
NURSING HOME	13	-	-	-	-	-	-	-	-	-	1	12	-
OUT OF HOSPITAL	36	2	-	-	-	-	-	3	3	8	4	16	-
WEST FELICIANA........................	63	1	-	-	-	-	1	2	7	7	8	37	-
ANGOLA GENERAL HOSPITAL	6	-	-	-	-	-	-	-	2	2	-	2	-
WEST FELICIANA PARISH HOSPITAL	20	-	-	-	-	-	-	1	-	1	3	15	-
NURSING HOME	7	-	-	-	-	-	-	-	-	-	1	6	-
OUT OF HOSPITAL	30	1	-	-	-	-	1	1	5	4	4	14	-
WINN..................................	158	-	2	-	-	-	1	3	7	8	17	120	-
HUMANA HOSPITAL-WINN PARISH	90	-	1	-	-	-	-	-	2	3	7	77	-
NURSING HOME	16	-	-	-	-	-	-	-	1	1	-	14	-
OUT OF HOSPITAL	52	-	1	-	-	-	1	3	4	4	10	29	-

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH	TOTAL		Diseases of Heart (390 - 398, 402, 404 - 429)		Malignant Neoplasms (140 - 208)		Cerebrovascular Diseases (430 - 438)		Accidents and Adverse Effects (800 - 949)		Chronic Obstructive Pulmonary Diseases and Allied Conditions (490 - 496)	
	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*
TOTAL	37041	826.7	13184	294.2	8235	183.8	2653	59.2	2064	46.1	1047	23.4
ACADIA	574	960.9	211	353.2	115	192.5	55	92.1	25	41.9	25	41.9
ALLEN	237	1091.1	115	529.4	41	188.7	15	69.1	11	50.6	8	36.8
ASCENSION	384	664.2	121	209.3	98	169.5	33	57.1	24	41.5	9	15.6
ASSUMPTION	183	780.8	70	298.7	35	149.3	15	64.0	19	81.1	7	29.9
AVOYELLES	458	1065.4	181	421.1	80	186.1	24	55.8	27	62.8	14	32.6
BEAUREGARD	268	826.7	106	327.0	56	172.7	27	83.3	13	40.1	6	18.5
BIENVILLE	200	1199.3	58	347.8	56	335.8	18	107.9	8	48.0	4	24.0
BOSSIER	535	593.4	193	214.1	140	155.3	33	36.6	41	45.5	11	12.2
CADDO	2544	939.4	974	359.7	552	203.8	189	69.8	102	37.7	69	25.5
CALCASIEU	1434	811.1	551	311.7	336	190.1	91	51.5	79	44.7	47	26.6
CALDWELL	127	1137.9	70	627.2	19	170.2	10	89.6	6	53.8	4	35.8
CAMERON	73	726.2	20	199.0	19	189.0	8	79.6	6	59.7	-	-
CATAHOULA	120	951.2	50	396.4	26	206.1	11	87.2	10	79.3	1	7.9
CLAIBORNE	228	1237.8	97	526.6	48	260.6	18	97.7	9	48.9	4	21.7
CONCORDIA	217	916.7	71	299.9	51	215.4	24	101.4	12	50.7	4	16.9
DESOTO	307	1109.8	97	350.7	63	227.7	36	130.1	24	86.8	7	25.3
E BATON ROUGE	2562	655.4	833	213.1	613	156.8	143	36.6	136	34.8	57	14.6
EAST CARROLL	143	1250.4	37	323.5	26	227.4	18	157.4	10	87.4	2	17.5
E FELICIANA	171	846.3	67	331.6	42	207.9	14	69.3	12	59.4	2	9.9
EVANGELINE	360	1027.8	132	376.9	70	199.9	24	68.5	25	71.4	15	42.8
FRANKLIN	278	1145.8	110	453.4	48	197.8	31	127.8	15	61.8	7	28.9
GRANT	197	1099.0	81	451.9	40	223.1	15	83.7	8	44.6	5	27.9
IBERIA	507	735.8	160	232.2	122	177.0	33	47.9	33	47.9	12	17.4
IBERVILLE	296	889.6	92	276.5	58	174.3	27	81.1	24	72.1	9	27.0
JACKSON	193	1096.7	61	346.6	48	272.8	21	119.3	10	56.8	4	22.7
JEFFERSON	3246	681.9	1095	230.0	827	173.7	217	45.6	164	34.5	95	20.0
JEFF DAVIS	311	931.4	101	302.5	82	245.6	15	44.9	17	50.9	11	32.9
LAFAYETTE	1030	604.5	354	207.7	247	145.0	76	44.6	58	34.0	34	20.0
LAFOURCHE	561	644.3	211	242.3	121	139.0	47	54.0	41	47.1	9	10.3
LASALLE	169	966.7	62	354.6	34	194.5	20	114.4	7	40.0	4	22.9
LINCOLN	311	719.0	101	233.5	70	161.8	48	111.0	16	37.0	6	13.9
LIVINGSTON	397	557.2	132	185.3	87	122.1	26	36.5	36	50.5	16	22.5
MADISON	177	1138.6	89	572.5	36	231.6	14	90.1	8	51.5	2	12.9
MOREHOUSE	354	999.4	127	358.5	75	211.7	38	107.3	14	39.5	12	33.9
NATCHITOCHES	397	995.8	158	396.3	83	208.2	43	107.9	17	42.6	13	32.6
ORLEANS	6059	1073.6	2007	355.6	1370	242.7	411	72.8	227	40.2	142	25.2
OUACHITA	1223	852.8	469	327.0	255	177.8	63	43.9	54	37.7	32	22.3
PLAQUEMINES	179	670.9	50	187.4	40	149.9	14	52.5	20	75.0	4	15.0
POINTE COUPEE	228	908.3	88	350.6	46	183.3	17	67.7	15	59.8	7	27.9
RAPIDES	1205	864.9	501	359.6	240	172.3	78	56.0	54	38.8	47	33.7
RED RIVER	130	1188.5	57	521.1	26	237.7	10	91.4	12	109.7	3	27.4
RICHLAND	258	1114.7	103	445.0	50	216.0	20	86.4	13	56.2	15	64.8
SABINE	247	901.0	121	441.4	38	138.6	16	58.4	18	65.7	9	32.8
ST BERNARD	530	778.9	218	320.4	112	164.6	28	41.1	25	36.7	16	23.5
ST CHARLES	247	582.8	86	202.9	57	134.5	12	28.3	15	35.4	9	21.2
ST HELENA	77	736.4	26	248.7	11	105.2	5	47.8	7	66.9	3	28.7
ST JAMES	164	740.0	58	261.7	34	153.4	11	49.6	12	54.1	9	40.6
ST JOHN	214	527.7	62	152.9	50	123.3	14	34.5	21	51.8	7	17.3
ST LANDRY	909	1026.4	325	367.0	190	214.5	65	73.4	61	68.9	32	36.1
ST MARTIN	315	690.9	114	250.0	75	164.5	26	57.0	20	43.9	9	19.7
ST MARY	491	750.2	172	262.8	112	171.1	27	41.3	56	85.6	11	16.8
ST TAMMANY	907	659.0	320	232.5	207	150.4	58	42.1	64	46.5	26	18.9
TANGIPAHOA	734	812.6	254	281.2	159	176.0	60	66.4	38	42.1	25	27.7
TENSAS	102	1217.8	37	441.7	15	179.1	12	143.3	3	35.8	4	47.8
TERREBONNE	642	635.2	219	216.7	129	127.6	36	35.6	60	59.4	19	18.8
UNION	259	1157.9	98	438.1	54	241.4	14	62.6	21	93.9	11	49.2
VERMILION	433	816.3	162	305.4	108	203.6	34	64.1	36	67.9	11	20.7
VERNON	342	558.9	89	145.4	63	102.9	24	39.2	46	75.2	11	18.0
WASHINGTON	510	1075.0	184	387.9	101	212.9	43	90.6	33	69.6	15	31.6
WEBSTER	582	1098.1	178	389.4	123	269.1	31	67.8	24	52.5	11	24.1
W BATON ROUGE	140	676.4	42	202.9	31	149.8	13	62.8	11	53.1	8	36.7
WEST CARROLL	156	1201.3	53	408.1	28	215.6	16	123.2	7	53.9	5	38.5
W FELICIANA	57	414.5	17	123.6	11	80.0	4	29.1	2	14.5	3	21.8
WINN	209	1223.9	84	491.9	35	205.0	14	82.0	15	87.8	7	41.0
UNKNOWN***	23		2		1		-		7		1	
OUT OF STATE**	1135		334		251		72		180		29	

(CONTINUED)

* RATE PER 100,000 POPULATION

** NOT INCLUDED IN STATE TOTALS

*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH	Pneumonia and Influenza (480 - 487)	Diabetes Mellitus (250)	Suicide (950 - 959)	Nephritis, Nephrotic Syndrome, and Nephrosis (580 - 589)	Homicide and Legal Intervention (960 - 978)	Atherosclerosis (440)	Certain Conditions Originating in Perinatal Period (760 - 779)	Septicemia (038)	Chronic Liver Disease and Cirrhosis (571)	Congenital Anomalies (740 - 759)	Hypertension with or without Renal Disease (without Mention of Heart Disease) (401, 403)	All Other Causes
	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.
TOTAL	884	842	586	579	525	506	473	470	385	277	154	4177
ACADIA	17	8	8	8	4	11	6	3	6	3	1	68
ALLEN	7	1	1	1	5	2	2	3	-	-	1	24
ASCENSION	8	4	3	8	6	5	6	6	2	6	-	45
ASSUMPTION	3	3	-	-	4	6	2	2	1	2	-	14
AVOYELLES	13	12	6	13	6	17	3	5	2	3	-	52
BEAUREGARD	5	6	3	2	4	10	4	-	2	-	-	22
BIENVILLE	6	4	4	6	-	3	1	4	-	2	1	25
BOSSIER	15	11	5	10	8	2	2	12	2	4	-	46
CADDO	54	32	46	40	59	6	32	50	29	17	9	284
CALCASIEU	20	20	25	17	8	20	23	14	16	8	7	152
CALDWELL	-	-	2	2	-	-	2	4	1	1	-	6
CAMERON	4	-	1	3	-	-	2	1	1	2	-	6
CATAHOULA	2	-	2	2	-	-	1	-	2	1	-	12
CLAIBORNE	14	2	1	2	2	3	2	1	-	2	-	23
CONCORDIA	4	4	-	7	5	3	4	3	1	2	-	22
DESOTO	4	5	3	5	6	13	2	6	1	-	1	34
E BATON ROUGE	62	66	49	36	42	89	60	29	34	26	23	264
EAST CARROLL	3	11	1	3	1	9	3	1	-	1	4	13
E FELICIANA	6	3	2	4	1	1	-	4	1	-	-	12
EVANGELINE	10	4	14	6	1	3	4	6	4	4	-	38
FRANKLIN	9	8	6	3	4	2	3	3	1	1	1	26
GRANT	6	7	2	-	1	2	1	1	3	-	2	23
IBERIA	11	10	9	12	6	28	4	6	3	3	1	54
IBERVILLE	11	10	3	7	2	5	4	5	3	2	1	33
JACKSON	5	7	1	2	-	2	1	4	-	-	2	25
JEFFERSON	64	66	87	60	40	24	34	41	48	26	7	351
JEFF DAVIS	12	13	5	3	1	8	4	1	-	-	-	38
LAFAYETTE	28	15	29	9	7	8	16	10	10	14	-	115
LAFOURCHE	7	11	5	11	5	14	3	5	2	5	1	63
LASALLE	7	1	1	5	1	3	-	3	3	2	2	14
LINCOLN	10	5	1	6	1	-	4	3	2	3	-	35
LIVINGSTON	10	6	7	4	5	2	6	5	6	3	1	45
MADISON	6	1	-	2	4	1	2	1	1	1	-	9
MOREHOUSE	9	9	2	9	2	10	4	3	3	2	2	33
NATCHITOCHES	10	11	2	3	6	8	2	-	3	1	-	37
ORLEANS	122	193	71	98	150	46	88	95	95	55	32	857
OUACHITA	34	33	21	19	12	16	24	11	16	3	18	143
PLAQUEMINES	1	8	6	1	3	-	-	3	2	1	-	26
POINTE COUPEE	8	6	5	6	3	3	-	1	2	1	-	20
RAPIDES	38	15	11	20	18	5	11	9	12	7	6	133
RED RIVER	4	1	3	-	-	2	1	1	-	-	-	10
RICHLAND	6	6	5	4	4	1	2	2	-	4	-	23
SABINE	6	3	-	4	-	5	1	2	4	3	-	17
ST BERNARD	13	13	7	5	4	1	4	4	9	4	2	65
ST CHARLES	8	7	3	6	1	-	5	4	2	2	-	30
ST HELENA	2	5	-	1	-	2	2	1	1	-	3	8
ST JAMES	7	5	1	4	-	4	1	3	-	3	-	12
ST JOHN	4	2	5	1	2	2	9	1	2	4	1	27
ST LANDRY	22	41	19	13	9	16	7	13	2	5	1	88
ST MARTIN	9	2	5	3	4	3	4	1	1	2	1	36
ST MARY	14	10	7	11	3	6	6	5	2	2	1	46
ST TAMMANY	17	12	23	8	12	19	8	8	15	13	1	96
TANGIPAHOA	18	28	15	11	10	-	8	9	9	2	4	84
TENSAS	5	1	1	6	2	-	-	1	-	-	-	15
TERREBONNE	10	14	12	8	18	19	14	14	3	1	1	73
UNION	11	11	3	2	2	1	4	4	1	1	1	20
VERMILION	6	7	4	4	3	3	4	5	-	4	-	42
VERNON	1	2	7	6	5	6	6	4	2	3	1	66
WASHINGTON	18	9	5	10	9	16	1	7	3	2	4	50
WEBSTER	19	14	3	5	3	7	7	8	1	2	8	58
W BATON ROUGE	1	5	1	2	3	-	3	2	4	3	1	10
WEST CARROLL	9	2	1	1	1	1	2	3	1	-	1	25
W FELICIANA	3	2	3	-	1	-	1	-	-	1	-	9
WINN	6	6	3	8	-	2	1	4	2	2	-	20
UNKNOWN***	-	1	-	1	4	-	-	-	1	-	-	5
OUT OF STATE**	22	7	16	8	18	8	23	23	10	15	-	119

** NOT INCLUDED IN STATE TOTALS

*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
TOTAL	37041	826.7			966	222	220	903	1139	1418	2487	5707	8625	9645	5706	3
			WM	13549	235	62	73	413	454	569	949	2475	3542	3396	1379	2
			WF	11667	181	47	42	153	187	245	528	1373	2471	3553	2887	-
			NWM	6316	288	64	63	244	331	396	584	1080	1426	1276	564	-
			NWF	5509	262	49	42	93	167	208	426	779	1186	1420	876	1
SHIGELLOSIS AND AMEBIASIS-(004,006)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS-(007-009)	12	0.3			5	1	1	-	1	2	-	-	-	2	-	-
			WM	3	-	-	1	-	-	1	-	-	-	1	-	-
			WF	1	-	1	-	-	-	-	-	-	-	-	-	-
			NWM	5	3	-	-	-	1	1	-	-	-	-	-	-
			NWF	3	2	-	-	-	-	-	-	-	-	1	-	-
TUBERCULOSIS-(010-018)	53	1.2			1	-	-	-	3	3	8	11	15	7	5	-
			WM	24	-	-	-	-	1	2	3	6	7	4	1	-
			WF	6	-	-	-	-	-	-	-	2	2	-	2	-
			NWM	15	1	-	-	-	-	1	4	3	3	1	2	-
			NWF	8	-	-	-	-	2	-	1	-	3	2	-	-
WHOOPING COUGH-(033)	1	0.0			1	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS-(034-035)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	6	0.1			4	1	-	-	-	-	-	1	-	-	-	-
			WM	4	2	1	-	-	-	-	-	1	-	-	-	-
			WF	1	1	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA-(038)	470	10.5			8	5	5	3	11	10	21	67	100	155	85	-
			WM	124	1	3	-	1	2	3	5	20	32	38	19	-
			WF	139	2	-	2	-	3	4	4	19	20	48	37	-
			NWM	98	2	-	1	-	1	3	8	12	25	30	16	-
			NWF	109	3	2	2	2	5	-	4	16	23	39	13	-
ACUTE POLIOMYELITIS-(045)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-(055)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS-(070)	20	0.4			-	-	-	1	2	2	1	4	6	4	-	-
			WM	5	-	-	-	-	1	-	-	3	-	1	-	-
			WF	8	-	-	-	-	-	-	1	1	4	2	-	-
			NWM	2	-	-	-	-	-	-	-	-	1	1	-	-
			NWF	5	-	-	-	1	1	2	-	-	1	-	-	-
SYPHILIS-(090-097)	3	0.1			1	-	-	-	-	-	-	1	-	1	-	-
			WM	1	-	-	-	-	-	-	-	-	-	1	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	-	-	1	-	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ALL OTHER INFECTIOUS AND PARASITIC DISEASES-(REMAINDER OF 001-139)	101	2.3			7	3	2	1	9	10	16	12	21	14	6	-
			WM	38	1	1	1	-	1	6	5	4	10	7	2	-
			WF	22	1	-	1	-	3	1	3	3	5	4	1	-
			NWM	23	5	1	-	1	3	1	4	2	3	2	1	-
			NWF	18	-	1	-	-	2	2	4	3	3	1	2	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	8235	183.8			4	11	21	31	113	265	787	1977	2434	1987	605	-
			WM	3251	-	3	9	13	34	86	270	834	1019	808	175	-
			WF	2518	2	2	6	9	35	83	233	558	708	629	253	-
			NWM	1394	-	5	3	4	17	41	149	339	415	326	95	-
			NWF	1072	2	1	3	5	27	55	135	246	292	224	82	-
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX-(140-149)	175	3.9			-	-	-	2	2	7	28	57	45	25	9	-
			WM	91	-	-	-	-	-	3	15	33	27	10	3	-
			WF	27	-	-	-	-	-	-	2	6	8	7	4	-
			NWM	41	-	-	-	1	-	3	8	14	8	6	1	-
			NWF	16	-	-	-	1	2	1	3	4	2	2	1	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-(150-159)	1988	44.4			-	-	-	1	17	48	176	422	604	544	176	-
			WM	708	-	-	-	-	7	14	63	193	220	177	34	-
			WF	615	-	-	-	-	4	14	36	88	181	209	83	-
			NWM	359	-	-	-	-	4	13	43	81	114	80	24	-
			NWF	306	-	-	-	1	2	7	34	60	89	78	35	-
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS-(160-165)	2451	54.7			-	-	1	2	7	55	255	710	820	504	97	-
			WM	1257	-	-	1	-	3	32	116	346	450	267	42	-
			WF	503	-	-	-	1	1	8	55	144	167	100	27	-
			NWM	494	-	-	-	1	3	9	60	153	151	102	15	-
			NWF	197	-	-	-	-	-	6	24	67	52	35	13	-
MALIGNANT NEOPLASM OF BREAST-(174-175)	594	13.3			-	-	-	1	17	40	89	142	150	115	40	-
			WM	7	-	-	-	-	-	1	-	3	-	3	-	-
			WF	415	-	-	-	-	8	22	57	104	110	83	31	-
			NWM	2	-	-	-	-	-	-	1	1	-	-	-	-
			NWF	170	-	-	-	1	9	17	31	34	40	29	9	-
MALIGNANT NEOPLASMS OF GENITAL ORGANS-(179-187)	872	19.5			-	-	-	-	15	23	46	156	240	288	104	-
			WM	287	-	-	-	-	1	3	2	40	76	127	38	-
			WF	224	-	-	-	-	6	12	25	55	56	53	17	-
			NWM	217	-	-	-	-	1	-	2	27	73	77	37	-
			NWF	144	-	-	-	-	7	8	17	34	35	31	12	-
MALIGNANT NEOPLASMS OF URINARY ORGANS-(188-189)	351	7.8			-	1	1	-	4	7	24	67	104	102	41	-
			WM	162	-	1	-	-	-	3	9	32	47	48	22	-
			WF	105	-	-	-	-	-	1	8	21	34	28	13	-
			NWM	53	-	-	-	-	4	-	5	9	12	18	5	-
			NWF	31	-	-	1	-	-	3	2	5	11	8	1	-
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-(170-173,190-199)	1146	25.6			2	8	6	12	31	58	115	282	295	248	89	-
			WM	483	-	2	3	5	14	19	47	134	130	112	17	-
			WF	379	1	2	2	4	10	17	34	86	87	81	55	-
			NWM	152	-	3	-	2	3	13	19	38	39	25	10	-
			NWF	132	1	1	1	1	4	9	15	24	39	30	7	-
LEUKEMIA-(204-208)	264	5.9			2	2	10	10	9	12	19	49	60	60	31	-
			WM	103	-	-	3	6	3	3	5	19	27	27	10	-
			WF	103	1	-	3	3	4	5	5	20	21	24	17	-
			NWM	25	-	2	3	-	-	2	4	4	2	6	2	-
			NWF	33	1	-	1	1	2	2	5	6	10	3	2	-
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(200-203)	394	8.8			-	-	3	3	11	15	35	92	116	101	18	-
			WM	153	-	-	2	2	6	8	13	34	42	37	9	-
			WF	147	-	-	1	1	2	4	11	34	44	44	6	-
			NWM	51	-	-	-	-	2	1	7	12	16	12	1	-
			NWF	43	-	-	-	-	1	2	4	12	14	8	2	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	125	2.8			-	3	1	1	4	4	4	21	32	41	14	-
			WM	46	-	-	-	-	1	2	1	12	13	14	3	-
			WF	38	-	2	1	-	2	-	1	4	10	11	7	-
			NWM	24	-	1	-	-	1	1	1	2	7	10	1	-
			NWF	17	-	-	-	1	-	1	1	3	2	6	3	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
DIABETES MELLITUS-(250)	842	18.8			-	-	2	5	11	29	52	146	247	226	124	-
			WM	196	-	-	-	1	3	6	14	42	68	41	21	-
			WF	276	-	-	1	-	3	9	6	36	75	90	56	-
			NWM	118	-	-	-	1	3	10	16	25	31	19	13	-
			NWF	252	-	-	1	3	2	4	16	43	73	76	34	-
NUTRITIONAL DEFICIENCIES-(260-269)	56	1.2			1	-	-	-	1	-	3	3	8	20	20	-
			WM	13	-	-	-	-	-	-	-	1	2	5	5	-
			WF	17	-	-	-	-	-	-	-	1	3	4	9	-
			NWM	7	-	-	-	-	-	-	2	-	-	4	1	-
			NWF	19	1	-	-	-	1	-	1	1	3	7	5	-
ANEMIAS-(280-285)	86	1.9			-	3	1	-	5	4	4	9	14	25	21	-
			WM	20	-	-	-	-	-	1	-	4	4	6	5	-
			WF	25	-	-	-	-	-	-	-	1	4	10	10	-
			NWM	14	-	1	-	-	3	1	2	-	2	3	2	-
			NWF	27	-	2	1	-	2	2	2	4	4	6	4	-
MENINGITIS-(320-322)	38	0.8			10	4	1	3	1	3	3	6	3	1	3	-
			WM	13	2	1	-	-	1	3	1	1	2	1	1	-
			WF	5	4	-	-	1	-	-	-	-	-	-	-	-
			NWM	10	3	1	-	2	-	-	-	3	-	-	1	-
			NWF	10	1	2	1	-	-	-	2	2	1	-	1	-
MAJOR CARDIOVASCULAR DISEASES (390-448)	16814	375.3			42	14	11	41	122	387	915	2312	4103	5239	3627	1
			WM	5816	9	1	2	7	36	156	382	1052	1660	1714	797	-
			WF	5889	9	4	6	8	24	51	126	453	1165	2094	1949	-
			NWM	2519	13	5	2	13	28	115	238	464	688	641	312	-
			NWF	2590	11	4	1	13	34	65	169	343	590	790	569	1
DISEASES OF HEART (390-398,402,404-429)	13184	294.2			37	10	7	26	91	320	739	1921	3333	4032	2667	1
			WM	4809	7	-	1	5	28	141	333	909	1413	1374	598	-
			WF	4487	8	2	3	5	19	39	102	372	920	1593	1424	-
			NWM	1945	11	4	2	10	22	89	184	374	552	474	223	-
			NWF	1943	11	4	1	6	22	51	120	266	448	591	422	1
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE-(390-398)	55	1.2			-	-	2	-	4	5	6	12	10	11	5	-
			WM	16	-	-	-	-	1	3	2	4	2	3	1	-
			WF	20	-	-	1	-	-	-	3	2	4	7	3	-
			NWM	8	-	-	-	-	1	1	-	3	1	1	1	-
			NWF	11	-	-	1	-	2	1	1	3	3	-	-	-
HYPERTENSIVE HEART DISEASE-(402)	573	12.8			-	-	-	1	2	17	33	95	166	174	85	-
			WM	96	-	-	-	-	-	2	4	18	37	26	9	-
			WF	145	-	-	-	-	-	-	1	12	33	58	41	-
			NWM	130	-	-	-	1	-	6	9	33	49	26	6	-
			NWF	202	-	-	-	-	2	9	19	32	47	64	29	-
HYPERTENSIVE HEART AND RENAL DISEASE-(404)	63	1.4			-	-	-	-	-	1	3	8	13	26	12	-
			WM	15	-	-	-	-	-	-	-	3	1	9	2	-
			WF	17	-	-	-	-	-	1	-	1	2	7	6	-
			NWM	11	-	-	-	-	-	-	1	1	4	5	-	-
			NWF	20	-	-	-	-	-	-	2	3	6	5	4	-
ISCHEMIC HEART DISEASE-(410-414)	8241	183.9			-	-	-	3	38	204	490	1275	2163	2529	1538	1
			WM	3396	-	-	-	-	18	112	260	670	1011	965	360	-
			WF	2801	-	-	-	1	8	23	58	249	619	1000	843	-
			NWM	1095	-	-	-	1	7	51	113	214	313	261	135	-
			NWF	949	-	-	-	1	5	18	59	142	220	303	200	1
ACUTE MYOCARDIAL INFARCTION-(410)	4856	108.4			-	-	-	1	38	155	372	932	1408	1392	558	-
			WM	2203	-	-	-	-	18	86	205	506	672	572	144	-
			WF	1468	-	-	-	-	8	19	46	175	411	519	290	-
			NWM	667	-	-	-	1	7	35	78	148	204	137	57	-
			NWF	518	-	-	-	-	5	15	43	103	121	164	67	-
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-(411)	81	1.8			-	-	-	-	-	1	3	8	20	24	25	-
			WM	19	-	-	-	-	-	1	-	1	6	7	4	-
			WF	32	-	-	-	-	-	-	1	3	4	12	12	-
			NWM	10	-	-	-	-	-	-	2	3	2	1	2	-
			NWF	20	-	-	-	-	-	-	-	1	8	4	7	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ANGINA PECTORIS-(413)	14	0.3			-	-	-	-	-	-	1	4	4	3	2	-
			WM	4	-	-	-	-	-	-	-	3	1	-	-	-
			WF	5	-	-	-	-	-	-	1	-	-	2	2	-
			NWM	1	-	-	-	-	-	-	-	1	-	-	-	-
			NWF	4	-	-	-	-	-	-	-	-	3	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE-(412,414)	3290	73.4			-	-	-	2	-	40	114	331	731	1110	953	1
			WM	1170	-	-	-	-	-	25	55	160	332	386	212	-
			WF	1296	-	-	-	1	-	4	10	71	204	467	539	-
			NWM	417	-	-	-	-	-	16	33	62	107	123	76	-
			NWF	407	-	-	-	1	-	3	16	38	88	134	126	1
OTHER DISEASES OF ENDOCARDIUM-(424)	148	3.3			2	1	-	2	4	4	6	15	36	54	24	-
			WM	47	-	-	-	-	1	-	-	5	13	22	6	-
			WF	43	-	-	-	-	-	1	2	4	9	16	11	-
			NWM	28	2	-	-	-	1	3	3	4	8	6	1	-
			NWF	30	-	1	-	2	2	-	1	2	6	10	6	-
ALL OTHER FORMS OF HEART DISEASE-(415-423,425-429)	4104	91.6			35	9	5	20	43	89	201	516	945	1238	1003	-
			WM	1239	7	-	1	5	8	24	67	209	349	349	220	-
			WF	1461	8	2	2	4	11	14	38	104	253	505	520	-
			NWM	673	9	4	2	8	13	28	58	119	177	175	80	-
			NWF	731	11	3	-	3	11	23	38	84	166	209	183	-
HYPERTENSION WITH OR WITHOUT RENAL DISEASE-(401,403)	154	3.4			-	-	-	2	-	3	12	20	29	58	30	-
			WM	31	-	-	-	-	-	1	3	5	7	13	2	-
			WF	39	-	-	-	-	-	-	-	2	3	21	13	-
			NWM	34	-	-	-	-	-	2	5	7	8	8	4	-
			NWF	50	-	-	-	2	-	-	4	6	11	16	11	-
CEREBROVASCULAR DISEASE-(430-438)	2653	59.2			4	3	3	11	24	57	136	279	560	902	674	-
			WM	678	2	1	1	2	6	11	37	84	163	230	141	-
			WF	1059	1	1	2	2	2	12	20	69	190	388	372	-
			NWM	440	1	1	-	3	6	21	41	71	100	135	61	-
			NWF	476	-	-	-	4	10	13	38	55	107	149	100	-
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE-(431-432)	375	8.4			3	1	1	4	10	27	46	77	89	80	37	-
			WM	89	1	-	-	1	2	5	6	28	21	16	9	-
			WF	118	1	-	1	1	1	6	4	15	36	32	21	-
			NWM	82	1	1	-	-	1	9	21	19	14	14	2	-
			NWF	86	-	-	-	2	6	7	15	15	18	18	5	-
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES-(434.0,434.9)	343	7.7			1	-	-	2	1	2	10	31	63	122	111	-
			WM	88	1	-	-	-	-	1	3	7	19	33	24	-
			WF	163	-	-	-	1	-	-	3	11	24	61	63	-
			NWM	37	-	-	-	1	1	-	2	9	6	10	8	-
			NWF	55	-	-	-	-	-	1	2	4	14	18	16	-
CEREBRAL EMBOLISM-(434.1)	7	0.2			-	-	-	-	-	-	2	1	2	2	-	-
			WM	3	-	-	-	-	-	-	2	-	-	1	-	-
			WF	2	-	-	-	-	-	-	-	-	1	1	-	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	1	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER AND LATE EFFECTS OF CEREBROVASULAR DISEASE-(430,433,435-438)	1928	43.0			-	2	2	5	13	28	78	170	406	698	526	-
			WM	498	-	1	1	1	4	5	26	49	123	180	108	-
			WF	776	-	1	1	-	1	6	13	43	129	294	288	-
			NWM	320	-	-	-	2	4	12	18	43	79	111	51	-
			NWF	334	-	-	-	2	4	5	21	35	75	113	79	-
ATHEROSCLEROSIS-(440)	506	11.3			-	-	-	1	1	3	17	34	80	155	215	-
			WM	135	-	-	-	-	-	2	7	18	28	42	38	-
			WF	230	-	-	-	-	1	-	2	4	25	70	128	-
			NWM	63	-	-	-	-	-	1	5	6	12	18	21	-
			NWF	78	-	-	-	1	-	-	3	6	15	25	28	-
OTHER DISEASES OF ARTERIES ARTERIOLES, AND CAPILLARIES-(441-448)	317	7.1			1	1	1	1	6	4	11	58	101	92	41	-
			WM	163	-	-	-	-	2	1	2	36	49	55	18	-
			WF	74	-	1	1	1	2	-	2	6	27	22	12	-
			NWM	37	1	-	-	-	-	2	3	6	16	6	3	-
			NWF	43	-	-	-	-	2	1	4	10	9	9	8	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACUTE BRONCHITIS, AND BRONCHIOLITIS-(466)	14	0.3			3	1	-	-	-	1	1	2	2	3	1	-
			WM	5	-	-	-	-	-	1	-	2	-	1	1	-
			WF	3	-	-	-	-	-	-	-	-	1	2	-	-
			NWM	5	2	1	-	-	-	-	1	-	1	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	884	19.7			29	12	2	6	7	15	33	72	144	287	277	-
			WM	303	4	2	-	2	1	3	13	30	57	108	83	-
			WF	315	-	4	-	2	1	4	5	14	36	103	146	-
			NWM	152	18	1	2	-	2	5	10	18	31	39	26	-
			NWF	114	7	5	-	2	3	3	5	10	20	37	22	-
PNEUMONIA-(480-486)	864	19.3			29	12	2	6	7	15	33	70	141	278	271	-
			WM	301	4	2	-	2	1	3	13	29	57	107	83	-
			WF	302	-	4	-	2	1	4	5	14	34	98	140	-
			NWM	150	18	1	2	-	2	5	10	18	30	38	26	-
			NWF	111	7	5	-	2	3	3	5	9	20	35	22	-
INFLUENZA (487)	20	0.4			-	-	-	-	-	-	-	2	3	9	6	-
			WM	2	-	-	-	-	-	-	-	1	-	1	-	-
			WF	13	-	-	-	-	-	-	-	-	2	5	6	-
			NWM	2	-	-	-	-	-	-	-	-	1	1	-	-
			NWF	3	-	-	-	-	-	-	-	1	-	2	-	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(490-496)	1047	23.4			2	1	3	7	2	17	44	178	359	343	91	-
			WM	554	-	1	-	2	-	2	12	89	197	205	46	-
			WF	303	-	-	1	4	-	6	14	49	103	89	37	-
			NWM	123	1	-	1	1	1	7	11	23	41	33	4	-
			NWF	67	1	-	1	-	1	2	7	17	18	16	4	-
BRONCHITIS, CHRONIC AND UNSPECIFIED-(490-491)	47	1.0			2	1	-	-	1	-	1	6	10	17	9	-
			WM	28	-	1	-	-	-	-	-	5	8	11	3	-
			WF	12	-	-	-	-	-	-	-	-	2	5	5	-
			NWM	4	1	-	-	-	1	-	-	1	-	1	-	-
			NWF	3	1	-	-	-	-	-	1	-	-	-	1	-
EMPHYSEMA-(492)	227	5.1			-	-	-	2	-	3	11	49	85	64	13	-
			WM	132	-	-	-	2	-	-	3	29	53	38	7	-
			WF	65	-	-	-	-	-	1	3	13	24	19	5	-
			NWM	27	-	-	-	-	-	2	4	7	8	5	1	-
			NWF	3	-	-	-	-	-	-	1	-	-	2	-	-
ASTHMA-(493)	71	1.6			-	-	3	5	-	9	10	15	16	9	4	-
			WM	10	-	-	-	-	-	1	1	2	2	3	1	-
			WF	27	-	-	1	4	-	2	3	5	7	2	3	-
			NWM	17	-	-	1	1	-	4	3	4	3	1	-	-
			NWF	17	-	-	1	-	-	2	3	4	4	3	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(494-496)	702	15.7			-	-	-	-	1	5	22	108	248	253	65	-
			WM	384	-	-	-	-	-	1	8	53	134	153	35	-
			WF	199	-	-	-	-	-	3	8	31	70	63	24	-
			NWM	75	-	-	-	-	-	1	4	11	30	26	3	-
			NWF	44	-	-	-	-	1	-	2	13	14	11	3	-
ULCER OF STOMACH AND DUODENUM-(531-533)	111	2.5			1	-	-	-	-	1	9	16	22	32	30	-
			WM	35	-	-	-	-	-	1	3	7	5	12	7	-
			WF	51	-	-	-	-	-	-	4	5	9	14	19	-
			NWM	19	-	-	-	-	-	-	2	2	8	4	3	-
			NWF	6	1	-	-	-	-	-	-	2	-	2	1	-
APPENDICITIS-(540-543)	14	0.3			-	1	-	-	-	-	1	2	4	3	3	-
			WM	3	-	-	-	-	-	-	1	-	2	-	-	-
			WF	5	-	-	-	-	-	-	-	1	1	-	3	-
			NWM	2	-	-	-	-	-	-	-	1	-	1	-	-
			NWF	4	-	1	-	-	-	-	-	-	1	2	-	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	91	2.0			1	2	-	-	-	1	2	4	17	38	26	-
			WM	24	-	-	-	-	-	1	1	-	5	10	7	-
			WF	37	-	1	-	-	-	-	-	2	8	13	13	-
			NWM	10	-	-	-	-	-	-	-	2	1	5	2	-
			NWF	20	1	1	-	-	-	-	1	-	3	10	4	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
CHRONIC LIVER DISEASE AND CIRRHOSIS-(571)	385	8.6			2	1	-	2	17	46	74	117	87	33	6	-
			WM	171	-	-	-	1	7	20	32	60	37	12	2	-
			WF	100	-	-	-	-	3	5	17	25	28	19	3	-
			NWM	81	1	1	-	1	4	18	16	25	14	1	-	-
			NWF	33	1	-	-	-	3	3	9	7	8	1	1	-
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER-(574-575)	47	1.0			-	-	-	-	-	1	4	3	11	16	12	-
			WM	13	-	-	-	-	-	-	-	1	4	4	4	-
			WF	16	-	-	-	-	-	-	2	-	5	7	2	-
			NWM	7	-	-	-	-	-	-	1	2	-	2	2	-
			NWF	11	-	-	-	-	-	1	1	-	2	3	4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-589)	579	12.9			9	2	2	3	11	13	25	66	130	174	144	-
			WM	168	-	1	1	-	1	4	7	14	48	50	42	-
			WF	167	2	-	-	-	-	2	4	21	25	63	50	-
			NWM	111	3	1	-	2	5	6	3	10	26	30	25	-
			NWF	133	4	-	1	1	5	1	11	21	31	31	27	-
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE-(584-586, 588-589)	537	12.0			9	2	2	2	10	12	24	63	119	161	133	-
			WM	154	-	1	1	-	1	4	7	12	45	45	38	-
			WF	151	2	-	-	-	-	1	4	21	22	55	46	-
			NWM	106	3	1	-	1	5	6	3	10	24	30	23	-
			NWF	126	4	-	1	1	4	1	10	20	28	31	26	-
OTHER NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-583,587)	42	0.9			-	-	-	1	1	1	1	3	11	13	11	-
			WM	14	-	-	-	-	-	-	-	2	3	5	4	-
			WF	16	-	-	-	-	-	1	-	-	3	8	4	-
			NWM	5	-	-	-	1	-	-	-	-	2	-	2	-
			NWF	7	-	-	-	-	1	-	1	1	3	-	1	-
INFECTIONS OF KIDNEY-(590)	44	1.0			-	-	-	-	2	1	-	2	8	16	15	-
			WM	9	-	-	-	-	-	-	-	1	2	4	2	-
			WF	20	-	-	-	-	1	-	-	1	4	6	8	-
			NWM	5	-	-	-	-	-	-	-	-	-	2	3	-
			NWF	10	-	-	-	-	1	1	-	-	2	4	2	-
HYPERPLASIA OF PROSTATE-(600)	5	0.1			-	-	-	-	-	-	-	-	1	1	3	-
			WM	4	-	-	-	-	-	-	-	-	1	-	3	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	-	-	-	-	1	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM-(630-676)	9	0.2			-	-	-	5	2	2	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	2	-	-	-	1	1	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	7	-	-	-	4	1	2	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	277	6.2			200	27	11	7	9	4	5	8	5	1	-	-
			WM	96	69	7	4	3	4	-	2	5	1	1	-	-
			WF	70	49	7	-	2	2	3	2	1	4	-	-	-
			NWM	50	32	8	4	1	2	1	1	1	-	-	-	-
			NWF	61	50	5	3	1	1	-	-	1	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(760-779)	473	10.6			472	1	-	-	-	-	-	-	-	-	-	-
			WM	103	103	-	-	-	-	-	-	-	-	-	-	-
			WF	79	79	-	-	-	-	-	-	-	-	-	-	-
			NWM	156	155	1	-	-	-	-	-	-	-	-	-	-
			NWF	135	135	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS,SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	303	6.8			82	4	-	10	11	11	11	26	39	70	39	-
			WM	109	27	-	-	4	4	5	6	10	20	26	7	-
			WF	82	17	1	-	2	3	1	1	7	11	18	21	-
			NWM	57	19	2	-	2	3	3	1	6	6	11	4	-
			NWF	55	19	1	-	2	1	2	3	3	2	15	7	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	2064	46.1			16	91	120	494	387	221	166	174	166	139	89	1
			WM	1024	6	30	44	276	209	118	92	90	79	56	23	1
			WF	383	1	15	17	85	53	30	26	33	43	40	40	-
			NWM	487	6	27	40	106	105	60	37	43	30	22	11	-
			NWF	170	3	19	19	27	20	13	11	8	14	21	15	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
RAILWAY ACCIDENTS- (E800-E807)	8	0.2			-	1	-	2	2	2	1	-	-	-	-	-
			WM	4	-	-	-	1	-	2	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	4	-	1	-	1	2	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS- (E810-E825)	987	22.0			4	25	56	340	212	112	59	68	58	41	12	-
			WM	523	1	8	24	188	117	62	35	33	28	22	5	-
			WF	200	1	5	11	73	32	19	10	16	21	7	5	-
			NWM	196	2	7	13	61	47	24	11	16	7	7	1	-
			NWF	68	-	5	8	18	16	7	3	3	2	5	1	-
WATER TRANSPORT ACCIDENTS- (E830-E838)	67	1.5			-	2	1	18	14	10	8	8	6	-	-	-
			WM	54	-	2	1	15	9	7	6	8	6	-	-	-
			WF	4	-	-	-	1	1	1	1	-	-	-	-	-
			NWM	9	-	-	-	2	4	2	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION IN WATER TRANSPORT ACCIDENT- (E830-E832)	60	1.3			-	2	-	16	13	10	6	8	5	-	-	-
			WM	48	-	2	-	14	8	7	4	8	5	-	-	-
			WF	3	-	-	-	-	1	1	1	-	-	-	-	-
			NWM	9	-	-	-	2	4	2	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER WATER TRANSPORT ACCIDENT- (E831, E833-E838)	7	0.2			-	-	1	2	1	-	2	-	1	-	-	-
			WM	6	-	-	1	1	1	-	2	-	1	-	-	-
			WF	1	-	-	-	1	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
AIR AND SPACE TRANSPORT ACCIDENTS-(E840-E845)	21	0.5			-	-	-	2	7	4	2	5	1	-	-	-
			WM	18	-	-	-	-	6	4	2	5	1	-	-	-
			WF	3	-	-	-	2	1	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING- (E850-E869)	83	1.9			-	3	-	11	26	14	11	7	7	2	2	-
			WM	31	-	-	-	7	13	4	4	-	3	-	-	-
			WF	13	-	-	-	-	5	2	2	2	1	-	1	-
			NWM	19	-	-	-	1	5	6	2	3	1	1	-	-
			NWF	20	-	3	-	3	3	2	3	2	2	1	1	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-(E850-E866)	63	1.4			-	3	-	6	19	11	9	7	5	2	1	-
			WM	20	-	-	-	5	8	2	2	-	3	-	-	-
			WF	11	-	-	-	-	4	2	2	2	-	-	1	-
			NWM	16	-	-	-	-	4	6	2	3	-	1	-	-
			NWF	16	-	3	-	1	3	1	3	2	2	1	-	-
ACCIDENTAL POISONING BY GASES AND VAPOURS- (E867-E869)	20	0.4			-	-	-	5	7	3	2	-	2	-	1	-
			WM	11	-	-	-	2	5	2	2	-	-	-	-	-
			WF	2	-	-	-	-	1	-	-	-	1	-	-	-
			NWM	3	-	-	-	1	1	-	-	-	1	-	-	-
			NWF	4	-	-	-	2	-	1	-	-	-	-	1	-
MISADVENTURE DURING MEDICAL CARE, ABNORMAL REACTION, AND LATE COMPLICATIONS- (E870-E879)	43	1.0			-	2	-	-	1	-	4	9	9	11	7	-
			WM	13	-	-	-	-	1	-	1	3	3	4	1	-
			WF	18	-	-	-	-	-	-	-	2	5	6	5	-
			NWM	9	-	2	-	-	-	-	2	3	-	1	1	-
			NWF	3	-	-	-	-	-	-	1	1	1	-	-	-
ACCIDENTAL FALLS- (E880-E888)	156	3.5			-	-	-	7	12	14	12	18	25	30	38	-
			WM	65	-	-	-	6	7	5	7	9	11	9	11	-
			WF	57	-	-	-	-	2	2	2	5	8	18	20	-
			NWM	25	-	-	-	1	3	6	2	4	5	2	2	-
			NWF	9	-	-	-	-	-	1	1	-	1	1	5	-
ACCIDENTS CAUSED BY FIRES AND FLAMES-(E890-E899)	139	3.1			3	25	13	15	19	10	12	7	11	16	7	1
			WM	46	1	7	1	4	6	4	10	3	5	3	1	1
			WF	27	-	3	3	6	6	1	1	1	1	4	1	-
			NWM	38	1	9	3	3	7	3	1	3	3	3	2	-
			NWF	28	1	6	6	2	-	2	-	-	2	6	3	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACCIDENTAL DROWNING AND SUBMERSION (EXCLUDING IN TRANSPORT)-(E910)	151	3.4			2	16	32	35	32	11	13	4	5	1	-	-
			WM	56	1	8	9	12	13	6	2	2	3	-	-	-
			WF	16	-	2	1	1	5	1	5	-	1	-	-	-
			NWM	69	-	4	19	20	14	4	5	2	1	-	-	-
			NWF	10	1	2	3	2	-	-	1	-	-	1	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	101	2.3			4	6	1	4	4	7	6	21	17	19	12	-
			WM	37	2	1	-	1	3	3	3	9	5	9	1	-
			WF	21	-	2	-	-	-	3	-	4	6	2	4	-
			NWM	28	1	2	1	2	1	-	3	6	3	5	4	-
			NWF	15	1	1	-	1	-	1	-	2	3	3	3	-
ACCIDENT CAUSED BY FIREARM MISSILE-(E922)	60	1.3			-	5	11	19	10	6	4	-	4	1	-	-
			WM	34	-	2	5	11	6	4	3	-	2	1	-	-
			WF	6	-	2	2	1	-	-	1	-	-	-	-	-
			NWM	18	-	-	3	7	4	2	-	-	2	-	-	-
			NWF	2	-	1	1	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-(E923)	4	0.1			-	-	-	1	1	-	-	1	-	-	1	-
			WM	2	-	-	-	1	-	-	-	1	-	-	-	-
			WF	1	-	-	-	-	-	-	-	-	-	-	1	-
			NWM	1	-	-	-	-	1	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT-(E925)	25	0.6			-	-	-	7	7	5	3	2	1	-	-	-
			WM	21	-	-	-	6	5	5	2	2	1	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	-	-	-	1	1	-	1	-	-	-	-	-
			NWF	1	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E826-E829, E846-E848,E900-E909,E913-E921,E924, E926-E929)	212	4.7			3	6	6	33	40	26	28	24	20	17	9	-
			WM	116	1	2	4	24	23	12	15	15	9	7	4	-
			WF	15	-	1	-	1	1	1	3	3	-	3	2	-
			NWM	67	2	2	1	7	16	13	8	6	8	3	1	-
			NWF	14	-	1	1	1	-	-	2	-	3	4	2	-
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE-(E930-E949)	7	0.2			-	-	-	-	-	-	3	-	2	1	1	-
			WM	4	-	-	-	-	-	-	1	-	2	1	-	-
			WF	2	-	-	-	-	-	-	1	-	-	-	1	-
			NWM	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE-(E950-E959)	586	13.1			-	-	4	110	126	96	76	73	63	28	10	-
			WM	383	-	-	4	71	74	68	45	45	47	21	8	-
			WF	119	-	-	-	18	25	13	24	24	12	2	1	-
			NWM	65	-	-	-	17	18	12	6	4	4	3	1	-
			NWF	19	-	-	-	4	9	3	1	-	-	2	-	-
SUICIDE BY POISONING BY SOLID AND LIQUID SUBSTANCES-(E950)	49	1.1			-	-	-	7	17	11	6	4	1	3	-	-
			WM	19	-	-	-	2	7	6	1	-	1	2	-	-
			WF	24	-	-	-	4	7	4	4	4	-	1	-	-
			NWM	2	-	-	-	-	-	1	1	-	-	-	-	-
			NWF	4	-	-	-	1	3	-	-	-	-	-	-	-
SUICIDE BY POISONING BY GASES AND VAPORS-(E951-E952)	10	0.2			-	-	-	4	2	3	1	-	-	-	-	-
			WM	10	-	-	-	4	2	3	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-(E953)	41	0.9			-	-	1	11	12	7	6	-	3	1	-	-
			WM	27	-	-	1	8	6	4	4	-	3	1	-	-
			WF	4	-	-	-	-	2	1	1	-	-	-	-	-
			NWM	10	-	-	-	3	4	2	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY FIREARMS AND EXPLOSIVES-(E955)	456	10.2			-	-	3	84	86	69	59	65	57	24	9	-
			WM	309	-	-	3	55	54	52	36	42	41	18	8	-
			WF	86	-	-	-	13	15	6	19	19	12	1	1	-
			NWM	50	-	-	-	14	13	8	4	4	4	3	-	-
			NWF	11	-	-	-	2	4	3	-	-	-	2	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELFINFLICTED INJURY-(E954, E956-E959)	30	0.7			-	-	-	4	9	6	4	4	2	-	1	-
			WM	18	-	-	-	2	5	3	3	3	2	-	-	-
			WF	5	-	-	-	1	1	2	-	1	-	-	-	-
			NWM	3	-	-	-	-	1	1	-	-	-	-	1	-
			NWF	4	-	-	-	1	2	-	1	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION-(E960-E978)	525	11.7			5	6	8	123	174	91	45	33	23	16	1	-
			WM	121	-	3	1	15	40	23	14	16	7	2	-	-
			WF	56	-	1	1	16	12	5	7	6	4	3	1	-
			NWM	280	3	1	4	79	99	52	16	10	9	7	-	-
			NWF	68	2	1	2	13	23	11	8	1	3	4	-	-
ASSAULT BY FIREARMS AND EXPLOSIVES-(E965)	348	7.8			-	1	3	94	122	68	25	19	8	7	1	-
			WM	79	-	-	-	13	24	20	6	10	4	2	-	-
			WF	29	-	1	-	9	7	5	4	1	1	-	1	-
			NWM	206	-	-	2	68	78	35	9	8	2	4	-	-
			NWF	34	-	-	1	4	13	8	6	-	1	1	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENT-(E966)	85	1.9			-	-	-	17	30	13	11	5	5	4	-	-
			WM	15	-	-	-	2	6	2	3	2	-	-	-	-
			WF	8	-	-	-	1	2	-	1	2	1	1	-	-
			NWM	48	-	-	-	9	18	10	6	1	3	1	-	-
			NWF	14	-	-	-	5	4	1	1	-	1	2	-	-
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY ANOTHER PERSON-(E960-E964, E967-E969)	88	2.0			5	5	5	12	19	10	9	9	9	5	-	-
			WM	23	-	3	1	-	7	1	5	4	2	-	-	-
			WF	19	-	-	1	6	3	-	2	3	2	2	-	-
			NWM	26	3	1	2	2	3	7	1	1	4	2	-	-
			NWF	20	2	1	1	4	6	2	1	1	1	1	-	-
LEGAL INTERVENTION-(E970-E978)	4	0.1			-	-	-	-	3	-	-	-	1	-	-	-
			WM	4	-	-	-	-	3	-	-	-	1	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER EXTERNAL CAUSES-(E980-E999)	22	0.5			-	-	-	4	9	5	1	2	1	-	-	-
			WM	10	-	-	-	4	3	1	-	1	1	-	-	-
			WF	5	-	-	-	-	3	-	1	1	-	-	-	-
			NWM	3	-	-	-	-	-	3	-	-	-	-	-	-
			NWF	4	-	-	-	-	3	1	-	-	-	-	-	-
ALL OTHER DISEASES-(RESIDUAL)	2699	60.2			60	28	25	46	99	173	176	359	560	723	449	1
			WM	860	11	8	6	13	31	56	40	124	212	243	115	1
			WF	909	14	9	6	5	13	28	47	105	181	282	219	-
			NWM	471	19	7	6	14	35	55	55	83	80	78	39	-
			NWF	459	16	4	7	14	20	34	34	47	87	120	76	-

* RATE PER 100,000 POPULATION

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2079	982	18	319	140	315	305
ACADIA	24	13	-	5	-	1	5
CROWLEY*	7	2	-	2	-	-	3
ALLEN	16	7	-	1	1	7	-
ASCENSION	24	16	-	4	1	2	1
ASSUMPTION	20	9	-	2	1	5	3
AVOYELLES	19	9	1	1	-	2	6
BEAUREGARD	11	9	-	-	-	2	-
DE RIDDER*	1	1	-	-	-	-	-
BIENVILLE	8	3	-	1	-	4	-
BOSSIER	39	23	1	3	-	8	4
BOSSIER CITY*	14	7	-	2	-	3	2
CADDO	109	44	1	23	5	20	16
SHREVEPORT*	79	30	-	19	2	13	15
CALCASIEU	67	29	-	16	7	6	9
LAKE CHARLES*	32	11	-	6	5	2	8
SULPHUR*	5	3	-	1	-	1	-
CALDWELL	6	5	-	-	-	1	-
CAMERON	17	5	1	-	5	6	-
CATAHOULA	10	4	1	1	-	3	1
CLAIBORNE	15	5	-	2	1	5	2
CONCORDIA	13	7	-	1	3	1	1
DESOTO	28	11	-	11	2	4	-
E BATON ROUGE	125	56	2	25	4	10	28
BATON ROUGE*	103	48	2	21	2	7	23
BAKER*	2	-	-	1	-	1	-
EAST CARROLL	10	3	-	3	1	2	1
E FELICIANA	11	6	-	1	2	-	2
EVANGELINE	23	12	1	5	1	3	1
FRANKLIN	12	7	-	2	-	1	2
GRANT	9	5	-	-	1	1	2
IBERIA	29	18	1	2	5	1	2
NEW IBERIA*	8	6	-	1	-	-	1
IBERVILLE	20	7	-	7	-	4	2
JACKSON	8	2	-	3	1	1	1
JEFFERSON	127	61	-	17	9	19	21
KENNER*	16	11	-	2	1	1	1
GRETNA*	10	3	-	3	2	1	1
HARAHAN*	2	1	-	1	-	-	-
WESTWEGO*	2	1	-	-	-	1	-
JEFF DAVIS	18	13	1	3	-	-	1
JENNINGS*	-	-	-	-	-	-	-
LAFAYETTE	52	24	-	8	2	6	12
LAFAYETTE*	32	10	-	7	2	3	10
LAFOURCHE	47	31	-	2	5	4	5
THIBODAUX*	3	2	-	-	-	-	1
LASALLE	8	4	-	1	-	2	1
LINCOLN	17	7	-	2	1	3	4
RUSTON*	8	4	-	-	-	2	2
LIVINGSTON	34	16	-	6	1	9	2
MADISON	15	9	-	-	1	2	3
TALLULAH*	5	1	-	-	1	-	3
MOREHOUSE	12	2	-	3	1	6	-
BASTROP*	3	-	-	1	-	2	-
NATCHITOCHES	20	10	-	-	3	4	3
NATCHITOCHES*	3	1	-	-	-	-	2
ORLEANS	256	89	-	40	3	40	84
OUACHITA	46	17	-	8	2	9	10
MONROE*	21	4	-	6	-	4	7
WEST MONROE*	7	2	-	-	1	2	2
PLAQUEMINES	33	13	-	4	8	7	1
POINTE COUPEE	13	8	-	1	-	2	2
RAPIDES	76	37	-	8	1	14	16
ALEXANDRIA*	19	9	-	1	-	2	7
PINEVILLE*	9	2	-	-	-	4	3
RED RIVER	16	9	-	2	4	1	-

(CONTINUED)

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
RICHLAND	11	6	-	4	-	-	1
SABINE	11	9	-	-	-	2	-
ST BERNARD	27	9	-	8	3	5	2
ST CHARLES	21	14	1	2	2	1	1
ST HELENA	8	5	-	3	-	-	-
ST JAMES	14	12	-	1	1	-	-
ST JOHN	21	12	-	2	2	1	4
ST LANDRY	53	22	2	9	2	7	11
OPELOUSAS*	11	6	-	1	-	-	4
EUNICE*	9	2	-	2	-	-	5
ST MARTIN	18	11	-	3	1	2	1
ST MARY	58	23	1	10	6	15	3
MORGAN CITY*	2	1	-	-	-	1	-
ST TAMMANY	60	33	-	15	1	10	1
SLIDELL*	21	10	-	10	-	1	-
TANGIPAHOA	41	24	-	2	1	10	4
HAMMOND*	10	5	-	1	1	-	3
TENSAS	9	3	-	1	1	4	-
TERREBONNE	76	33	-	6	22	8	7
HOUMA*	20	11	-	2	1	2	4
UNION	21	13	1	1	-	2	4
VERMILION	36	15	1	4	10	2	4
ABBEVILLE*	4	1	-	1	-	-	2
VERNON	34	24	-	7	1	1	1
WASHINGTON	27	14	-	6	1	3	3
BOGALUSA*	7	2	-	1	-	1	3
WEBSTER	21	8	1	6	-	4	2
MINDEN*	7	1	1	4	-	-	1
W BATON ROUGE	25	16	1	1	1	6	-
WEST CARROLL	6	4	-	-	-	1	1
W FELICIANA	5	1	-	-	1	3	-
WINN	13	6	-	4	2	-	1
UNKNOWN***	-	-	-	-	-	-	-
OUT OF STATE**	29	10	-	3	9	5	2

* NOT INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF ACCIDENT UNKNOWN, ASSUMED LOUISIANA
NOTE: 7 DEATHS DUE TO DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949) EXCLUDED

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	990	966	11.9			346	164	53	30	35	338
				MW	235	81	44	16	11	9	74
				FW	181	56	42	12	8	5	58
				MNW	288	111	39	13	9	8	108
				FNW	262	98	39	12	2	13	98
ACADIA	5	13	11.3			3	2	-	2	-	6
				MW	4	2	-	-	2	-	-
				FW	5	-	1	-	-	-	4
				MNW	2	1	-	-	-	-	1
				FNW	2	-	1	-	-	-	1
CROWLEY*	2	6	20.2			3	-	-	-	-	3
				MW	2	2	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	1	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
ALLEN	-	3	8.8			1	-	1	-	-	1
				MW	2	-	-	1	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ASCENSION	1	13	11.0			6	2	-	-	1	4
				MW	5	2	-	-	-	-	3
				FW	4	2	1	-	-	-	1
				MNW	4	2	1	-	-	1	-
				FNW	-	-	-	-	-	-	-
ASSUMPTION	1	5	12.4			2	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	2	-	1	-	-	-	1
				MNW	3	2	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
AVOYELLES	3	8	11.3			2	-	1	1	1	3
				MW	4	1	-	-	1	1	1
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	2	-	-	1	-	-	1
BEAUREGARD	2	5	9.2			4	-	-	-	-	1
				MW	2	2	-	-	-	-	-
				FW	2	2	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
DE RIDDER*	2	1	4.8			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
BIENVILLE	-	3	10.2			-	1	-	-	1	1
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	1	1
				FNW	-	-	-	-	-	-	-
BOSSIER	8	13	8.0			2	3	-	1	-	7
				MW	5	1	1	-	1	-	2
				FW	6	-	2	-	-	-	4
				MNW	-	-	-	-	-	-	-
				FNW	2	1	-	-	-	-	1
BOSSIER CITY*	5	7	6.6			2	3	-	-	-	2
				MW	3	1	1	-	-	-	1
				FW	3	-	2	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
CADDO	121	63	12.2			22	10	3	1	1	26
				MW	13	5	3	1	1	-	3
				FW	7	1	3	-	-	-	3
				MNW	20	7	2	1	-	1	9
				FNW	23	9	2	1	-	-	11
SHREVEPORT*	119	59	13.8			21	9	3	-	1	25
				MW	11	4	3	1	-	-	3
				FW	6	1	2	-	-	-	3
				MNW	19	7	2	1	-	1	8
				FNW	23	9	2	1	-	-	11
CALCASIEU	45	35	11.1			13	12	-	1	3	6
				MW	14	6	5	-	-	2	1
				FW	6	3	1	-	-	-	2
				MNW	5	1	1	-	1	-	2
				FNW	10	3	5	-	-	1	1
LAKE CHARLES*	41	22	15.5			9	7	-	-	1	5
				MW	5	3	1	-	-	-	1
				FW	5	3	1	-	-	-	1
				MNW	3	1	-	-	-	-	2
				FNW	9	2	5	-	-	1	1
SULPHUR*	4	3	7.7			-	-	-	1	2	-
				MW	2	-	-	-	-	2	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	1	-	-
				FNW	-	-	-	-	-	-	-
CALDWELL	-	3	17.6			-	2	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
CAMERON	-	2	12.2			2	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CATAHOULA	1	2	9.9			-	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	-	-	-	-	-	2
CLAIBORNE	2	6	22.4			1	1	-	-	-	4
				MW	-	-	-	-	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	2	1	-	-	-	-	1
				FNW	2	-	1	-	-	-	1
CONCORDIA	4	8	20.4			3	-	-	1	1	3
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	3	1	-	-	1	-	1
				FNW	4	2	-	-	-	1	1
DESOTO	1	3	6.0			1	1	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
E BATON ROUGE	119	102	14.4			43	14	6	2	3	34
				MW	21	7	-	1	-	1	12
				FW	7	3	2	2	-	-	-
				MNW	42	20	7	2	2	-	11
				FNW	32	13	5	1	-	2	11

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
BATON ROUGE*	115	69	16.8			37	13	6	2	1	30
				MW	13	4	-	1	-	-	8
				FW	4	1	1	2	-	-	-
				MNW	42	20	7	2	2	-	11
				FNW	30	12	5	1	-	1	11
BAKER*	-	3	12.4			1	-	-	-	1	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	1	-	-	-	1	-
EAST CARROLL	2	5	21.7			3	1	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	2	-	-	-	-	-
				FNW	2	1	-	-	-	-	1
E FELICIANA	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
EVANGELINE	2	8	12.6			3	1	1	-	1	2
				MW	5	2	-	1	-	1	1
				FW	1	-	1	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
FRANKLIN	1	7	18.7			3	1	-	1	-	2
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	1	-	-
				MNW	2	1	-	-	-	-	1
				FNW	3	2	1	-	-	-	-
GRANT	1	2	7.8			-	-	1	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	1	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
IBERIA	4	9	6.2			4	1	-	-	1	3
				MW	3	2	-	-	-	-	1
				FW	3	2	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	2	-	1	-	-	1	-
NEW IBERIA*	4	5	6.7			2	-	-	-	1	2
				MW	1	1	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	1	-
IBERVILLE	2	8	12.7			3	2	-	1	-	2
				MW	1	-	1	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	5	1	1	-	1	-	2
				FNW	1	1	-	-	-	-	-
JACKSON	2	4	13.6			-	1	-	1	-	2
				MW	2	-	-	-	-	-	2
				FW	2	-	1	-	1	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
JEFFERSON	153	80	10.2			26	13	7	2	3	29
				MW	27	7	7	3	-	3	7
				FW	19	5	3	3	2	-	6
				MNW	16	8	2	1	-	-	5
				FNW	18	6	1	-	-	-	11

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
KENNER*	3	9	9.0			3	2	1	1	-	2
				MW	2	1	1	-	-	-	-
				FW	3	-	1	1	1	-	-
				MNW	2	1	-	-	-	-	1
				FNW	2	1	-	-	-	-	1
GRETNA*	17	4	8.3			1	-	2	-	-	1
				MW	1	-	-	-	-	-	1
				FW	3	1	-	2	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
HARAHAN*	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WESTWEGO*	-	6	28.2			1	2	-	1	-	2
				MW	1	-	1	-	-	-	-
				FW	3	-	1	-	1	-	1
				MNW	1	1	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
JEFF DAVIS	2	7	11.4			3	2	1	-	-	1
				MW	4	2	1	1	-	-	-
				FW	2	-	1	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
JENNINGS*	2	3	12.6			1	-	1	-	-	1
				MW	1	-	-	1	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
LAFAYETTE	61	34	9.9			17	6	2	1	1	7
				MW	10	4	4	1	1	-	-
				FW	8	5	1	1	-	-	1
				MNW	9	5	1	-	-	-	3
				FNW	7	3	-	-	-	1	3
LAFAYETTE*	61	25	13.8			12	4	1	1	1	6
				MW	7	3	2	1	1	-	-
				FW	5	3	1	-	-	-	1
				MNW	8	4	1	-	-	-	3
				FNW	5	2	-	-	-	1	2
LAFOURCHE	7	12	7.1			5	-	-	-	-	7
				MW	1	1	-	-	-	-	-
				FW	7	4	-	-	-	-	3
				MNW	3	-	-	-	-	-	3
				FNW	1	-	-	-	-	-	1
THIBODAUX*	6	4	12.5			1	-	-	-	-	3
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	-	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
LASALLE	1	1	4.5			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
LINCOLN	-	6	10.6			4	2	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	1	-	-	-	-
				FNW	3	2	1	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
RUSTON*	-	3	10.8			2	1	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	1	1	-	-	-	-	-
LIVINGSTON	5	15	11.2			4	3	1	-	1	6
				MW	7	2	1	1	-	-	3
				FW	7	2	2	-	-	1	2
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
MADISON	2	4	15.6			2	-	-	-	1	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	1	-	-	-	-	1	-
TALLULAH*	1	3	24.4			2	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
MOREHOUSE	4	10	16.3			3	1	1	-	1	4
				MW	3	1	-	-	-	1	1
				FW	1	1	-	-	-	-	-
				MNW	4	-	-	1	-	-	3
				FNW	2	1	1	-	-	-	-
BASTROP*	2	4	13.1			1	-	1	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	-	-	1	-	-	2
				FNW	1	1	-	-	-	-	-
NATCHITOCHES	1	4	6.1			-	-	-	-	-	4
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
NATCHITOCHES*	1	2	5.7			-	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
ORLEANS	240	173	16.4			63	34	11	2	4	59
				MW	19	4	5	2	-	-	8
				FW	16	3	6	1	-	2	4
				MNW	73	30	14	3	1	1	24
				FNW	65	26	9	5	1	1	23
OUACHITA	55	34	13.1			12	6	-	3	2	11
				MW	8	5	1	-	-	-	2
				FW	4	-	2	-	-	1	1
				MNW	12	3	2	-	2	1	4
				FNW	10	4	1	-	1	-	4
MONROE*	52	22	17.6			9	4	-	3	-	6
				MW	3	3	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	10	3	2	-	2	-	3
				FNW	8	3	1	-	1	-	3
WEST MONROE*	2	4	12.0			1	-	-	-	1	2
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	-	-	-	-	1	1
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
PLAQUEMINES	1	4	7.2			-	-	-	-	-	4
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
POINTE COUPEE	-	3	6.7			-	1	-	1	1	-
				MW	1	-	1	-	-	-	-
				FW	1	-	-	-	1	-	-
				MNW	1	-	-	-	-	1	-
				FNW	-	-	-	-	-	-	-
RAPIDES	34	20	8.5			5	5	1	1	2	6
				MW	6	-	3	-	-	-	3
				FW	5	2	2	-	-	-	1
				MNW	3	1	-	-	1	1	-
				FNW	6	2	-	1	-	1	2
ALEXANDRIA*	23	10	9.5			4	1	1	-	2	2
				MW	1	-	-	-	-	-	1
				FW	2	1	1	-	-	-	-
				MNW	2	1	-	-	-	1	-
				FNW	5	2	-	1	-	1	1
PINEVILLE*	7	7	23.6			1	3	-	1	-	2
				MW	2	-	2	-	-	-	-
				FW	3	1	1	-	-	-	1
				MNW	1	-	-	-	1	-	-
				FNW	1	-	-	-	-	-	1
RED RIVER	1	3	15.2			-	1	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
RICHLAND	3	8	20.0			2	1	1	-	-	4
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	5	1	1	-	-	-	3
				FNW	2	-	-	1	-	-	1
SABINE	1	4	9.9			3	1	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	2	1	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
ST BERNARD	1	7	6.5			3	2	-	2	-	-
				MW	6	3	1	-	2	-	-
				FW	1	-	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST CHARLES	2	12	13.8			6	-	1	1	-	4
				MW	4	2	-	-	-	-	2
				FW	4	3	-	-	1	-	-
				MNW	2	1	-	-	-	-	1
				FNW	2	-	-	1	-	-	1
ST HELENA	1	3	18.1			2	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	2	1	-	-	-	-	1
ST JAMES	-	3	6.1			1	2	-	-	-	-
				MW	2	-	2	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ST JOHN	5	16	18.3			3	4	3	-	2	4
				MW	3	-	1	-	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	6	1	1	2	-	-	2
				FNW	7	2	2	1	-	2	-
ST LANDRY	6	18	10.6			4	2	2	-	2	8
				MW	2	1	-	1	-	-	-
				FW	5	2	1	-	-	-	2
				MNW	5	-	1	1	-	-	3
				FNW	6	1	-	-	-	2	3
OPELOUSAS*	2	5	11.0			-	-	-	-	1	4
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	3	-	-	-	-	1	2
EUNICE*	1	2	7.1			2	-	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST MARTIN	4	10	10.8			4	-	1	1	-	4
				MW	3	1	-	1	-	-	1
				FW	3	2	-	-	1	-	-
				MNW	2	-	-	-	-	-	2
				FNW	2	1	-	-	-	-	1
ST MARY	3	11	8.4			5	2	-	-	-	4
				MW	2	2	-	-	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	3	2	-	-	-	-	1
				FNW	4	1	2	-	-	-	1
MORGAN CITY*	1	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST TAMMANY	12	28	11.5			8	7	4	3	-	6
				MW	13	5	2	1	3	-	2
				FW	10	1	4	2	-	-	3
				MNW	2	-	-	1	-	-	1
				FNW	3	2	1	-	-	-	-
SLIDELL*	8	8	16.7			2	2	2	1	-	1
				MW	5	2	1	1	1	-	-
				FW	3	-	1	1	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
TANGIPAHOA	8	15	8.8			4	4	1	-	1	5
				MW	1	-	1	-	-	-	-
				FW	5	1	2	-	-	1	1
				MNW	1	1	-	1	-	-	2
				FNW	5	2	1	-	-	-	2
HAMMOND*	1	6	20.3			1	1	-	-	1	3
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	1	-
				MNW	3	1	-	-	-	-	2
				FNW	2	-	1	-	-	-	1
TENSAS	-	1	6.0			-	-	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TERREBONNE	20	21	10.1			12	1	-	-	-	8
				MW	3	2	-	-	-	-	1
				FW	8	5	1	-	-	-	2
				MNW	7	3	-	-	-	-	4
				FNW	3	2	-	-	-	-	1
HOUMA*	5	12	14.0			8	-	-	-	-	4
				MW	-	-	-	-	-	-	-
				FW	5	4	-	-	-	-	1
				MNW	5	3	-	-	-	-	2
				FNW	2	1	-	-	-	-	1
UNION	1	6	18.4			4	-	-	-	-	2
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	3	3	-	-	-	-	-
VERMILION	2	7	7.0			4	1	-	-	-	2
				MW	1	1	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	2	1	1	-	-	-	-
				FNW	2	1	-	-	-	-	1
ABBEVILLE*	1	5	16.6			2	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	1	1	-	-	-	-
				FNW	2	1	-	-	-	-	1
VERNON	12	23	15.7			6	2	1	-	-	14
				MW	10	2	-	1	-	-	7
				FW	6	1	-	-	-	-	5
				MNW	5	2	1	-	-	-	2
				FNW	2	1	1	-	-	-	-
WASHINGTON	8	7	9.4			1	-	-	-	-	6
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	3	1	-	-	-	-	2
				FNW	3	-	-	-	-	-	3
BOGALUSA*	6	3	11.8			-	-	-	-	-	3
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
WEBSTER	4	10	14.0			3	3	2	-	-	2
				MW	2	1	1	-	-	-	-
				FW	3	-	1	2	-	-	-
				MNW	3	1	1	-	-	-	1
				FNW	2	1	-	-	-	-	1
MINDEN*	2	2	7.6			1	1	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	-	-	-	-	-	-	-
W BATON ROUGE	-	6	14.4			4	-	-	-	1	1
				MW	-	-	-	-	-	-	-
				FW	2	2	-	-	-	-	-
				MNW	1	-	-	-	-	1	-
				FNW	3	2	-	-	-	-	1
WEST CARROLL	2	4	17.9			2	-	-	-	-	2
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	1	-	-	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
W FELICIANA	1	3	19.5			-	1	-	1	-	1
				MW	1	-	1	-	-	-	-
				FW	1	-	-	-	1	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
WINN	-	3	11.7			-	1	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	1	-	-	-	-	-	1
OUT OF STATE**	16	40				8	12	6	3	2	9
				MW	16	2	4	4	1	-	5
				FW	13	2	6	1	1	-	3
				MNW	9	3	2	-	1	2	1
				FNW	2	1	-	1	-	-	-

*CITIES INCLUDED IN PARISH TOTALS

**NOT INCLUDED IN STATE TOTALS

TABLE XX-B
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1985

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	990	966	11.9			346	164	53	30	35	338
				MW	235	81	44	16	11	9	74
				FW	181	56	42	12	8	5	58
				MNW	288	111	39	13	9	8	108
				FNW	262	98	39	12	2	13	98
SPD 1	407	292	13.0			100	56	22	9	7	98
				MW	66	19	15	6	5	3	18
				FW	47	9	14	6	2	2	14
				MNW	92	38	16	5	1	1	31
				FNW	87	34	11	5	1	1	35
SPD 2	145	175	12.3			67	27	8	5	8	60
				MW	37	11	5	2	-	1	18
				FW	29	11	7	2	2	2	5
				MNW	63	26	9	3	3	3	19
				FNW	46	19	6	1	-	2	18
SPD 3	35	69	10.8			29	8	4	1	2	25
				MW	13	5	3	-	-	-	5
				FW	21	12	2	-	1	-	6
				MNW	21	7	1	2	-	-	11
				FNW	14	5	2	2	-	2	3
SPD 4	87	110	9.5			44	15	6	4	5	36
				MW	30	15	4	4	3	1	3
				FW	29	12	4	1	1	-	11
				MNW	26	10	3	1	-	-	12
				FNW	25	7	4	-	-	4	10
SPD 5	49	52	10.8			23	14	2	1	3	9
				MW	22	10	6	2	-	2	2
				FW	11	6	2	-	-	-	3
				MNW	9	4	1	-	1	-	3
				FNW	10	3	5	-	-	1	1
SPD 6	56	67	11.4			16	8	4	3	4	32
				MW	22	3	3	1	1	1	13
				FW	12	3	2	1	-	-	6
				MNW	14	5	2	-	2	1	4
				FNW	19	5	1	2	-	2	9
SPD 7	139	115	11.1			36	23	5	2	2	47
				MW	26	9	6	1	2	-	8
				FW	21	2	7	2	-	-	10
				MNW	32	11	4	1	-	2	14
				FNW	36	14	6	1	-	-	15
SPD 8	72	86	15.2			31	13	2	5	4	31
				MW	19	9	2	-	-	1	7
				FW	11	1	4	-	2	1	3
				MNW	31	10	3	1	2	1	14
				FNW	25	11	4	1	1	1	7
HSA 1	442	361	12.5			129	64	26	10	9	123
				MW	79	24	18	6	5	3	23
				FW	68	21	16	6	3	2	20
				MNW	113	45	17	7	1	1	42
				FNW	101	39	13	7	1	3	38
HSA 2	281	337	11.0			134	56	16	10	16	105
				MW	89	36	15	8	3	4	23
				FW	69	29	13	3	3	2	19
				MNW	98	40	13	4	4	3	34
				FNW	81	29	15	1	-	7	29
HSA 3	267	268	12.2			83	44	11	10	10	110
				MW	67	21	11	2	3	2	28
				FW	44	6	13	3	2	1	19
				MNW	77	26	9	2	4	4	32
				FNW	80	30	11	4	1	3	31

TABLE XXI
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE OF DEATH AND RACE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1985

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES*			
		UNDER 1	1-6	7-13	14-20	21-27	28-364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		4.3	2.0	0.7	0.4	0.4	4.2	6.3	7.7	15.5	11.9
	W	2.8	1.8	0.6	0.4	0.3	2.7	4.6	5.9	11.2	8.6
	NW	6.4	2.4	0.8	0.3	0.6	6.3	8.7	10.5	21.8	16.7
SPD 1		4.5	2.5	1.0	0.4	0.3	4.4	7.0	8.6	17.5	13.0
	W	2.4	2.5	1.0	0.6	0.4	2.8	4.9	7.0	12.2	9.8
	NW	6.6	2.5	0.9	0.2	0.2	6.1	9.1	10.4	23.2	16.5
SPD 2		4.7	1.9	0.6	0.4	0.6	4.2	6.6	8.1	14.3	12.3
	W	2.6	1.4	0.5	0.2	0.4	2.7	4.0	5.1	10.1	7.8
	NW	7.7	2.6	0.7	0.5	0.9	6.4	10.3	12.4	20.4	18.8
SPD 3		4.5	1.2	0.6	0.2	0.3	3.9	5.8	6.9	14.1	10.8
	W	3.8	1.1	-	0.2	-	2.5	5.0	5.2	11.7	7.7
	NW	6.0	1.5	2.0	-	1.0	7.0	7.5	10.5	19.3	17.5
SPD 4		3.8	1.3	0.5	0.3	0.4	3.1	5.1	6.4	14.8	9.5
	W	3.5	1.0	0.6	0.5	0.1	1.8	4.5	5.8	11.5	7.6
	NW	4.4	1.8	0.3	-	1.0	5.8	6.3	7.6	21.4	13.3
SPD 5		4.8	2.9	0.4	0.2	0.6	1.9	7.7	9.0	14.9	10.8
	W	4.5	2.2	0.6	-	0.6	1.4	6.7	7.9	12.0	9.3
	NW	5.7	4.8	-	0.8	0.8	3.2	10.5	12.1	23.1	15.3
SPD 6		2.7	1.4	0.7	0.5	0.7	5.5	4.1	6.0	14.7	11.4
	W	1.5	1.3	0.5	0.3	0.3	4.9	2.8	3.9	12.0	8.7
	NW	5.1	1.5	1.0	1.0	1.5	6.6	6.6	10.2	20.1	16.8
SPD 7		3.5	2.2	0.5	0.2	0.2	4.5	5.7	6.5	14.4	11.1
	W	1.9	2.2	0.5	0.3	-	3.1	4.1	5.0	9.9	8.0
	NW	5.5	2.2	0.4	-	0.4	6.4	7.7	8.6	20.2	15.0
SPD 8		5.5	2.3	0.4	0.9	0.7	5.5	7.8	9.7	17.0	15.2
	W	3.4	2.0	-	0.7	0.7	3.4	5.4	6.7	10.1	10.1
	NW	7.8	2.6	0.7	1.1	0.7	7.8	10.4	13.1	24.6	20.9
HSA 1		4.5	2.2	0.9	0.3	0.3	4.3	6.7	8.3	16.7	12.5
	W	2.8	2.1	0.8	0.5	0.3	2.7	4.9	6.5	12.0	9.2
	NW	6.5	2.3	1.1	0.2	0.3	6.2	8.9	10.4	22.6	16.7
HSA 2		4.4	1.8	0.5	0.3	0.5	3.4	6.2	7.6	14.6	11.0
	W	3.3	1.4	0.6	0.3	0.3	2.1	4.7	5.9	11.0	8.0
	NW	6.3	2.6	0.5	0.4	0.9	5.8	8.9	10.7	21.1	16.5
HSA 3		3.8	2.0	0.5	0.5	0.5	5.0	5.8	7.2	15.2	12.2
	W	2.1	1.9	0.4	0.4	0.2	3.7	4.0	5.0	10.6	8.7
	NW	6.1	2.2	0.7	0.5	0.8	6.9	8.3	10.2	21.5	17.1

*PERINATAL RATE PER 1000 DELIVERIES,ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL..	966	1186.7			346	164	53	30	35	338
			WM	235	81	44	16	11	9	74
			WF	181	56	42	12	8	5	58
			NWM	288	111	39	13	9	8	108
			NWF	262	98	39	12	2	13	98
CERTAIN INTESTINAL INFECTIONS-(008-009)......................	5	6.1			-	-	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	2	-	-	-	-	-	2
WHOOPING COUGH-(033)..	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
MENINGOCOCCAL INFECTION-(036)...............................	4	4.9			-	-	-	-	-	4
			WM	2	-	-	-	-	-	2
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
SEPTICEMIA-(038)..	8	9.8			-	-	-	-	-	8
			WM	1	-	-	-	-	-	1
			WF	2	-	-	-	-	-	2
			NWM	2	-	-	-	-	-	2
			NWF	3	-	-	-	-	-	3
VIRAL DISEASES-(045-079)....................................	3	3.7			-	-	-	-	-	3
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	-	-	2
			NWF	-	-	-	-	-	-	-
CONGENITAL SYPHILIS-(090)...................................	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-041,080-088,091-139).......	5	6.1			-	-	-	-	-	5
			WM	1	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	-	4
			NWF	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208).............................	4	4.9			-	1	-	-	1	2
			WM	-	-	-	-	-	-	-
			WF	2	-	1	-	-	1	-
			NWM	-	-	-	-	-	-	-
			NWF	2	-	-	-	-	-	2
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239).......	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)..............................	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
CYSTIC FIBROSIS-(277.0).....................................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289).........	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
MENINGITIS-(320-322)	10	12.3			-	-	-	-	1	9
			WM	2	-	-	-	-	-	2
			WF	4	-	-	-	-	1	3
			NWM	3	-	-	-	-	-	3
			NWF	1	-	-	-	-	-	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	12	14.7			-	-	-	1	-	11
			WM	2	-	-	-	-	-	2
			WF	3	-	-	-	-	-	3
			NWM	4	-	-	-	1	-	3
			NWF	3	-	-	-	-	-	3
ACUTE UPPER RESPIRATORY INFECTIONS-(460-465)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	5	6.1			-	-	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	2	-	-	-	-	-	2
PNEUMONIA AND INFLUENZA-(480-487)	29	35.6			2	-	2	-	1	24
			WM	4	2	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	18	-	-	2	-	1	15
			NWF	7	-	-	-	-	-	7
PNEUMONIA-(480-486)	29	35.6			2	-	2	-	1	24
			WM	4	2	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	18	-	-	2	-	1	15
			NWF	7	-	-	-	-	-	7
INFLUENZA-(487)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	23	28.3			-	2	-	-	-	21
			WM	4	-	-	-	-	-	4
			WF	5	-	1	-	-	-	4
			NWM	7	-	-	-	-	-	7
			NWF	7	-	1	-	-	-	6
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)	3	3.7			-	-	-	-	-	3
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	2
			NWF	1	-	-	-	-	-	1
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)	6	7.4			-	-	-	-	-	6
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	3	-	-	-	-	-	3
CONGENITAL ANOMALIES-(740-759)	200	245.7			58	45	17	7	11	62
			WM	69	25	19	4	2	2	17
			WF	49	13	12	4	3	1	16
			NWM	32	9	6	4	1	2	10
			NWF	50	11	8	5	1	6	19
ANENCEPHALUS AND SIMILAR ANOMALIES-(740)	11	13.5			7	3	-	-	-	1
			WM	2	1	1	-	-	-	-
			WF	2	1	1	-	-	-	-
			NWM	2	1	1	-	-	-	-
			NWF	5	4	-	-	-	-	1

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
SPINA BIFIDA-(741)	3	3.7			2	1	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	2	1	1	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS-(742.3)	8	9.8			2	1	1	-	2	2
			WM	3	1	1	-	-	-	1
			WF	1	1	-	-	-	-	-
			NWM	2	-	-	1	-	1	-
			NWF	2	-	-	-	-	1	1
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-(742.0-742.2,742.4-742.9,743)	6	7.4			2	-	-	-	-	4
			WM	2	1	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	2	1	-	-	-	-	1
			NWF	2	-	-	-	-	-	2
CONGENITAL ANOMALIES OF HEART-(745-746)	55	67.6			4	12	8	5	4	22
			WM	23	3	6	3	2	-	9
			WF	11	-	3	2	2	1	3
			NWM	7	1	1	1	-	-	4
			NWF	14	-	2	2	1	3	6
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-(747)	12	14.7			1	7	-	-	1	3
			WM	5	-	3	-	-	1	1
			WF	2	1	1	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	5	-	3	-	-	-	2
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)	25	30.7			16	6	-	1	-	2
			WM	12	10	2	-	-	-	-
			WF	5	3	-	-	-	-	2
			NWM	5	2	2	-	1	-	-
			NWF	3	1	2	-	-	-	-
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749-751)	5	6.1			-	-	-	-	1	4
			WM	3	-	-	-	-	1	2
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)	9	11.1			4	3	-	-	-	2
			WM	4	1	3	-	-	-	-
			WF	2	1	-	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	3	2	-	-	-	-	1
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756)	18	22.1			4	4	3	1	2	4
			WM	5	3	1	1	-	-	-
			WF	6	1	2	-	1	-	2
			NWM	6	-	1	2	-	1	2
			NWF	1	-	-	-	-	1	-
DOWN'S SYNDROME-(758.0)	1	1.2			1	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)	22	27.0			3	6	3	-	1	9
			WM	3	1	1	-	-	-	1
			WF	8	-	4	1	-	-	3
			NWM	3	1	-	-	-	-	2
			NWF	8	1	1	2	-	1	3
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)	25	30.7			12	2	2	-	-	9
			WM	6	3	1	-	-	-	2
			WF	10	4	-	1	-	-	5
			NWM	3	2	1	-	-	-	-
			NWF	6	3	-	1	-	-	2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	471	578.6			283	106	29	16	17	20
			WM	103	53	24	10	7	4	5
			WF	78	42	23	7	2	2	2
			NWM	155	102	31	6	6	4	6
			NWF	135	86	28	6	1	7	7

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760)..............	2	2.5			1	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	1	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761).......................................	30	36.9			27	2	-	-	-	1
			WM	9	9	-	-	-	-	-
			WF	3	3	-	-	-	-	-
			NWM	5	5	-	-	-	-	-
			NWF	13	10	2	-	-	-	1
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD,AND MEMBRANES-(762)..................................	13	16.0			10	2	1	-	-	-
			WM	2	2	-	-	-	-	-
			WF	4	4	-	-	-	-	-
			NWM	3	1	2	-	-	-	-
			NWF	4	3	-	1	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763)......................................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764)...........	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765)....................................	79	97.1			71	8	-	-	-	-
			WM	13	13	-	-	-	-	-
			WF	12	9	3	-	-	-	-
			NWM	28	26	2	-	-	-	-
			NWF	26	23	3	-	-	-	-
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766)...	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BIRTH TRAUMA-(767).......................................	20	24.6			3	14	2	-	1	-
			WM	6	1	4	1	-	-	-
			WF	2	-	2	-	-	-	-
			NWM	8	1	7	-	-	-	-
			NWF	4	1	1	1	-	1	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768)............	44	54.1			24	17	3	-	-	-
			WM	7	3	3	1	-	-	-
			WF	7	5	2	-	-	-	-
			NWM	12	6	5	1	-	-	-
			NWF	18	10	7	1	-	-	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4)......	1	1.2			-	1	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	1	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9)..........................	43	52.8			24	16	3	-	-	-
			WM	7	3	3	1	-	-	-
			WF	7	5	2	-	-	-	-
			NWM	12	6	5	1	-	-	-
			NWF	17	10	6	1	-	-	-
RESPIRATORY DISTRESS SYNDROME-(769)......................	72	88.5			30	23	8	3	3	5
			WM	21	7	8	2	1	1	2
			WF	18	3	9	5	-	-	1
			NWM	20	13	3	1	2	1	-
			NWF	13	7	3	-	-	1	2
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770)............	70	86.0			31	14	4	3	5	13
			WM	14	7	1	2	-	1	3
			WF	9	4	1	1	1	1	1
			NWM	24	12	4	1	1	1	5
			NWF	23	8	8	-	1	2	4

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)........	21	25.8			6	5	2	4	4	-
			WM	9	2	3	2	2	-	-
			WF	3	1	1	-	-	1	-
			NWM	5	2	-	-	2	1	-
			NWF	4	1	1	-	-	2	-
NEONATAL HEMORRHAGE-(772)................................	7	8.6			1	2	1	2	1	-
			WM	3	-	-	1	2	-	-
			WF	2	-	2	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	1	-	-	-	-	1	-
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)..................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS-(775.0-775.1).................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776.0)...................	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)..........	113	138.8			79	19	8	4	3	-
			WM	19	9	5	1	2	2	-
			WF	18	13	3	1	1	-	-
			NWM	47	34	8	3	1	1	-
			NWF	29	23	3	3	-	-	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799).........	82	100.7			1	2	1	4	1	73
			WM	27	-	1	-	2	1	23
			WF	17	-	1	-	2	-	14
			NWM	19	-	-	-	-	-	19
			NWF	19	1	-	1	-	-	17
SUDDEN INFANT DEATH SYNDROME-(798.0).....................	61	74.9			1	2	1	4	1	52
			WM	23	-	1	-	2	1	19
			WF	14	-	1	-	2	-	11
			NWM	13	-	-	-	-	-	13
			NWF	11	1	-	1	-	-	9
SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799)......................................	21	25.8			-	-	-	-	-	21
			WM	4	-	-	-	-	-	4
			WF	3	-	-	-	-	-	3
			NWM	6	-	-	-	-	-	6
			NWF	8	-	-	-	-	-	8
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)....................	16	19.7			-	-	-	-	1	15
			WM	6	-	-	-	-	1	5
			WF	1	-	-	-	-	-	1
			NWM	6	-	-	-	-	-	6
			NWF	3	-	-	-	-	-	3
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)......................................	4	4.9			-	-	-	-	-	4
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	-	-	1
ACCIDENTAL MECHANICAL SUFFOCATION-(E913).................	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949).......................................	11	13.5			-	-	-	-	1	10
			WM	4	-	-	-	-	1	3
			WF	1	-	-	-	-	-	1
			NWM	4	-	-	-	-	-	4
			NWF	2	-	-	-	-	-	2

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
HOMICIDE-(E960-E969)	5	6.1			-	-	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	2	-	-	-	-	-	2
CHILD BATTERING AND OTHER MALTREATMENT-(E967)	5	6.1			-	-	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	2	-	-	-	-	-	2
OTHER HOMICIDE-(E960-E966,E968-E969)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER CAUSES-(RESIDUAL)	70	86.0			2	8	4	2	2	52
			WM	13	1	-	2	-	1	9
			WF	17	1	4	1	1	-	10
			NWM	21	-	2	1	1	1	16
			NWF	19	-	2	-	-	-	17

* RATE PER 100,000 LIVE BIRTHS

TABLE XXIII
MATERNAL DEATHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1985

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE PER 100,000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	9	9	11.1		9	-	2	3	2	-	1	1	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	7	-	2	2	1	-	1	1	-	-
CADDO	3	3	58.2		3	-	-	1	1	-	-	1	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	-	-	1	-	-	1	-	-
JEFFERSON	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS	1	1	163.4		1	-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
ORLEANS	4	4	37.9		4	-	2	1	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	4	-	2	1	-	-	1	-	-	-
ST CHARLES	-	1	115.2		1	-	-	-	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-

** NOT INCLUDED IN STATE TOTALS

TABLE XXIV
MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1985

CAUSE OF DEATH	TOTAL	RATE*	RACE	TOTAL BY RACE	AGE								
					LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UN
TOTAL	9	11.1	W	2	-	-	1	1	-	-	-	-	-
			NW	7	-	2	2	1	-	1	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	1	-	-
ECTOPIC PREGNANCY-(633)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	1	-	-
SPONTANEOUS ABORTION-(634)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION-(635)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME-(630-632,637-638)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES-(640-646,651-676)	8	9.8	W	2	-	-	1	1	-	-	-	-	-
			NW	6	-	2	2	1	-	1	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)	2	2.5	W	-	-	-	-	-	-	-	-	-	-
			NW	2	-	1	1	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
OBSTRUCTED LABOR-(660)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM-(670-676)	3	3.7	W	1	-	-	-	1	-	-	-	-	-
			NW	2	-	-	-	1	-	1	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-642.0-642.3, 644-646,651-659,661-665,667-669)	2	2.5	W	1	-	-	1	-	-	-	-	-	-
			NW	1	-	1	-	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES-(647-648)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	ACTINOMYCOSIS	AIDS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BOTULISM (INFANT)	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS
TOTAL	-	125	3	-	101	-	-	-	2	-	20	-	1	-
ACADIA	-	1	-	-	5	-	-	-	-	-	-	-	-	-
CROWLEY*	-	1	-	-	4	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ASCENSION	-	1	-	-	2	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	1	-	-	1	-	-	-	-	-	-	-	-	-
AVOYELLES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	1	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	3	-	-	1	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	-	6	-	-	6	-	-	-	-	-	-	-	-	-
SHREVEPORT*	-	3	-	-	6	-	-	-	-	-	-	-	-	-
CALCASIEU	-	1	1	-	1	-	-	-	-	-	1	-	-	-
LAKE CHARLES*	-	1	1	-	1	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	1	-	-	-	-	-	-	-	-	-
DESOTO	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E BATON ROUGE	-	9	-	-	11	-	-	-	-	-	-	-	-	-
BATON ROUGE*	-	9	-	-	10	-	-	-	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	1	1	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	13	-	-	13	-	-	-	-	-	-	-	-	-
KENNER*	-	1	-	-	2	-	-	-	-	-	-	-	-	-
GRETNA*	-	2	-	-	-	-	-	-	-	-	-	-	-	-
HARAHAN*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	2	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE*	-	2	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	-	-	7	-	-	-	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	5	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	1	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	4	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	72	1	-	17	-	-	-	-	-	19	-	-	-
OUACHITA	-	1	-	-	-	-	-	-	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	1	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	1	-	-	1	-	-	-	-	-	-	-	-	-
ST CHARLES	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	-	-	-	-	3	-	-	-	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	2	-	-	7	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	4	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	1	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	-	-	13	-	-	-	-	-	-	-	-	-
HOUMA*	-	-	-	-	10	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	1	-	-	-	-	-	-	1	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	1	-	-	2	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	1	-	-	-	-	-	-	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST-INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED	FOOD POISONING	GIARDIASIS	GONORRHEA	GRANULOMA INGUINALE	HAEMOPHILUS TYPE B MENINGITIS	HEPATITIS, TYPE A	HEPATITIS, TYPE B	HEPATITIS, NON A, NON B.
TOTAL	-	-	-	-	-	15	-	-	21256	1	118	142	253	34
ACADIA	-	-	-	-	-	-	-	-	105	-	-	2	3	2
CROWLEY*	-	-	-	-	-	-	-	-	74	-	-	1	-	1
ALLEN	-	-	-	-	-	-	-	-	94	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	67	-	4	-	2	-
ASSUMPTION	-	-	-	-	-	1	-	-	86	-	-	-	2	-
AVOYELLES	-	-	-	-	-	-	-	-	48	-	1	2	-	-
BEAUREGARD	-	-	-	-	-	-	-	-	41	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	12	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	43	-	2	1	-	-
BOSSIER	-	-	-	-	-	1	-	-	239	-	-	6	2	2
BOSSIER CITY*	-	-	-	-	-	-	-	-	157	-	-	3	-	1
CADDO	-	-	-	-	-	2	-	-	2445	-	5	24	7	1
SHREVEPORT*	-	-	-	-	-	2	-	-	2436	-	5	22	7	1
CALCASIEU	-	-	-	-	-	1	-	-	829	-	1	8	2	1
LAKE CHARLES*	-	-	-	-	-	-	-	-	759	-	-	4	2	-
SULPHUR*	-	-	-	-	-	1	-	-	32	-	-	-	-	1
CALDWELL	-	-	-	-	-	-	-	-	28	-	-	1	-	-
CAMERON	-	-	-	-	-	-	-	-	9	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	30	-	-	1	1	-
CLAIBORNE	-	-	-	-	-	-	-	-	47	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	53	-	2	-	4	-
DESOTO	-	-	-	-	-	-	-	-	11	-	-	-	1	1
E BATON ROUGE	-	-	-	-	-	4	-	-	1412	-	16	4	7	2
BATON ROUGE*	-	-	-	-	-	4	-	-	1209	-	15	4	5	2
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	104	-	-	2	-	-
E FELICIANA	-	-	-	-	-	-	-	-	29	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	16	-	-	-	1	1
FRANKLIN	-	-	-	-	-	-	-	-	107	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	23	-	-	2	-	-
IBERIA	-	-	-	-	-	-	-	-	231	-	2	1	8	2
NEW IBERIA*	-	-	-	-	-	-	-	-	222	-	-	-	6	2
IBERVILLE	-	-	-	-	-	1	-	-	74	-	3	1	2	-
JACKSON	-	-	-	-	-	-	-	-	32	-	-	-	1	-
JEFFERSON	-	-	-	-	-	1	-	-	1144	-	9	11	42	3
KENNER*	-	-	-	-	-	-	-	-	31	-	2	5	4	2
GRETNA*	-	-	-	-	-	-	-	-	24	-	-	1	7	-
HARAHAN*	-	-	-	-	-	-	-	-	2	-	-	-	2	-
WESTWEGO*	-	-	-	-	-	-	-	-	6	-	-	-	1	-
JEFF DAVIS	-	-	-	-	-	-	-	-	62	-	1	3	5	2
JENNINGS*	-	-	-	-	-	-	-	-	56	-	-	-	3	2
LAFAYETTE	-	-	-	-	-	-	-	-	852	-	3	7	14	1
LAFAYETTE*	-	-	-	-	-	-	-	-	788	-	3	5	10	1
LAFOURCHE	-	-	-	-	-	1	-	-	267	-	3	2	1	-
THIBODAUX*	-	-	-	-	-	-	-	-	231	-	3	1	1	-
LASALLE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LINCOLN	-	-	-	-	-	1	-	-	147	-	-	2	3	1
RUSTON*	-	-	-	-	-	1	-	-	90	-	-	2	3	-
LIVINGSTON	-	-	-	-	-	1	-	-	10	-	4	-	1	-
MADISON	-	-	-	-	-	-	-	-	70	-	-	1	2	-
TALLULAH*	-	-	-	-	-	-	-	-	69	-	-	1	1	-
MOREHOUSE	-	-	-	-	-	-	-	-	339	-	-	1	-	-
BASTROP*	-	-	-	-	-	-	-	-	338	-	-	1	-	-
NATCHITOCHES	-	-	-	-	-	-	-	-	60	-	-	-	1	2
NATCHITOCHES*	-	-	-	-	-	-	-	-	51	-	-	-	1	-
ORLEANS	-	-	-	-	-	-	-	-	7336	1	21	13	72	1
OUACHITA	-	-	-	-	-	-	-	-	1033	-	4	6	3	1
MONROE*	-	-	-	-	-	-	-	-	1021	-	1	4	1	1
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	2	1	1	-
PLAQUEMINES	-	-	-	-	-	-	-	-	18	-	2	-	2	-
POINTE COUPEE	-	-	-	-	-	-	-	-	32	-	-	-	-	1
RAPIDES	-	-	-	-	-	-	-	-	1024	-	1	3	8	3
ALEXANDRIA*	-	-	-	-	-	-	-	-	976	-	1	2	3	2
PINEVILLE*	-	-	-	-	-	-	-	-	3	-	-	-	2	-
RED RIVER	-	-	-	-	-	-	-	-	13	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	84	-	-	1	-	-
SABINE	-	-	-	-	-	-	-	-	4	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	37	-	3	1	7	1
ST CHARLES	-	-	-	-	-	-	-	-	89	-	2	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	19	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	83	-	1	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	42	-	1	-	4	-
ST LANDRY	-	-	-	-	-	-	-	-	305	-	2	1	5	-
OPELOUSAS*	-	-	-	-	-	-	-	-	280	-	2	-	4	-
EUNICE*	-	-	-	-	-	-	-	-	10	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-	-	-	63	-	1	1	2	1
ST MARY	-	-	-	-	-	-	-	-	120	-	2	2	1	-
MORGAN CITY*	-	-	-	-	-	-	-	-	40	-	-	1	1	-
ST TAMMANY	-	-	-	-	-	-	-	-	195	-	7	3	7	1
SLIDELL*	-	-	-	-	-	-	-	-	189	-	2	2	1	1
TANGIPAHOA	-	-	-	-	-	-	-	-	133	-	-	4	5	2
HAMMOND*	-	-	-	-	-	-	-	-	113	-	-	-	1	-
TENSAS	-	-	-	-	-	-	-	-	24	-	1	-	-	-
TERREBONNE	-	-	-	-	-	1	-	-	518	-	6	6	3	1
HOUMA*	-	-	-	-	-	-	-	-	506	-	3	4	2	-
UNION	-	-	-	-	-	-	-	-	74	-	-	-	1	-
VERMILION	-	-	-	-	-	-	-	-	57	-	4	12	5	1
ABBEVILLE*	-	-	-	-	-	-	-	-	55	-	1	4	-	-
VERNON	-	-	-	-	-	-	-	-	527	-	1	2	3	-
WASHINGTON	-	-	-	-	-	-	-	-	58	-	-	4	6	-
BOGALUSA*	-	-	-	-	-	-	-	-	56	-	-	2	3	-
WEBSTER	-	-	-	-	-	-	-	-	185	-	-	1	3	-
MINDEN*	-	-	-	-	-	-	-	-	176	-	-	-	1	-
W BATON ROUGE	-	-	-	-	-	-	-	-	18	-	2	-	2	-
WEST CARROLL	-	-	-	-	-	-	-	-	17	-	1	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	25	-	-	-	2	-
WINN	-	-	-	-	-	-	-	-	14	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	35	-	-	-	-	-

(CONTINUED)
2

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTERIOSIS	LYMPHOCYTIC CHORIO-MENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS	MUMPS	MYCOBACTERIOSIS, ATYPICAL
TOTAL	35	-	-	5	13	1	-	-	20	6	42	38	2	128
ACADIA	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CROWLEY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	1	-	-	-	-	-	-	-	-	-	-	-	-	2
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	3	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	1	-	2
AVOYELLES	-	-	-	-	-	-	-	-	-	-	-	1	-	2
BEAUREGARD	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	1	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	8	-	-	-	1	-	-	-	-	-	-	2	-	3
SHREVEPORT*	6	-	-	-	-	-	-	-	-	-	-	1	-	3
CALCASIEU	-	-	-	-	1	-	-	-	2	-	-	1	-	9
LAKE CHARLES*	-	-	-	-	-	-	-	-	2	-	-	-	-	7
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	1	-	1
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	1	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	-	-	2
E BATON ROUGE	-	-	-	-	1	-	-	-	-	1	1	4	-	15
BATON ROUGE*	-	-	-	-	1	-	-	-	-	1	1	4	-	14
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	2	-	-	-	-	-	-	-	-	-	-	-	-	1
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	1
GRANT	1	-	-	2	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	-	-	1	-	-	-	-	2	-	1	-	1
NEW IBERIA*	-	-	-	-	1	-	-	-	-	1	-	-	-	-
IBERVILLE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	3	-	-	1	2	-	-	-	1	-	-	4	-	19
KENNER*	1	-	-	-	-	-	-	-	-	-	-	2	-	3
GRETNA*	1	-	-	-	-	-	-	-	-	-	-	-	-	1
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
WESTWEGO*	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	1
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	-	-	-	-	-	1	-	-	-	2
LAFAYETTE*	-	-	-	-	-	-	-	-	-	1	-	-	-	2
LAFOURCHE	1	-	-	-	-	-	-	-	-	-	-	1	-	3
THIBODAUX*	-	-	-	-	-	-	-	-	-	-	-	1	-	1
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	1	-	-	-	-	-	-	-	-	1
RUSTON*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
LIVINGSTON	-	-	-	-	1	-	-	-	-	-	-	2	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	1
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
NATCHITOCHES	-	-	-	-	-	-	-	-	-	-	-	-	-	2
NATCHITOCHES*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ORLEANS	5	-	-	-	3	-	-	-	17	-	-	4	1	29
OUACHITA	2	-	-	-	-	-	-	-	-	-	-	1	-	6
MONROE*	2	-	-	-	-	-	-	-	-	-	-	-	-	5
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	-	1	-	1
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	1	-	-	-	-	-	-	-	-
RAPIDES	-	-	-	-	-	-	-	-	-	2	-	-	-	3
ALEXANDRIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	1	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	2
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST CHARLES	1	-	-	-	-	-	-	-	-	-	-	1	-	2
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	1	-	-	-	-	-	-	-	-	-	-	-	-	2
ST LANDRY	-	-	-	1	-	-	-	-	-	-	-	1	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ST MARY	-	-	-	-	-	-	-	-	-	-	2	-	-	2
MORGAN CITY*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST TAMMANY	1	-	-	-	-	-	-	-	-	-	18	-	-	-
SLIDELL*	-	-	-	-	-	-	-	-	-	-	2	-	-	-
TANGIPAHOA	1	-	-	1	-	-	-	-	-	-	-	3	-	-
HAMMOND*	1	-	-	-	-	-	-	-	-	-	-	2	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	2	-	-	-	-	-	-	-	-	-	1	-	-	5
HOUMA*	1	-	-	-	-	-	-	-	-	-	1	-	-	3
UNION	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	1	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	20	1	-	1
BOGALUSA*	-	-	-	-	-	-	-	-	-	-	16	-	-	1
WEBSTER	1	-	-	-	-	-	-	-	-	-	-	2	-	3
MINDEN*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	1
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	3
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS NON-PARALYTIC	PSITTACOSIS	Q FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	REYES SYNDROME
TOTAL	-	20	-	-	-	-	-	20	-	-	-	-	-	2
ACADIA	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CROWLEY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	1	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	4	-	-	-	-	-	-
BEAUREGARD	-	1	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CADDO	-	1	-	-	-	-	-	1	-	-	-	-	-	-
SHREVEPORT*	-	1	-	-	-	-	-	1	-	-	-	-	-	-
CALCASIEU	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	2	-	-	-	-	-	-
E BATON ROUGE	-	1	-	-	-	-	-	4	-	-	-	-	-	-
BATON ROUGE*	-	1	-	-	-	-	-	2	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-	-	2	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	6	-	-	-	-	-	-	-	-	-	-	-	-
KENNER*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUACHITA	-	1	-	-	-	-	-	1	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WEST MONROE*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	4	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	-	-	-	-	-	-	6	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	2	-	-	-	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	1	-	-	-	-	-	-	-	-	-	-	-	-
HOUMA*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	-	-	-	-	-	-	-	1
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

4

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME	SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA
TOTAL	5	-	-	205	54	-	2731	2	-	-	-	345	39	-
ACADIA	-	-	-	3	2	-	27	-	-	-	-	-	1	-
CROWLEY*	-	-	-	2	2	-	11	-	-	-	-	-	1	-
ALLEN	-	-	-	1	-	-	10	-	-	-	-	2	-	-
ASCENSION	-	-	-	5	1	-	14	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	2	1	-	3	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	12	-	-	-	-	1	-	-
BEAUREGARD	-	-	-	-	-	-	19	-	-	-	-	1	-	-
DE RIDDER*	-	-	-	-	-	-	18	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	4	-	-	-	-	1	-	-
BOSSIER	-	-	-	3	-	-	22	-	-	-	-	3	-	-
BOSSIER CITY*	-	-	-	1	-	-	17	-	-	-	-	3	-	-
CADDO	-	-	-	33	1	-	179	-	-	-	-	29	1	-
SHREVEPORT*	-	-	-	28	1	-	163	-	-	-	-	26	1	-
CALCASIEU	-	-	-	14	1	-	130	-	-	-	-	8	-	-
LAKE CHARLES*	-	-	-	11	1	-	110	-	-	-	-	4	-	-
SULPHUR*	-	-	-	-	-	-	3	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	4	-	-	-	-	5	1	-
CAMERON	-	-	-	-	-	-	5	-	-	-	-	-	-	-
CATAHOULA	-	-	-	2	-	-	5	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	25	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	16	-	-	-	-	3	-	-
DESOTO	-	-	-	3	-	-	25	-	-	-	-	-	-	-
E BATON ROUGE	1	-	-	32	6	-	313	-	-	-	-	14	1	-
BATON ROUGE*	-	-	-	29	4	-	293	-	-	-	-	12	-	-
BAKER*	-	-	-	-	2	-	5	-	-	-	-	1	-	-
EAST CARROLL	-	-	-	-	-	-	12	-	-	-	-	3	-	-
E FELICIANA	-	-	-	-	-	-	38	-	-	-	-	1	-	-
EVANGELINE	-	-	-	4	3	-	10	-	-	-	-	4	-	-
FRANKLIN	-	-	-	-	-	-	33	-	-	-	-	3	-	-
GRANT	-	-	-	-	-	-	6	-	-	-	-	-	-	-
IBERIA	-	-	-	5	1	-	30	-	-	-	-	2	-	-
NEW IBERIA*	-	-	-	4	-	-	26	-	-	-	-	1	-	-
IBERVILLE	-	-	-	1	1	-	33	-	-	-	-	1	-	-
JACKSON	-	-	-	-	-	-	3	-	-	-	-	1	-	-
JEFFERSON	1	-	-	15	2	-	165	1	-	-	-	27	5	-
KENNER*	-	-	-	3	-	-	47	-	-	-	-	5	-	-
GRETNA*	1	-	-	3	1	-	13	-	-	-	-	5	2	-
HARAHAN*	-	-	-	1	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	8	-	-	-	-	2	-	-
JEFF DAVIS	-	-	-	-	-	-	3	-	-	-	-	4	-	-
JENNINGS*	-	-	-	-	-	-	2	-	-	-	-	1	-	-
LAFAYETTE	-	-	-	8	1	-	76	-	-	-	-	13	1	-
LAFAYETTE*	-	-	-	5	-	-	68	-	-	-	-	9	1	-
LAFOURCHE	-	-	-	6	4	-	12	-	-	-	-	9	1	-
THIBODAUX*	-	-	-	2	1	-	9	-	-	-	-	5	-	-
LASALLE	-	-	-	-	-	-	5	-	-	-	-	1	-	-
LINCOLN	-	-	-	1	-	-	10	-	-	-	-	2	-	-
RUSTON*	-	-	-	-	-	-	5	-	-	-	-	1	-	-
LIVINGSTON	-	-	-	9	1	-	8	-	-	-	-	1	-	-
MADISON	-	-	-	-	-	-	20	-	-	-	-	1	-	-
TALLULAH*	-	-	-	-	-	-	17	-	-	-	-	1	-	-
MOREHOUSE	1	-	-	2	-	-	10	-	-	-	-	8	-	-
BASTROP*	1	-	-	-	-	-	6	-	-	-	-	8	-	-
NATCHITOCHES	-	-	-	2	2	-	45	-	-	-	-	4	1	-
NATCHITOCHES*	-	-	-	1	1	-	23	-	-	-	-	-	-	-
ORLEANS	-	-	-	23	8	-	727	-	-	-	-	82	12	-
OUACHITA	-	-	-	1	-	-	80	-	-	-	-	40	7	-
MONROE*	-	-	-	-	-	-	79	-	-	-	-	36	6	-
WEST MONROE*	-	-	-	-	-	-	1	-	-	-	-	3	-	-
PLAQUEMINES	-	-	-	-	-	-	9	-	-	-	-	2	-	-
POINTE COUPEE	-	-	-	2	-	-	3	1	-	-	-	-	-	-
RAPIDES	-	-	-	3	-	-	93	-	-	-	-	7	2	-
ALEXANDRIA*	-	-	-	1	-	-	70	-	-	-	-	6	1	-
PINEVILLE*	-	-	-	2	-	-	12	-	-	-	-	1	1	-
RED RIVER	-	-	-	2	-	-	8	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	4	-	-	-	-	4	-	-
SABINE	-	-	-	3	-	-	20	-	-	-	-	-	-	-
ST BERNARD	-	-	-	7	-	-	11	-	-	-	-	1	1	-
ST CHARLES	-	-	-	5	-	-	10	-	-	-	-	2	-	-
ST HELENA	-	-	-	-	1	-	1	-	-	-	-	1	-	-
ST JAMES	-	-	-	1	-	-	2	-	-	-	-	1	-	-
ST JOHN	-	-	-	2	-	-	17	-	-	-	-	-	1	-
ST LANDRY	-	-	-	7	6	-	89	-	-	-	-	7	1-	-
OPELOUSAS*	-	-	-	2	1	-	53	-	-	-	-	3	-	-
EUNICE*	-	-	-	1	1	-	11	-	-	-	-	-	-	-
ST MARTIN	-	-	-	3	-	-	19	-	-	-	-	3	-	-
ST MARY	-	-	-	3	-	-	8	-	-	-	-	8	-	-
MORGAN CITY*	-	-	-	1	-	-	1	-	-	-	-	1	-	-
ST TAMMANT	-	-	-	16	1	-	19	-	-	-	-	5	1	-
SLIDELL*	-	-	-	12	1	-	9	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	4	-	-	35	-	-	-	-	4	1	-
HAMMOND*	-	-	-	2	-	-	8	-	-	-	-	1	-	-
TENSAS	-	-	-	1	-	-	4	-	-	-	-	-	-	-
TERREBONNE	-	-	-	26	4	-	44	-	-	-	-	4	1	-
HOUMA*	-	-	-	15	2	-	32	-	-	-	-	3	-	-
UNION	-	-	-	1	-	-	31	-	-	-	-	1	-	-
VERMILION	-	-	-	10	3	-	9	-	-	-	-	1	-	-
ABBEVILLE*	-	-	-	2	2	-	5	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	53	-	-	-	-	-	-	-
WASHINGTON	-	-	-	8	2	-	12	-	-	-	-	6	-	-
BOGALUSA*	-	-	-	1	1	-	4	-	-	-	-	3	-	-
WEBSTER	2	-	-	3	-	-	11	-	-	-	-	10	-	-
MINDEN*	-	-	-	1	-	-	8	-	-	-	-	4	-	-
W BATON ROUGE	-	-	-	-	-	-	19	-	-	-	-	1	-	-
WEST CARROLL	-	-	-	-	-	-	5	-	-	-	-	-	-	-
W.FELICIANA	-	-	-	-	-	-	16	-	-	-	-	1	-	-
WINN	-	-	-	1	-	-	24	-	-	-	-	3	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

5

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1985

PARISH AND CITIES OVER 10,000	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	4	-	-	5	-	-
ACADIA	-	-	-	-	-	-
CROWLEY*	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	-	-
CADDO	1	-	-	-	-	-
SHREVEPORT*	1	-	-	-	-	-
CALCASIEU	-	-	-	-	-	-
LAKE CHARLES*	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-
CLAIBORNE	-	-	-	1	-	-
CONCORDIA	-	-	-	-	-	-
DESOTO	-	-	-	1	-	-
E BATON ROUGE	-	-	-	-	-	-
BATON ROUGE*	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-
GRANT	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-
JEFFERSON	1	-	-	-	-	-
KENNER*	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	-	-
LAFOURCHE	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-
MADISON	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	-	-
ORLEANS	1	-	-	-	-	-
OUACHITA	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-
RAPIDES	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-
RICHLAND	-	-	-	2	-	-
SABINE	-	-	-	-	-	-
ST BERNARD	-	-	-	1	-	-
ST CHARLES	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-
ST MARY	1	-	-	-	-	-
MORGAN CITY*	1	-	-	-	-	-
ST TAMMANY	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-
HAMMOND*	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-
TERREBONNE	-	-	-	-	-	-
HOUMA*	-	-	-	-	-	-
UNION	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-
VERNON	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	-	-
WEBSTER	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-
WINN	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-

* CITIES ARE INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
6

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1985

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ACTINOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AIDS	125	2.8	W	76	-	-	1	-	-	6	35	24	7	1	1	1
			NW	25	1	-	1	-	-	4	12	3	1	2	1	-
			UNK	24	1	-	-	-	-	-	-	-	-	-	-	23
AMEBIASIS	3	0.1	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	2	-	-	-	-	-	-	-	-	1	-	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ASEPTIC MENINGITIS	101	2.3	W	63	13	4	6	3	8	8	8	3	2	1	5	2
			NW	21	9	2	2	2	-	-	2	4	-	-	-	-
			UNK	17	2	4	5	-	1	1	1	1	1	-	-	1
BLASTOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM (INFANT)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS (UNDULANT FEVER)	2	0.0	W	2	-	-	-	-	-	1	-	-	-	-	1	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CAT SCRATCH FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHANCROID	20	0.4	W	2	-	-	-	-	-	-	1	1	-	-	-	-
			NW	17	-	-	-	-	1	2	8	6	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	-	-	1
CHOLERA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	1	0.0	W	1	-	-	-	-	-	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOCOCCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ECHINOCOCCOSIS (HYDATID DISEASE)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1985

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ENCEPHALITIS, ARTHROPOD-BORNE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST-INFECTIOUS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, OTHER AND UNSPECIFIED	15	0.3	W	9	-	1	2	-	-	2	3	-	-	-	1	-
			NW	3	-	1	1	-	-	-	1	-	-	-	-	-
			UNK	3	-	-	1	1	-	-	-	-	1	-	-	-
FOOD POISONING	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GLANDERS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GONORRHEA	21291	475.2	W	3256	-	1	1	34	858	1318	747	116	24	10	-	147
			NW	17928	2	15	11	243	4933	6939	4503	605	86	22	12	557
			UNK	107	-	-	-	1	5	18	8	3	-	1	1	70
GRANULOMA INGUINALE	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	-	1	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
HAEMOPHILUS TYPE B MENINGITIS	118	2.6	W	63	31	27	2	1	-	-	-	-	1	-	1	-
			NW	47	22	21	2	-	-	-	-	1	-	-	-	1
			UNK	8	4	3	-	-	-	-	-	-	-	-	-	1
HEPATITIS, TYPE A	142	3.2	W	100	-	5	7	7	8	22	27	8	7	4	4	1
			NW	31	-	-	3	1	2	3	7	6	3	1	1	4
			UNK	11	-	1	2	1	-	1	3	-	-	-	-	3
HEPATITIS, TYPE B	253	5.6	W	136	1	1	1	3	7	25	41	19	10	9	15	4
			NW	99	1	1	1	-	10	18	33	17	1	3	7	7
			UNK	18	1	-	1	-	1	4	2	1	1	-	2	5
HEPATITIS, NON A, NON B ..	34	0.8	W	28	-	-	2	-	3	3	5	4	1	3	5	2
			NW	4	-	-	-	-	-	-	1	1	-	1	1	-
			UNK	2	-	-	-	-	-	-	-	1	-	-	-	1
HEPATITIS, TYPE UNSPECIFIED	35	0.8	W	17	-	-	-	1	1	3	6	1	3	2	-	-
			NW	11	-	-	1	-	1	4	2	-	1	2	-	-
			UNK	7	-	-	1	-	1	-	1	1	1	1	-	1
HISTOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS MONONUCLEOSIS .	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONNAIRE'S DISEASE	5	0.1	W	5	-	-	-	-	-	-	1	-	-	1	3	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	13	0.3	W	8	-	-	-	1	-	-	-	1	2	2	2	-
			NW	4	-	-	-	-	-	1	2	-	-	-	1	-
			UNK	1	-	-	-	-	-	-	1	-	-	-	-	-
LEPTOSPIROSIS (WEIL'S DISEASE)	1	0.0	W	1	-	-	-	-	-	-	-	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1985

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LISTERIOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOCYTIC CHORIO- MENINGITIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOPATHIA VENEREUM	20	0.4	W	2	-	-	-	-	1	-	-	1	-	-	-	-
			NW	18	-	-	-	-	2	1	6	1	-	-	1	7
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	6	0.1	W	4	-	-	1	1	-	-	-	1	1	-	-	-
			NW	2	-	-	-	-	-	-	2	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES	42	0.9	W	32	6	8	-	5	5	1	6	-	-	-	-	1
			NW	10	2	4	-	1	1	1	-	-	-	-	-	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS .	38	0.8	W	24	7	11	2	-	1	1	-	1	1	-	-	-
			NW	10	3	3	1	1	1	-	-	-	1	-	-	-
			UNK	4	-	1	-	-	-	1	-	-	-	-	-	2
MUMPS	2	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	2	-	1	-	-	-	1	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MYCOBACTERIOSIS, ATYPICAL	128	2.9	W	82	-	2	-	-	1	-	3	7	8	21	30	10
			NW	46	-	2	-	-	2	2	4	5	9	8	8	6
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
OPHTHALMIA NEONATORUM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PERTUSSIS (WHOOPING COUGH)	20	0.4	W	8	4	1	-	2	1	-	-	-	-	-	-	-
			NW	3	2	1	-	-	-	-	-	-	-	-	-	-
			UNK	9	7	2	-	-	-	-	-	-	-	-	-	-
PLAGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS, PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS NON-PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES IN ANIMALS	20	0.4	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	20	-	-	-	-	-	-	-	-	-	-	-	20
RABIES IN MAN	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1985

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAT BITE FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RAT BITES	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
REYES SYNDROME	2	0.0	W	2	-	1	-	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	5	0.1	W	4	-	-	2	-	-	-	1	-	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	1	-	-	1	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL SYNDROME	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	285	6.4	W	149	40	23	13	5	6	7	12	9	4	8	16	6
			NW	81	29	19	1	1	-	7	10	3	2	3	5	1
			UNK	55	10	13	1	1	-	4	3	1	1	3	5	13
SHIGELLOSIS (DYSENTERY-BACILLARY)	54	1.2	W	25	1	6	4	-	2	3	3	3	1	-	1	1
			NW	20	1	11	2	-	2	-	-	-	-	1	1	2
			UNK	9	-	2	1	-	-	-	-	-	-	-	2	4
SMALLPOX	-	-	W	-	-	-	-	-	-	-	-		-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS	2731	61.0	W	290	2	-	-	2	33	65	102	48	15	6	5	12
			NW	2415	3	1	2	20	388	729	828	260	100	28	18	38
			UNK	26	-	-	-	-	2	4	10	4	-	1	1	4
TETANUS	2	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	2	-	-	-	-	-	-	-	-	1	-	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRACHOMA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS, PULMONARY ..	345	7.7	W	144	-	-	-	-	4	5	16	17	24	30	48	-
			NW	200	-	4	-	1	4	9	40	35	43	25	39	-
			UNK	1	-	1	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1985

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TUBERCULOSIS, OTHER FORMS	39	0.9	W	13	-	-	-	-	-	-	2	4	3	3	1	-
			NW	26	-	1	-	-	1	2	4	5	5	1	7	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TULAREMIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	4	0.1	W	1	-	-	-	-	-	1	-	-	-	-	-	-
			NW	2	-	-	-	1	-	-	1	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	1	-	-	-	-	-
TYPHUS FEVER, ENDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, EPIDEMIC ...	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDERNUTRITION, SEVERE ...	5	0.1	W	1	1	-	-	-	-	-	-	-	-	-	-	-
			NW	4	-	2	-	-	-	-	-	-	-	1	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
VISCERAL LARVA MIGRANS ...	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XXVII
MARRIAGES, FINAL DIVORCES AND ANNULMENTS GRANTED
LOUISIANA, 1985

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	39357	39357	17587	21
ACADIA	500	544	NR	NR
ALLEN	214	207	108 *	1 *
ASCENSION	582	539	180	-
ASSUMPTION	142	162	57 *	1 *
AVOYELLES	364	383	NR	NR
BEAUREGARD	301	282	76 *	- *
BIENVILLE	-	53	67 *	- *
BOSSIER	645	935	451	1
CADDO	2324	1978	1224	1
CALCASIEU	1653	1610	835	-
CALDWELL	126	122	61	-
CAMERON	96	116	29	-
CATAHOULA	87	92	NR	NR
CLAIBORNE	96	101	52	-
CONCORDIA	195	207	950	-
DESOTO	152	184	77 *	- *
E BATON ROUGE	3866	3676	1920	8
EAST CARROLL	59	64	23 *	- *
E FELICIANA	107	160	59	-
EVANGELINE	324	331	101 *	- *
FRANKLIN	200	197	115 *	- *
GRANT	101	178	91	-
IBERIA	629	630	256 *	1 *
IBERVILLE	248	317	NR	NR
JACKSON	151	160	68 *	- *
JEFFERSON	4386	4155	1573	-
JEFF DAVIS	297	300	129 *	- *
LAFAYETTE	1766	1588	NR	NR
LAFOURCHE	843	816	335	-
LASALLE	133	138	64	-
LINCOLN	349	294	NR	NR
LIVINGSTON	647	733	NR	NR
MADISON	41	44	NR	NR
MOREHOUSE	182	207	64	-
NATCHITOCHES	319	330	216	-
ORLEANS	4852	4879	1485	-
OUACHITA	1347	1243	679	-
PLAQUEMINES	207	267	100	-
POINTE COUPEE	161	181	50 *	- *
RAPIDES	1454	1428	748	-
RED RIVER	114	93	26 *	- *
RICHLAND	167	178	85 *	1 *
SABINE	147	164	53 *	- *
ST BERNARD	785	899	349	-
ST CHARLES	334	324	108	-
ST HELENA	104	94	36 *	1 *
ST JAMES	157	197	36	-
ST JOHN	239	246	NR	NR
ST LANDRY	719	794	291 *	1 *
ST MARTIN	323	336	130	-
ST MARY	662	652	293 *	- *
ST TAMMANY	1192	1227	NR	NR
TANGIPAHOA	815	759	2110 *	2 *
TENSAS	39	44	18	-
TERREBONNE	971	975	622	1
UNION	-	41	70 *	- *
VERMILION	447	476	147	-
VERNON	718	762	350 *	- *
WASHINGTON	370	392	224 *	1 *
WEBSTER	345	322	166	-
W BATON ROUGE	225	157	37 *	- *
WEST CARROLL	95	101	59 *	- *
W FELICIANA	80	103	34	-
WINN	156	163	99 *	1 *
UNKNOWN	7	18	1	-
OUT OF STATE	-	9	NR	NR

* SUMMARY REPORT

"NR" NO DIVORCE OR ANNULMENT DATA REPORTED BY CLERK OF COURT

TABLE XXVIII
MARRIAGES BY MONTH OF OCCURRENCE
LOUISIANA, 1985

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	39357	100.0	108
JANUARY	2251	5.7	73
FEBRUARY	2689	6.8	96
MARCH	3105	7.9	100
APRIL	3056	7.8	102
MAY	3450	8.8	111
JUNE	4890	12.4	163
JULY	3382	8.6	109
AUGUST	4028	10.2	130
SEPTEMBER	2913	7.4	97
OCTOBER	2835	7.2	91
NOVEMBER	3345	8.5	112
DECEMBER	3405	8.7	110
UNKNOWN	8	-	

TABLE XXIX
MARRIAGES BY RACE OF GROOM AND RACE OF BRIDE
LOUISIANA, 1985

RACE OF GROOM	TOTAL	RACE OF BRIDE							
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
TOTAL	39357	29952	9031	34	33	10	38	233	26
WHITE	29912	29644	125	24	13	8	20	62	16
BLACK	9098	198	8880	3	-	-	5	7	5
AMERICAN INDIAN	46	37	1	7	1	-	-	-	-
CHINESE	29	5	1	-	19	1	-	3	-
JAPANESE	4	3	-	-	-	1	-	-	-
FILIPINO	27	14	1	-	-	-	12	-	-
OTHER	215	36	16	-	-	-	1	161	1
UNKNOWN	26	15	7	-	-	-	-	-	4

TABLE XXX
MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
LOUISIANA, 1985

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED	WIDOWED	DIVORCED	MARRIAGE ANNULLED	UNKNOWN
TOTAL	39357	24824	1266	11746	40	1481
NEVER MARRIED	24775	20400	204	4023	23	125
WIDOWED	1160	169	482	500	2	7
DIVORCED	11997	4171	576	7187	11	52
MARRIAGE ANNULLED	35	19	1	11	4	-
UNKNOWN	1390	65	3	25	-	1297

TABLE XXXI
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1985

AGE OF GROOM	TOTAL	AGE OF BRIDE															
		UNDER 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	39357	56	255	743	1419	2639	2839	2952	2823	2838	2441	2259	1874	1764	1511	1374	1196
LT 15	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
15	9	1	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-
16	44	1	7	11	12	7	4	-	-	-	1	-	-	-	-	-	-
17	251	6	24	60	80	44	16	9	2	-	1	3	-	2	2	-	1
18	1094	16	68	163	239	291	158	72	20	15	7	5	9	6	6	4	1
19	1718	8	59	151	279	478	353	163	86	35	25	22	9	11	9	4	4
20	2407	8	39	116	269	525	523	378	208	118	58	40	23	18	28	8	7
21	2745	8	19	89	202	404	496	530	385	235	113	64	59	35	23	18	9
22	2778	2	8	53	112	276	371	470	463	397	212	123	64	55	36	30	24
23	2687	2	4	25	75	183	245	358	419	445	327	206	105	74	43	40	21
24	2576	2	7	23	42	117	175	223	355	411	360	277	162	110	60	60	52
25	2305	-	5	9	37	90	144	191	207	271	307	281	206	164	103	81	44
26	2008	1	3	7	15	68	98	150	152	223	237	239	210	186	138	86	69
27	1848	-	-	12	19	40	65	94	137	172	171	185	199	178	137	101	77
28	1591	-	3	6	10	28	44	66	90	113	121	154	157	171	141	111	83
29	1461	-	1	2	5	18	32	50	76	77	94	119	124	143	149	113	115
30-34	5071	-	-	8	8	37	73	128	148	204	286	354	352	363	373	417	393
35-39	3077	1	-	1	-	10	22	43	41	77	80	112	128	142	169	183	176
40-44	1851	-	1	-	2	6	7	8	13	24	19	39	37	64	54	64	63
45-49	1130	-	-	1	-	5	8	1	6	6	6	17	10	24	20	23	39
50-54	731	-	-	-	-	-	-	1	2	2	6	8	5	10	9	16	7
55-59	580	-	-	-	-	-	-	2	1	3	2	4	3	4	5	7	3
60-64	434	-	-	-	1	-	-	-	1	2	-	-	3	-	1	2	2
65-69	305	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
70-74	200	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
75 +	147	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
UNK	227	-	1	5	11	12	11	15	9	7	7	7	8	4	5	6	6

TABLE XXXI (CONTINUED)
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1985

AGE OF BRIDE											AGE OF GROOM
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 AND OVER	UNKNOWN	
4128	2452	1361	834	446	335	287	159	101	35	236	TOTAL
-	-	-	-	-	-	-	-	-	-	-	LT 15
-	-	-	-	-	-	-	-	-	-	1	15
-	1	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	1	17
5	3	-	1	-	-	-	-	-	-	5	18
6	5	1	1	-	-	-	-	-	-	9	19
26	6	-	2	-	-	-	-	-	-	7	20
39	5	4	-	-	-	-	-	-	-	14	21
43	17	6	-	-	-	-	-	-	-	16	22
76	16	6	2	-	-	-	-	-	1	14	23
84	37	2	2	1	-	-	-	-	-	14	24
112	36	5	-	1	-	-	-	-	-	11	25
156	35	7	2	-	-	-	-	-	-	6	26
178	55	11	3	1	1	-	-	-	-	12	27
208	56	13	4	-	-	-	-	-	-	12	28
238	73	17	6	1	-	-	-	-	1	7	29
1290	441	129	39	4	4	-	-	-	-	20	30-34
903	668	212	65	19	3	-	2	2	-	18	35-39
421	499	364	126	24	9	1	-	-	1	5	40-44
186	239	273	186	52	14	6	1	2	1	4	45-49
79	119	152	173	91	28	10	3	3	1	6	50-54
37	78	88	112	100	70	48	6	1	2	4	55-59
14	26	42	59	83	95	73	23	4	3	-	60-64
3	14	13	35	39	56	81	45	11	3	2	65-69
-	5	8	8	19	26	45	46	36	5	1	70-74
-	6	3	5	9	23	19	26	40	14	-	75 +
24	12	5	3	2	4	4	7	2	3	47	UNK

This public document was published at a total cost of $3,711.46. Eight hundred fifty (850) copies of this document were published in this first printing at a cost of $3,711.46. The total cost of all printings of this document, including reprints is $3,711.46. This document was printed for the Office of Preventive and Public Health Services by the Division of Administration, State Printing Office, P. O. Box 94095, Capitol Station, Baton Rouge, Louisiana 70804 to supply data needed for health planning and program activities under authority of R.S. 40:36. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43:31.